FLIGHT PLAN & SITE SURVEY

NRPA Field

October 31, 2026

IMPORTANT NOTICE

Please ensure you have received all required authorizations prior to flight. This Site Survey was created using RPAS Wilco. The user accepts all responsibility for the accuracy of the information.

Terms & Conditions: rpaswilco.com/#tnc

Generated by **RPAS Wilco**

Mission Information

NRPA FIELD

FLIGHT DETAILS

Reference No:	**MAAC-927-5774**
Project Name:	**Ontario FPV**
Pilot Name:	**MAAC**
Pilot Certificate:	
Mission Type:	**VLOS**
Flight Start:	**October 31, 2026 02:52 PM**
Flight End:	**October 31, 2026 03:52 PM**

LOCATION DETAILS

Flight Address:	**NRPA Field**
Latitude:	**43° 3' 18.26" N (43.055)**
Longitude:	**79° 14' 52.62" W (-79.248)**
Field Elevation:	**600 ft MSL**
Altitude / Radius:	**400.0 ft / 926 m (0.5 nm)**
Classification:	**UNCONTROLLED**
FIR / Contact:	**CZYZ / 905-676-4509**


REPORT CONTENTS

Site Survey • Obstacles (if available) • Nearby Aerodromes • Canadian Aviation Regulations • GFA • Aerodrome Supplements • METAR & TAF • NOTAMs • CFS

Flight Map & MODEL Details

MISSION LOCATION SURVEY

FLIGHT AREA MAP




MISSION LOCATION DETAILS

ROLE	LATITUDE	LONGITUDE
MODEL	43° 3' 18.26" N 43.055	79° 14' 52.62" W -79.248
Pilot		
Payload Op.		
Observer		

Airspace Classification

MISSION LOCATION SURVEY

AIRSPACE MAP



OVERLYING AIRSPACES


Class	Name	Floor	Ceiling
E	Windsor, ON [TA]	700AGL	18000MSL
E	Southern Ontario Low Level Control Area a) [CAE]	2500MSL	6500MSL
E	Southern Ontario Low Level Control Area c) [CAE]	6500MSL	18000MSL
E	Toronto, ON [TSP RQ]	6500MSL	12500MSL

NEAREST AERODROMES & DISTANCE FROM OPERATION


WELLAND (NIAGARA HEALTH SYSTEM) (CPB3 - HELIPORT - Cert)	Lat: 42.977	Long: -79.249	7.7KM	4.158NM	S
Operator: NIAGARA HEALTH SYSTEM: PHONE: 905-378-4647 Ext 32284, POST: UNKNOWN **FIR Contact:** 905-676-4509					
NIAGARA CENTRAL DOROTHY RUNGELING (CNQ3 - AERODROME - Reg)	Lat: 42.98	Long: -79.324	9.484KM	5.121NM	SW
Operator: NIAGARA CENTRAL AIRPORT COMMISSION: FAX: 905-735-7773, PHONE: 905-714-1000, POST: P.O BOX 244 WELLAND, ON L3B 5P4 **FIR Contact:** 905-676-4509					
ST.CATHARINES(NIAGARA HEALTH SYSTEM) (CNH4 - HELIPORT - Cert)	Lat: 43.152	Long: -79.281	10.136KM	5.473NM	N
Operator: NIAGARA HEALTH SYSTEM: PHONE: 905-378-4647 +32284, POST: UNKNOWN **FIR Contact:** 905-676-4509					
NIAGARA FALLS (GREATER NIAGARA GENERAL HOSP) (CNG8 - HELIPORT - Cert)	Lat: 43.106	Long: -79.092	12.945KM	6.99NM	NE
Operator: NIAGARA HEALTH SYSTEM: PHONE: 905-378-4647 +32284, POST: UNKNOWN **FIR Contact:** 905-676-4509					
NIAGARA FALLS (CPQ3 - HELIPORT - Cert)	Lat: 43.119	Long: -79.075	14.79KM	7.986NM	NE
Operator: NIAGARA HELICOPTERS LTD: FAX: 905-374-2856 , PHONE: 905-357-5672, PHONE: 905-357-5673, POST: UNKNOWN **FIR Contact:** 905-676-4509					

WELLAND (NIAGARA HEALTH SYSTEM) ON (Heli) CPB3

REF	N42 58 39 W79 14 59 Adj S 10°W UTC-5(4) Elev 585´ A5000
OPR	Niagara Health System 905-378-4647 ext 32284 Cert PPR
FLT PLN **FIC**	 London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
HELI DATA	FATO 86’ dia ASPH & GRASS TLOF 40’ x 40’ ASPH Safety Area 114’ dia Max heli overall length 54.5’
RCR	Opr
LIGHTING	RY(LO) RF(FH)
PRO	Arr/dep 140° to 201° fr heli, slope 8% (H3), day/night use.




WELLAND / NIAGARA CENTRAL DOROTHY RUNGELING ON CNQ3



REF	N42 58 48 W79 19 29 3.5W 10°W (2014) UTC-5(4) Elev 585' A5000 LO6 CAP
OPR	Niagara Central Airport Commission 905-714-1000 Reg
PF	A-2,7,8 C-3,4,5,6
CUST	AOE/CAN
FLT PLN	
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
SERVICES	
FUEL	100LL Self-serve H24 Visa, MasterCard & debit cards
OIL	20W50
S	1,2,3: Tarczy Aircraft 289-213-1528 4,5
RWY DATA	Rwy 05(048°)/23(228°) 3493x100 ASPH AGN II Rwy 16(156°)/34(336°) 2663x50 ASPH Rwy 11(110°)/29(290°) 2341x60 GRASS
RCR	Opr Rwy 16/34 ltd win maint Rwy 11/29 no win maint.
LIGHTING	05-(TE ME) AP, 23-(TE ME) AP ARCAL-123.5 type K
COMM	
ATF	UNICOM ltd hrs O/T tfc 123.5 5NM 3600 ASL
PRO	For flt over Niagara falls, see NIAGARA FALLS VTPC
CAUTION	Glider activity in vic of A/D Sat, Sun, hols Apr-Jun and Sep-Nov. Gliders may use non-std pattern. Bird act in vic of Welland River. Ocsl wildlife on rwy.


ST. CATHARINES (NIAGARA HEALTH SYSTEM) ON (Heli) CNH4

REF	N43 09 06 W79 16 50 Adj 10°W (2013) UTC-5(4) Elev 336' VTA A5000
OPR	Niagara Health System 905-378-4647 Ext 32284 Cert PPR
FLT PLN **FIC**	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada and USA)
HELI DATA	FATO 82' dia ASPH TLOF 33' dia ASPH Safety Area 110' dia Max heli overall length 54.6' **RCR** Opr
LIGHTING	RW(LO) green RF(FL)
COMM **ATF**	tfc 123.25 ltd hrs 5NM 3400 ASL
PRO	Arr/dep 111° to 116° and 287° to 292° fr heli. Slope 16% (H2), day/night use VFR only.
CAUTION	CN railway line runs S of heli.




NIAGARA FALLS (GREATER NIAGARA GENERAL HOSP) ON (Heli) CNG8

REF	N43 06 21 W79 05 31 Adj N 11°W (2012) UTC-5(4) Elev 650' VTA A5000
OPR	Niagara Health System 905-378-4647 ext 32284 Cert PPR
FLT PLN **FIC**	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
HELI DATA **RCR**	FATO/TLOF 86' dia CONC/ASPH Safety Area 114' dia Max heli overall length 57.5' (CAR 602.96) Opr
LIGHTING	RY(LO)
COMM **ATF**	tfc 123.25 5NM 3700 ASL excluding Niagara Falls area pattern (in vicinity of CYR518)
PRO	Arr/dep 010° to 015° fr heli, slope 8% (H3) (CAR 602.96).
CAUTION	Extv tfc in the vicinity of CYR518



NIAGARA FALLS VFR TERMINAL PROCEDURES CHART



NIAGARA FALLS VFR TERMINAL PROCEDURES CHART (Cont'd)

NAME	IDENT	LAT/LONG
420 / QEW	VCFRQ	N43° 05' 45" W079° 07' 00"
NAVY ISLAND	VCNVY	N43° 02' 18" W079° 01' 00"

PROCEDURES

ALL AIRCRAFT AT 3500' ASL OR ABOVE

- Prior to **pattern entry and in pattern:** recognition, landing, strobe and/or anti-collision lights **ON**.
- Fly clockwise pattern as depicted.
- Do not exceed 130 kts or minimum safe speed.
- Broadcast altitude, checkpoint & intentions on 122.050 MHz prior to entry & monitor that frequency in pattern.
- Use Niagara Falls Intl Altimeter Setting.

WARNING: This is a VFR procedure "SEE AND BE SEEN".
Pilots are responsible for own separation and collision avoidance.

WARNING: Exit pattern as depicted, straight out, wings level.

CYR518: FLIGHTS IN RESTRICTED AREA

PRIOR WRITTEN AUTHORIZATION IS REQUIRED

From the Transport Canada, Hamilton TC Centre
Address: TRANSPORT CANADA
HAMILTON TC CENTRE
9300 AIRPORT ROAD, UNIT 450
MOUNT HOPE, ONTARIO
L0R 1W0
NOTE: 10 days notice required/tel: 905-679-3477


GENERAL


CAUTION: Numerous flights in **CYR518**
CAUTION: High speed aircraft departing Niagara Falls, N.Y. in the vicinity of Whirlpool Bridge.
CAUTION: Goat Island may be obscured by mist.

COMMUNICATION FREQUENCIES

PATTERN FREQUENCY		122.050
Niagara Falls N.Y.	ATIS	120.8 ltd hrs
	TWR	118.5 ltd hrs
St. Catharines Radio		123.25 ltd hrs


NIAGARA FALLS ON (Heli) CPQ3





REF	N43 07 09 W79 04 31 Adj 11°W (2012) UTC-5(4) Elev 589´ VTA A5000
OPR	Niagara Helicopters Ltd 905-357-5672/5673 Fax 905-374-2856 Cert PPR
PF	B-1,2 avbl 14-22Z‡ C-3,4,5,6
FLT PLN **FIC**	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
SERVICES **PVT ADV**	Niagara Helicopters 129.475 14-22Z‡
HELI DATA	FATO/TLOF 93' x 93' ASPH Safety Area 124' x 124' Max heli overall length 62' Parking Pad H12: 17' x 17' CONC Parking Pad H21: 17' x 17' CONC Parking Pad H22: 17' x 17' CONC Parking Pad V11: 17' x 17' CONC Parking Pad V12: 17' x 17' CONC
RCR	Opr
LIGHTING	RY(LO) RF(FL) ARCAL-129.475
PRO	For flt over falls, see Niagara Falls VTPC. Three arr/dep paths fr/to NE (see sketch). Arr/dep 1 - 040° day use only, Arr/dep 2 - 200° day/night use & Arr/dep 3 - 295° day use only, all slope 8% (H3).
CAUTION	Aerial cable (see sketch).

NIAGARA FALLS VFR TERMINAL PROCEDURES CHART



NIAGARA FALLS VFR TERMINAL PROCEDURES CHART (Cont'd)

NAME	IDENT	LAT/LONG
420 / QEW	VCFRQ	N43° 05' 45" W079° 07' 00"
NAVY ISLAND	VCNVY	N43° 02' 18" W079° 01' 00"

PROCEDURES

ALL AIRCRAFT AT 3500' ASL OR ABOVE

- Prior to **pattern entry and in pattern:** recognition, landing, strobe and/or anti-collision lights **ON**.
- Fly clockwise pattern as depicted.
- Do not exceed 130 kts or minimum safe speed.
- Broadcast altitude, checkpoint & intentions on 122.050 MHz prior to entry & monitor that frequency in pattern.
- Use Niagara Falls Intl Altimeter Setting.

WARNING: This is a VFR procedure "SEE AND BE SEEN".
Pilots are responsible for own separation and collision avoidance.

WARNING: Exit pattern as depicted, straight out, wings level.

CYR518: FLIGHTS IN RESTRICTED AREA

PRIOR WRITTEN AUTHORIZATION IS REQUIRED

From the Transport Canada, Hamilton TC Centre
Address: TRANSPORT CANADA
HAMILTON TC CENTRE
9300 AIRPORT ROAD, UNIT 450
MOUNT HOPE, ONTARIO
L0R 1W0
NOTE: 10 days notice required/tel: 905-679-3477

GENERAL

CAUTION: Numerous flights in **CYR518**
CAUTION: High speed aircraft departing Niagara Falls, N.Y. in the vicinity of Whirlpool Bridge.
CAUTION: Goat Island may be obscured by mist.

COMMUNICATION FREQUENCIES

PATTERN FREQUENCY		122.050
Niagara Falls N.Y.	ATIS	120.8 ltd hrs
	TWR	118.5 ltd hrs
St. Catharines Radio		123.25 ltd hrs