FLIGHT PLAN & SITE SURVEY

LOWAM Field

November 12, 2026

IMPORTANT NOTICE

Please ensure you have received all required authorizations prior to flight. This Site Survey was created using RPAS Wilco. The user accepts all responsibility for the accuracy of the information.

Terms & Conditions: rpaswilco.com/#tnc

Generated by **RPAS Wilco**

Mission Information

LOWAM FIELD

FLIGHT DETAILS

Reference No:	**MAAC-169-4154**
Project Name:	**LAKE OF THE WOODS AEROMODELERS**
Pilot Name:	**MAAC**
Pilot Certificate:	
Mission Type:	**VLOS**
Flight Start:	**November 12, 2026 08:44 PM**
Flight End:	**November 12, 2026 09:44 PM**

LOCATION DETAILS

Flight Address:	**LOWAM Field**
Latitude:	**49° 44' 32.00" N (49.742)**
Longitude:	**94° 20' 40.30" W (-94.345)**
Field Elevation:	**1296 ft MSL**
Altitude / Radius:	**400.0 ft / 926 m (0.5 nm)**
Classification:	**CONTROLLED**
FIR / Contact:	**CZWG / 204-983-8338**

NOTES

Your flight is in controlled airspace.
If your RPAS is > 250g, please obtain RPAS Flight Authorization using the NavDrone app or by contacting NavCanada. (CARs 901.71)


REPORT CONTENTS

Site Survey • Obstacles (if available) • Nearby Aerodromes • Canadian Aviation Regulations • GFA • Aerodrome Supplements • METAR & TAF • NOTAMs • CFS

Flight Map & MODEL Details

MISSION LOCATION SURVEY

FLIGHT AREA MAP




MISSION LOCATION DETAILS

ROLE	LATITUDE	LONGITUDE
MODEL	49° 44' 32.00" N 49.742	94° 20' 40.30" W -94.345
Pilot		
Payload Op.		
Observer		

Airspace Classification

MISSION LOCATION SURVEY

AIRSPACE MAP




OVERLYING AIRSPACES

Class	Name	Floor	Ceiling
E	Kenora, ON [CZ]	SFC	3000GND
E	Kenora, ON [TA]	700AGL	18000MSL
E	Kenora, ON a) [CAE]	2200AGL	18000MSL

NEAREST AERODROMES & DISTANCE FROM OPERATION

KENORA (CYQK - AERODROME - Cert)	Lat: 49.788	Long: -94.363	5.267KM	2.844NM	N
Operator: KENORA AIRPORT AUTHORITY INCORPORATED.: PHONE: 807-548-5377, POST: UNKNOWN **FIR Contact:** 204-983-8338					
KENORA (CJM9 - WATERDROME - Reg)	Lat: 49.766	Long: -94.494	11.078KM	5.982NM	W
Operator: RIVER AIR LTD: PHONE: 807-468-7104, POST: UNKNOWN **FIR Contact:** 204-983-8338					
KENORA (LAKE OF THE WOODS DISTRICT HOSPITAL) (CJG6 - HELIPORT - Reg)	Lat: 49.769	Long: -94.499	11.471KM	6.194NM	W
Operator: LAKE OF THE WOODS DISTRICT HOSPITAL: PHONE: 807-468-4598, POST: UNKNOWN **FIR Contact:** 204-983-8338					
KENORA (PETERSON'S LANDING) (CPL7 - WATERDROME - Reg)	Lat: 49.843	Long: -94.457	13.788KM	7.445NM	NW
Operator: ALF MONCRIEF: PHONE: 807-467-1323, POST: UNKNOWN **FIR Contact:** 204-983-8338					

KENORA ON CYQK




REF	N49 47 18 W94 21 47 5ENE 1°E (2012) UTC-6(5) Elev 1344´ A5007 LO4 HI4 CAP
OPR	Kenora Airport Authority Inc. 807-548-5377 11-24Z‡ Cert Ldg fees
PF	B-1,3,6 D-4 avbl 1400-0030Z (DT 12-02Z) O/T D-1,2,3,4,5,6
CUST	AOE/15 888-226-7277 14-02Z‡ May 15-Oct 15
FLT PLN	Pilots to open/close VFR flt plan with London rdo, FISE or by phone
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
WX	METAR H24. TAF H24, issue times: 02, 08, 14, 20Z
SERVICES	11-24Z‡ O/T call out chg
FUEL	100LL, JA-1 (FSII avbl) 807-548-9907 O/T 807-467-1396
JASU	Hobart 28V 300-1500 amps. Elec start 28VDC 200-2000A.
PVT ADV	Kenora Aprt Shell 122.85, MNR Ops 122.9
RWY DATA	Rwy 08(077°)/26(257°) 5800x150 ASPH Rwy 08 first 456' up 0.77%. Rwy 26 first 504' up 0.87%
RWY CERT	Rwy 08/26 AGN IV
TWY	Twy B clsd dur win.
APRON	Apron II clsd dur win.
RCR	Opr 11-24Z‡ O/T and emerg 2 hr PN 807-467-1396. CRFI, PCN
LIGHTING	08-AS(TE ME) P2, 26-AS(TE ME) P2

KENORA ON (Cont'd) CYQK


COMM	
RADIO	122.2 (E) (emerg only 807-548-5076)
RCO	London rdo 123.375 (FISE) 126.7 (bcst)
ATIS	128.2
MF	rdo 122.2 5NM 4300 ASL (CAR 602.98)
NAV	
DME	SIOUX NARROWS YIX 115.2 Ch 99 N49 28 37 W94 02 48 (1307')
CAUTION	Aerobatics may be in progress over aprt 4300 ASL & below. Gen avn tie down & prkg area unlgtd.

KENORA VFR TERMINAL PROCEDURES CHART



NAME	IDENT	LAT/LONG
BLACK STURGEON BRIDGE	VCBSF	N49° 54' 05" W094° 29' 19"
DEACON LAKE	VCDNL	N49° 54' 22" W094° 20' 27"
HAWK LAKE	VCHKL	N49° 48' 32" W094° 00' 31"
KEEWATIN	VCKWN	N49° 46' 00" W094° 33' 31"
LONGBOW LAKE	VCLLK	N49° 43' 13" W094° 16' 46"
NORTH SHORE DOGTOOTH LAKE	VCNSD	N49° 44' 34" W094° 11' 40"
SCOTTY'S	VCTTY	N49° 40' 31" W094° 27' 41"
SOUTH SHORE SILVER LAKE	VCSSL	N49° 51' 55" W094° 11' 26"

KENORA ON CJM9



REF	N49 45 56 W94 29 40 Adj W 1°E (2014) UTC-6(5) Elev 1060´ A5007
OPR	River Air Ltd 807-468-7104 Reg
PF	B-1,2,3,4,5,6
CUST	AOE/15/SEAPL 888-226-7277 14-02Z‡ May 15-Oct 15
FLT PLN **FIC**	Pilots to open/close VFR flt plan with London rdo, FISE or by phone London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
SERVICES **FUEL** **OIL** **S**	 100LL, JA-1 80, 100 2,3,5
A/D DATA	Open water mid May-Oct. Reefs, islands & navigation buoys vis from the air.
COMM **RADIO** **RCO** **MF** **UNICOM**	 122.2 (E) (emerg only 807-548-5076) London rdo 123.375 (FISE) 126.7 (bcst) Kenora rdo 122.2 5NM centred on Kenora land A/D 5.2NM ENE 4300 ASL (CAR 602.98) 122.8

KENORA ON (Cont'd) CJM9


NAV DME	SIOUX NARROWS YIX 115.2 Ch 99 N49 28 37 W94 02 48 (1312')
PRO	Area 1 & 2 in sketch not authorized for tkof & taxiing at speeds greater than rqrd to maintain steerage way. Area 2 not authorized for ldg.
CAUTION	Extended centre line land A/D (5.2NM ENE) intersects float bases. Numerous swimmers & small pleasure boats.

KENORA FSS – RCO

Norway House 122.1 (RAAS) 13-02Z‡
Red Lake 122.3 (RAAS) 12-04Z‡ (N51 04 W93 48)


KENORA (PETERSON'S LANDING) ON CPL7

REF	N49 50 33 W94 27 28 4.7NNE 1°E (2023) UTC-6(5) Elev 1037' A5007
OPR	Alf Moncrief 807-467-1323 Reg PN
FLT PLN FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
SERVICES S	5,7
A/D DATA	Open water mid-May-Oct. Depth 2-3' at dock, sand & rock bottom. Area may be used for ski ops dur win months.
COMM MF	Kenora rdo 122.2 5 NM centered on Kenora A/D 4.9 NM SE 4300 ASL (CAR 602.98)




KILLARNEY (KILLARNEY MOUNTAIN LODGE) ON CKY4

REF	N45 58 09 W81 30 25 Adj SE 10°W (2011) UTC-5(4) Elev 570' A5000 A5001
OPR	Killarney Mountain Lodge 705-287-2242 Reg
PF	B-1,2,3,5 C-4
FLT PLN FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
SERVICES FUEL OIL	MOGAS W100, 15W50
A/D DATA	Open water May to mid-Oct
COMM ATF	tfc 122.8 5NM 3600 ASL




KENORA VFR TERMINAL PROCEDURES CHART




NAME	IDENT	LAT/LONG
BLACK STURGEON BRIDGE	VCBSF	N49° 54' 05" W094° 29' 19"
DEACON LAKE	VCDNL	N49° 54' 22" W094° 20' 27"
HAWK LAKE	VCHKL	N49° 48' 32" W094° 00' 31"
KEEWATIN	VCKWN	N49° 46' 00" W094° 33' 31"
LONGBOW LAKE	VCLLK	N49° 43' 13" W094° 16' 46"
NORTH SHORE DOGTOOTH LAKE	VCNSD	N49° 44' 34" W094° 11' 40"
SCOTTY'S	VCTTY	N49° 40' 31" W094° 27' 41"
SOUTH SHORE SILVER LAKE	VCSSL	N49° 51' 55" W094° 11' 26"

KENORA (LAKE OF THE WOODS DISTRICT HOSP) ON (Heli) CJG6



REF	N49 46 07 W94 29 56 Adj W 1°E (2014) UTC-6(5) Elev 1100´ A5007
OPR	Lake of the Woods District Hosp 807-468-4598 Reg PPR
PF	C-1,2,3,4,5,6 MEDEVAC flts only
FLT PLN **FIC**	Pilots to open/close VFR flt plan with London rdo, FISE or by phone London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
HELI DATA	FATO/TLOF 90' dia CONC Safety Area 115' dia Max heli overall length 57.3'
LIGHTING	RY ARCAL-123.2 key mic 3 times to turn lgts on. Key mic 5 times to turn lgts off.
COMM **RADIO** **RCO** **MF**	 Kenora rdo 122.2 (E) at Kenora A/D 5.4NM ENE (emerg only 807-548-5076) London rdo 123.375 (FISE) 126.7 (bcst) Kenora rdo 122.2 5NM centred on Kenora A/D 5.4NM ENE 4300 ASL (CAR602.98)
PRO	Do not overfly Big Fish due sporadic fountain. Arr/dep 311° to 052° fr heli, slope 8%.
CAUTION	Boat launched/towed parasailing vic Coney Island, SR to SS, 1 May-31 Oct, max alt 500 AGL. Kenora A/D 5.4NM ENE. Extended centre line Rwy 08/26 Kenora intersects Heliport. Extv float plane activity on Safety Bay Apr-Nov, monitor 122.8.

KENORA VFR TERMINAL PROCEDURES CHART



NAME	IDENT	LAT/LONG
BLACK STURGEON BRIDGE	VCBSF	N49° 54' 05" W094° 29' 19"
DEACON LAKE	VCDNL	N49° 54' 22" W094° 20' 27"
HAWK LAKE	VCHKL	N49° 48' 32" W094° 00' 31"
KEEWATIN	VCKWN	N49° 46' 00" W094° 33' 31"
LONGBOW LAKE	VCLLK	N49° 43' 13" W094° 16' 46"
NORTH SHORE DOGTOOTH LAKE	VCNSD	N49° 44' 34" W094° 11' 40"
SCOTTY'S	VCTTY	N49° 40' 31" W094° 27' 41"
SOUTH SHORE SILVER LAKE	VCSSL	N49° 51' 55" W094° 11' 26"

KENORA ON (Cont'd) CJM9


NAV DME	SIOUX NARROWS YIX 115.2 Ch 99 N49 28 37 W94 02 48 (1312')
PRO	Area 1 & 2 in sketch not authorized for tkof & taxiing at speeds greater than rqrd to maintain steerage way. Area 2 not authorized for ldg.
CAUTION	Extended centre line land A/D (5.2NM ENE) intersects float bases. Numerous swimmers & small pleasure boats.

KENORA FSS – RCO

Norway House 122.1 (RAAS) 13-02Z‡
Red Lake 122.3 (RAAS) 12-04Z‡ (N51 04 W93 48)


KENORA (PETERSON'S LANDING) ON CPL7

REF	N49 50 33 W94 27 28 4.7NNE 1°E (2023) UTC-6(5) Elev 1037' A5007
OPR	Alf Moncrief 807-467-1323 Reg PN
FLT PLN FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
SERVICES S	5,7
A/D DATA	Open water mid-May-Oct. Depth 2-3' at dock, sand & rock bottom. Area may be used for ski ops dur win months.
COMM MF	Kenora rdo 122.2 5 NM centered on Kenora A/D 4.9 NM SE 4300 ASL (CAR 602.98)




KILLARNEY (KILLARNEY MOUNTAIN LODGE) ON CKY4

REF	N45 58 09 W81 30 25 Adj SE 10°W (2011) UTC-5(4) Elev 570' A5000 A5001
OPR	Killarney Mountain Lodge 705-287-2242 Reg
PF	B-1,2,3,5 C-4
FLT PLN FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
SERVICES FUEL OIL	MOGAS W100, 15W50
A/D DATA	Open water May to mid-Oct
COMM ATF	tfc 122.8 5NM 3600 ASL



KENORA VFR TERMINAL PROCEDURES CHART



NAME	IDENT	LAT/LONG
BLACK STURGEON BRIDGE	VCBSF	N49° 54' 05" W094° 29' 19"
DEACON LAKE	VCDNL	N49° 54' 22" W094° 20' 27"
HAWK LAKE	VCHKL	N49° 48' 32" W094° 00' 31"
KEEWATIN	VCKWN	N49° 46' 00" W094° 33' 31"
LONGBOW LAKE	VCLLK	N49° 43' 13" W094° 16' 46"
NORTH SHORE DOGTOOTH LAKE	VCNSD	N49° 44' 34" W094° 11' 40"
SCOTTY'S	VCTTY	N49° 40' 31" W094° 27' 41"
SOUTH SHORE SILVER LAKE	VCSSL	N49° 51' 55" W094° 11' 26"