FLIGHT PLAN & SITE SURVEY

VILLE DE SAGUENAY

November 12, 2026

IMPORTANT NOTICE

Please ensure you have received all required authorizations prior to flight. This Site Survey was created using RPAS Wilco. The user accepts all responsibility for the accuracy of the information.

Terms & Conditions: rpaswilco.com/#tnc

Generated by **RPAS Wilco**

Mission Information

VILLE DE SAGUENAY

FLIGHT DETAILS

Reference No:	**MAAC-180-4178**
Project Name:	**CLUB AEROMODELISME SAGUENAY INC.**
Pilot Name:	**MAAC**
Pilot Certificate:	
Mission Type:	**VLOS**
Flight Start:	**November 12, 2026 09:45 PM**
Flight End:	**November 12, 2026 10:45 PM**

LOCATION DETAILS

Flight Address:	**VILLE DE SAGUENAY**
Latitude:	**48° 27' 34.03" N (48.459)**
Longitude:	**71° 12' 19.09" W (-71.205)**
Field Elevation:	**197 ft MSL**
Altitude / Radius:	**400.0 ft / 926 m (0.5 nm)**
Classification:	**UNCONTROLLED**
FIR / Contact:	**CZUL / 514-633-3365**

REPORT CONTENTS

Site Survey • Obstacles (if available) • Nearby Aerodromes • Canadian Aviation Regulations • GFA • Aerodrome Supplements • METAR & TAF • NOTAMs • CFS

Flight Map & MODEL Details

MISSION LOCATION SURVEY

FLIGHT AREA MAP




MISSION LOCATION DETAILS

ROLE	LATITUDE	LONGITUDE
MODEL	48° 27' 34.03" N 48.459	71° 12' 19.09" W -71.205
Pilot		
Payload Op.		
Observer		

Airspace Classification

MISSION LOCATION SURVEY

AIRSPACE MAP



OVERLYING AIRSPACES


Class	Name	Floor	Ceiling
E	Bagotville, QC e) [TCA]	700AGL	18000MSL

NEAREST AERODROMES & DISTANCE FROM OPERATION

SAGUENAY (HARVEY) (CSA8 - WATERDROME - Reg)	Lat: 48.44	Long: -71.129	6.01KM	3.245NM	E
Operator: 10289221 CANADA INC.: PHONE: 514-797-6725, POST: UNKNOWN **FIR Contact:** 514-633-3365					
CHICOUTIMI (C.H. DE CHICOUTIMI) (CCS7 - HELIPORT - Cert)	Lat: 48.426	Long: -71.048	12.206KM	6.591NM	E
Operator: CIUSSS DU SAGUENAY-LAC ST-JEAN: PHONE: 418-541-1012, PHONE: 418-541-1234 +202811, POST: UNKNOWN **FIR Contact:** 514-633-3365					
ST-HONORE (CYRC - AERODROME/HELIPORT - Cert)	Lat: 48.521	Long: -71.051	13.275KM	7.168NM	NE
Operator: MINISTERE DES TRANSPORTS ET DE LA MOBILITE DURABLE: PHONE: 418-673-4245, PHONE: 418-812-4524, POST: UNKNOWN **FIR Contact:** 514-633-3365					
OLIGNY (COL5 - HELIPORT - Reg)	Lat: 48.316	Long: -71.222	15.99KM	8.634NM	S
Operator: CHANTAL LUSSIER: PHONE: 514-973-4860, POST: UNKNOWN **FIR Contact:** 514-633-3365					

STE-VÉRONIQUE QC CSW9


REF	N46 30 56 W74 59 19 Adj NNE 15°W UTC-5(4) Elev 823′ A5002
OPR	Air Mt-Laurier 1985 819-275-2794 Reg PPR
PF	B-1,2,3,5 C-6 D-4
FLT PLN FIC	(bil) Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
SERVICES FUEL OIL S	 100LL 80, 100 1,2,5
A/D DATA	Open water May-mid Nov. Sandy beach.
COMM ATF A/G	 tfc 123.2 5NM 3900 ASL 122.9 5460 SSB (Co)
PRO	Avoid overflight of village & beach below 1000 AGL.
CAUTION	P-lines 0.5NM N.



ST. WALERAN ISLAND ON — See PARRY SOUND / ST. WALERAN ISLAND

SAGUENAY (HARVEY) QC CSA8

REF	N48 26 23 W71 07 46 2.5NM WNW 17°W (2014) UTC-5(4) Elev 30′ A5010
OPR	10289221 Canada Inc. 514-797-6725 Reg PPR
PF	C-1,2,3,4,5,6
FLT PLN FIC	(bil) Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
SERVICES S	 5,7
A/D DATA	Open water May-Nov. Dock depth 3' during low tide. Tidal range 12', current 3 kt. Rocks and shoal unmarked at low tide along the shore.
COMM TWR VFR ADV A/G	 Bagotville 126.2 Bagotville Tml 121.2 122.925




SAGUENAY (HARVEY) QC (Cont'd) CSA8

PRO	Refer to Bagotville VTPC **Circuits:** Right hand circuits when ldg and tkof to E (CAR 602.96) **Depart:** Obtain appr fr Bagotville TWR (418-677-4000 Ext 7507) at least 5 min before tkof. Broadcast intentions on 126.2 - Bagotville TWR before tkof. Remain at 1000 ASL or BLW until comm with Bagotville TWR is established; ctc TWR even if you leave the CZ at 1000 ASL or below. Avoid CYRC CZ north of the Saguenay River.
CAUTION	Marked P-lines aprx 250 ASL (110 AGL) 1.5NM E Frequent low alt heli activity E of Dubuc bridge

SAGUENAY / ST-CHARLES-DE-BOURGET QC CSA5

REF	N48 30 34 W71 27 50 5.8WNW St-Charles-de-Bourget 17°W (2014) UTC-5(4) Elev 230' A5010
OPR	Michel Guay 418-487-4071 Reg PN
PF	D-1,2,3,4,5,6
FLT PLN **FIC**	(bil) Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
SERVICES **S**	1,5,7
A/D DATA **DOCKS**	Open water May-Nov. Sand and rock bottom. Dock depth 5'. Ramp




COMM **ATF** **VFR ADV**	 tfc 123.4 5NM outside Alma MF area 3300 ASL Bagotville Tml 121.2
CAUTION	Hvy tng zone N of river freq 123.4. Refer to Chicoutimi/St-Honoré VTPC.

SAKINAW LAKE SOUTH BC — See GARDEN BAY / SAKINAW LAKE SOUTH


SALMON LAKE ON — See PARRY SOUND / SALMON LAKE

CHICOUTIMI (C. H. DE CHICOUTIMI) QC (Heli) CCS7



REF	N48 25 33 W71 02 52 Adj 17°W (2014) UTC-5(4) Elev 198' A5010
OPR	CIUSSS du Saguenay-Lac St-Jean 418-541-1012 Cert PPR 418-541-1234 ext 202811 prior to tkof, 1 hr prior to arr
FLT PLN **FIC**	(bil) Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
HELI DATA	FATO 84' dia ASPH TLOF 24' dia CONC Safety Area 112' Max heli overall length 56.2' (CAR 602.96)
RCR	Opr
LIGHTING	RF RW(ME)
COMM	(bil)
ATIS	(English) 124.2 (French) 125.8
TWR	Bagotville 126.2
TML	Bagotville 127.2
A/G	Hosp security 122.75 MHZ 5-10 min PN
PRO	Arr/dep 118° fr heli, (H1) (CAR 602.96). Arr/dep curved 254° to 315° fr heli, along the Jacques-Cartier Street, (H1) (CAR 602.96). Curved dep path starts 131' fr heli. H1 ops PPR (CAR 602.96) and must meet required performance criteria per CAR 325.19. **Arrival Procedure:** 5-10 min before ldg, ctc 122.75 MHZ or 418-541-1234 ext 202811. Advs intentions (westerly or easterly apch) and wait for secured heli confirmation. Hosp security must secure heli prior to all heli movements. Go-around on apch, or tkof delay, may be required.
CAUTION	Ambulance garage 250' SW of heli aprx 30 AGL. Trees 40 AGL S of Jacques-Cartier Street in the arr/dep 253° path fr heli. Steep upward slope of the terrain S of Jacques-Cartier Street. Heli within the Bagotville CZ.

CHICOUTIMI / ST-HONORÉ QC CYRC



LDA FOR LAND AND HOLD SHORT OPERATIONS (LAHSO)		
FROM	TO	LDA in ft.
Thld Rwy 30 Thld Rwy 12	Short of Rwy 06-24 Short of Rwy 18-36	5622 3914

REF	N48 31 15 W71 03 02 1.5ESE 17°W (2013) UTC-5(4) Elev 544' A5010 LO7 HI5 HI6 CAP
OPR	Ministère des transports et de la mobilité durable 418-673-4245 (Administration), 418-812-4524 (Maint) Cert
PF	B-1,2,7 D-3,4,5,6
FLT PLN	(bil)
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
ACC	Montréal 800-633-1353
WX	LWIS H24 LAWO 1300-0130Z‡; 13-03Z‡ Mon-Fri 1300-0130Z‡ Sat-Sun Oct 15-Nov 16 and Feb 15-Mar 2. WxCam
SERVICES	
FUEL	100LL, JA
OIL	All
S	1,2,3,4,5,6,7
PVT ADV	Exact Air/Petro T 129.15 418-673-3522; AirMédic 13-22Z‡ 418-673-3838 O/T 418-718-5648 call out chgs.
RWY DATA	Rwy 12(122°)/30(302°) 6085x150 ASPH Rwy 06(062°)/24(242°) 3735x148 ASPH Rwy 18(182°)/36(002°) 3597x148 ASPH Poor drainage may cause hydroplaning.
RWY CERT	Rwy 12/30 AGN IIIB Rwy 06/24 AGN II Rwy 18/36 AGN II
RCR	Opr 12-03Z‡ Mon-Fri 12-24Z‡ Sat-Sun CRFI Rwy 06/24 no win maint.

CHICOUTIMI / ST-HONORÉ QC (Cont'd) CYRC

HELI DATA	North: TLOF 65' x 65' ASPH South: TLOF 65' x 820' ASPH
LIGHTING	12-AO(TE ME) P2, 30-AO(TE ME) P2, 18-(TE ME), 36-(TE ME) ARCAL-118.4 type K
COMM	(bil)
ATIS	(English) 134.8; (French) 124.95
CLNC DEL	Prior to dep pilots must ctc Bagotville Tml for IFR clnc at 888-813-8508 when TWR clsd.
GND	St-Honoré 121.9 1300-0130Z‡; 13-03Z‡ Mon-Fri 1300-0130Z‡ Sat-Sun Oct 15-Nov 16 and Feb 15-Mar 2.
TWR	St-Honoré 118.4 (V) 1300-0130Z‡; 13-03Z‡ Mon-Fri 1300-0130Z‡ Sat-Sun Oct 15-Nov 16 and Feb 15-Mar 2. (emerg only 418-673-4353)
ATF	tfc 118.4 0130-1300Z‡; 03-13Z‡ Mon-Fri 0130-1300Z‡ Sat-Sun Oct 15-Nov 16 and Feb 15-Mar 2. 5NM shape irregular 4000 ASL
TML	Bagotville 127.2 227.6
VFR ADV	Bagotville Tml 121.2
PRO	**Itinerant tfc: See Bagotville VTPC.** **Training zone:** Arrival & departure tracks see VTPC. Arrivals: Single engine: Minimum alt 2000 ASL. Helicopters: Maximum alt 1000 ASL within 2.5NM of A/D. (see Heli VTPC). Others: Minimum alt 2500 ASL. Right hand circuits runways 06, 12 and 36 (CAR 602.96)
HELI	**Arrivals & departures:** Maximum alt 1000 ASL btwn A/D & checkpoints. **Departures:** All heli must ctc gnd ctl. **Checkpoints:** JOLI (2NM E) arr/dep hdg 274°/094°. MARTEL (2NM NW) arr/dep hdg 154°/334°. MADOC (1.4NM SW) arr/dep hdg 024°/204°. SILO (2NM N) arr/dep hdg 169°/349°. **HELIPAD RESTRICTIONS:** North and South helipads avbl only with written authorization from Opr (CAR 602.96 (3)(d)). North and South helipads avbl only during TWR hr of ops (CAR 602.96 (3)(d)).
CAUTION	**Training:** Hvy tng W of the aprt fr W bdry of CZ to St-Augustin (freq 123.4). **Blasting:** Blasting area 0.54NM radius N48 28 38 W071 06 46 (aprx 3.6NM SW A/D) sfc to 3800 ASL. Blasting area 0.54NM radius N48 28 41 W071 05 41 (aprx 3.1NM SW A/D) sfc to 3800 ASL.

SAGUENAY / OLIGNY QC (Heli) COL5

REF	N48 18 58 W71 13 21 9WSW 17°W (2018) UTC-5(4) Elev 551´ aprx A5010
OPR	Chantal Lussier 514-973-4860 Reg PPR
FLT PLN **FIC**	(bil) Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
HELI DATA **RCR**	FATO/TLOF 45' x 45' CONC Safety Area 80' x 80' Max heli overall length 37.86' Opr Ltd win maint
COMM **TWR** **VFR ADV**	 Bagotville 126.2 Bagotville Tml 121.2
PRO	Arr/dep 040° & 250° fr heli, day use only. Refer to Bagotville VTPC

