FLIGHT PLAN & SITE SURVEY

St-Apollinaire

November 12, 2026

IMPORTANT NOTICE

Please ensure you have received all required authorizations prior to flight. This Site Survey was created using RPAS Wilco. The user accepts all responsibility for the accuracy of the information.

Terms & Conditions: rpaswilco.com/#tnc

Generated by **RPAS Wilco**

Mission Information

ST-APOLLINAIRE

FLIGHT DETAILS

Reference No:	**MAAC-278-5847**
Project Name:	**CLUB AIR MODELISTE**
Pilot Name:	**MAAC**
Pilot Certificate:	
Mission Type:	**VLOS**
Flight Start:	**November 12, 2026 10:00 PM**
Flight End:	**November 12, 2026 11:00 PM**

LOCATION DETAILS

Flight Address:	**St-Apollinaire**
Latitude:	**46° 37' 53.69" N (46.632)**
Longitude:	**71° 28' 16.02" W (-71.471)**
Field Elevation:	**269 ft MSL**
Altitude / Radius:	**400.0 ft / 926 m (0.5 nm)**
Classification:	**UNCONTROLLED**
FIR / Contact:	**CZUL / 514-633-3365**


REPORT CONTENTS

Site Survey • Obstacles (if available) • Nearby Aerodromes • Canadian Aviation Regulations • GFA • Aerodrome Supplements • METAR & TAF • NOTAMs • CFS

Flight Map & MODEL Details

MISSION LOCATION SURVEY

FLIGHT AREA MAP




MISSION LOCATION DETAILS

ROLE	LATITUDE	LONGITUDE
MODEL	46° 37' 53.69" N 46.632	71° 28' 16.02" W -71.471
Pilot		
Payload Op.		
Observer		

Airspace Classification

MISSION LOCATION SURVEY

AIRSPACE MAP



OVERLYING AIRSPACES


Class	Name	Floor	Ceiling
C	Québec, QC b) [TCA]	1500MSL	12500MSL
E	Québec/Jean Lesage Intl, QC [TA]	2200AGL	18000MSL
E	3.5.2-5 [CAE]	6000AGL	18000MSL

NEAREST AERODROMES & DISTANCE FROM OPERATION

ST-APOLLINAIRE (AIRPRO) (CAA4 - AERODROME - Reg)	Lat: 46.587	Long: -71.561	8.462KM	4.569NM	SW
Operator: AIRPROGYRO: PHONE: 418-580-8912, PHONE: 418-881-1550, POST: UNKNOWN **FIR Contact:** 514-633-3365					
NEUVILLE (CNV9 - AERODROME - Reg)	Lat: 46.723	Long: -71.582	13.241KM	7.15NM	NW
Operator: NEUVILLEAERO: PHONE: 418-476-8001, POST: UNKNOWN **FIR Contact:** 514-633-3365					
LAC ST-AUGUSTIN (CSN8 - WATERDROME - Cert)	Lat: 46.751	Long: -71.394	14.558KM	7.861NM	NE
Operator: LUC FORGUES: PHONE: 418-955-4455, POST: UNKNOWN **FIR Contact:** 514-633-3365					
JEAN LESAGE INTL (CYQB - AERODROME/HELIPORT - Cert)	Lat: 46.791	Long: -71.393	18.711KM	10.103NM	N
Operator: AEROPORT DE QUEBEC INCORPORATED: PHONE: 418-640-0707, POST: UNKNOWN **FIR Contact:** 514-633-3365					

ST-APOLLINAIRE (AIRPRO) QC CAA4


REF	N46 35 13 W71 33 40 2.6WSW 16°W (2016) UTC-5(4) Elev 380' aprx A5002
OPR	AirProGyro 418-580-8912/881-1550 Reg PPR
PF	C-1,2,3,4,5 D-6,7,8
FLT PLN **FIC**	(bil) Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
RWY DATA **RCR**	Rwy 14(143°)/32(323°) 2360x30 GRASS Opr Ltd win maint



COMM **ATF**	tfc 123.2 4NM 1500 ASL excluding Québec TCA
CAUTION	Trees aprx 60 AGL mid-field along either side of rwy. Possible paramotor activities SW of A/D (along Marigot side). Class C airspace from 1500 ASL, see Quebec VTPC. P-lines on apch Rwy 14. RPAS ops max 675 ASL (400 AGL) aprx 3NM NNE of A/D May-Dec.

QUÉBEC / NEUVILLE QC CNV9


REF	N46 43 24 W71 34 57 1.1NE 16°W (2012) UTC-5(4) Elev 314' A5002 LO6 LO7 LO8 T2
OPR	NeuvilleAero 418-476-8001 Reg PPR 12-02Z‡ Mon-Fri, 13-02Z‡ Sat-Sun and hols
PF	B-1 C-2,3,4,5,6
FLT PLN	(bil)
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
ACC	Montreal 514-633-3211 or 800-633-1353, all Flt Plns, IFR tng PPR



SERVICES	
FUEL	100LL, JA PN
OIL	All
S	1,4,5,6
RWY DATA	Rwy 06(064°)/24(244°) 3804x75 ASPH Thld 06 displ 455'. Thld 24 displ 313'.
RCR	Opr
LIGHTING	06-(TE LO), 24-(TE LO) ARCAL-123.35 type J
COMM	
ATF	UNICOM ltd hrs O/T tfc123.35 5NM below 1500 ASL outside CYQB CZ and Québec TCA and excluding the portion south of the St. Lawrence River.
TWR	Québec 118.65 236.6 (E)
TML	Québec 124.0 VFR 127.85 IFR 322.8
PRO	Note: Acft oprs planning to arr or dep the A/D shall take note of the Quebec VTPC and the info on Quebec class C airspace; they shall also ctc the OPR in order to obtain auth (PPR) rqrd in order to be made aware of the arr and dep procedures developed in coordination with Quebec tml and Quebec/Jean Lesage TWR. **Preferential rwy:** Rwy 06 for tkof. Rwy 24 for ldg. **Circuits:** Right hand circuits Rwy 24 (CAR 602.96). **Touch and go:** No touch and go without prior permission from operator. **VFR Codes:** In order to minimize delays, ATC freq congestion and for better airspace management, as well as to improve safety, ctc the Montreal ACC at 877-YUL-CODE (877-985-2633), or the FIC at 1-866-GOMETEO or 1-866-WX BRIEF, to provide ATC with info pertaining to your flt to obtain your transponder code at least 30 min prior to a flight into Quebec Class C airspace.
CAUTION	**Inst apch at CYQB:** Acft flying to Québec / Jean Lesage Intl aprt (CZ 1.8NM ENE of Neuville A/D) on inst apch Rwy 06 can overfly Neuville A/D at 2000ASL. Possibility of deer on the rwy and vic of A/D. Trees 60 AGL final Rwy 24. Blasting area 0.5NM radius N46 42 41 W71 35 02 (aprx 0.7NM S of A/D) sfc to 828 ASL (500 AGL), May-Oct.

QUÉBEC / LAC ST-AUGUSTIN QC — CSN8


REF	N46 45 05 W71 23 39 6SW 17°W UTC-5(4) Elev 133′ A5002
OPR	Luc Forgues 418-955-4455 Cert PPR
PF	B-1,2,3,7 C-4,5,6
FLT PLN **FIC**	(bil) Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
SERVICES **FUEL** **S**	 100LL 24 hrs PN 4,5,6
A/D DATA	Open water May-Oct.



COMM **RADIO** **ATIS** **GND** **TWR**	(bil) Québec 123.55 (Above 12,500 ASL) 126.7 134.6 128.3 Québec 121.9 Québec 118.65 236.6 (E) at land A/D 2NM N
PRO	Touch & go forbidden. See Québec/Lac St-Augustin VTPC for effective Noise Operating Restrictions & Noise Abatement Procedures. Ctc Québec gnd prior tkof. If unable, call Québec twr at 418-871-7814.
CAUTION	Land A/D 2NM N.

QUEEN CHARLOTTE CITY BC — CAQ6


REF	N53 15 W132 04 Adj E 19°E (2012) UTC-8(7) Elev 00′ A5013
OPR	Queen Charlotte City Harbour Authority 250-559-4650 Reg
PF	C-1 D-3,5,6
FLT PLN **FIC**	 Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
SERVICES **FUEL** **S**	 100LL 250-559-4222 PN 7
A/D DATA	Tidal range 25′, depth 6´, rock & mud bottom. Ramp aprx 2NM E. Restricted area behind breakwater. Dock fees ctc Opr.



COMM **ATF**	 tfc 123.2 5NM 3000 ASL See PRO section
NAV **VOR/DME**	 SANDSPIT YZP 114.1 Ch 88 N53 15 08 W131 48 25 (46′)
PRO	Noise sensitive area 1.5NM E & W of dock. No overflight below 2000 AGL. Arr/dep over water. Avoid circuits over town. Ctc Terrace rdo 122.3 296.2 prior to entry into Sandspit CZ. Special VFR tfc advsy procedures apply outside ATF zone, see Section C – Areas With Discrete Air-To-Air Frequencies.

QUÉBEC / JEAN LESAGE INTL QC

CYQB



REF	N46 47 28 W71 23 36 6WSW 16°W (2013) UTC-5(4) Elev 243´ A5002 LO6 LO7 LO8 HI5 HI6 T2 CAP OC
OPR	Aéroport de Québec Inc 418-640-0707 H24 Cert Mil (Mil PN 72 hrs) Ldg fees
PF	A-2,3,6 10-05Z‡ A-1 C-4,5

QUÉBEC / JEAN LESAGE INTL QC (Cont'd) CYQB

CUST	AOE 888-226-7277 H24 Dec 1-Apr 30, 13-05Z‡ May 1-Nov 30
FLT PLN	(bil)
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
ACC	Montreal 514-633-3211 or 800-633-1353, all Flt Plns, IFR tng PPR
WX	METAR H24. TAF H24, issue times: 00, 06, 12, 18Z.
SERVICES	Call out chg may be levied for one or more svcs
FUEL	100LL, JA-1
OIL	All
S	1,2,4,5,6 3 Québec Rotor 12-22Z‡ 581-995-9997 24hr PN O/T call out chg may apply, clsd Dec 25 and Jan 1
ARFF	DESIGNATED CAT 8 Jun 1-Oct 31 for sked ops. CAT 7 Nov 1-May 31 for sked ops (CAT 8 1hr PN).
SUP FL	D & A-ice
JASU	Elect Start 10/15
PVT ADV	Avjet 123.0/122.95 10-02Z‡ 418-871-1958; TSAS 122.9 10-03Z‡ Mon-Fri, 1000-0230Z‡ Sat-Sun 418-877-6708, 888-592-3835; Services Aériens du Québec ctc dispatch 129.625 prior to arr and dep 20 min PPR; Air Liaison/Skyjet 129.17 11-15Z‡ 2030-2300Z‡ Mon-Fri 418-872-0999; AFS Exécutif 123.525 10-02Z‡ 418-877-4419; Les Ailes Québécoises Inc. 129.85; Lux FBO 122.825 10-03Z‡ 418-649-8999
MIL CON	Avjet Distributions Inc. 418-871-1958
RWY DATA	Rwy 06(061°)/24(241°) 9000x150 ASPH Rwy 24 up 0.3% Rwy 11(114°)/29(294°) 5700x150 ASPH RESA: All Rwys 492'
RWY CERT	Rwy 06 RVR 1200(1/4sm)/Rwy 24 RVR 1200(1/4sm) AGN V Rwy 11/29 AGN IIIB
TWY CERT	Twy A AGN IV Twy C AGN IIIB
APRON	Apron I: Btwn stand 33-37 rstd to taxiing acft with wingspan less than 118'. Apron II and III rstd to taxiing acft with wingspan less than 118'. Acft with wingspan 118' or greater must be towed. No parking on apron III. Parking proh without perms 418-640-0707.
RCR	Opr 13-21Z‡ Mon-Fri May 1-Oct 31, H24 Nov 1-Apr 30. CRFI, PCN
HELI DATA	Parking Pad 1-5: 51' dia ASPH Max heli overall length 43'
LIGHTING	06-AN(TE HI) P3, 24-AN(TE HI) P3, 11-AO(TE ME) P2 offset 12° to the S, 29-AO(TE ME) P2
COMM	(bil)
RCO	Québec rdo 123.275 (FISE) 126.7 (bcst)
ATIS	(English) 134.6; (French) 128.3
GND	Québec 121.9 250.0
TWR	Québec 118.65 236.6 (E) (emerg only 418-871-7691)
TML	Québec 124.0 VFR 127.85 IFR 322.8
PAL	Montréal Ctr 135.025 270.9
NAV	
DME	YQO 113.2 Ch 79 N46 47 49 W71 23 34 (312')
ILS	IQB 109.5 (Rwy 06) RVR

QUÉBEC / JEAN LESAGE INTL QC (Cont'd) CYQB

PRO

Certain acft code AGN IIIB, AGN IV and higher, are not auth to perform 180° turns on any rwy without perms 418-640-0707.

Trng flts dep to CYA616T, as per VTPC:
Dep Rwys 24 and 29: Cross Lac St-Augustin at 2000 ASL & maintain 2000 ASL until ST-GILLES.
Dep Rwys 06 and 11: Proceed to PONT DE QUEBEC BRIDGE, maintain 2000 ASL until ST-GILLES.
Arr: Ctc tml leaving CYA616T & continue SAINT LAMBERT to PONT DE QUEBEC BRIDGE as per VTPC, maintain 2500 ASL.

Pilots should refer to Canadian Airport Charts (CAC) to obtain details on established hot spots, prior to operating on maneuvering areas. CAC are available for free on the NAV CANADA website.
Paragliding: Paragliding activities in the region of Mont-Ste-Anne refer to QUÉBEC VTPC - GLIDER OPERATIONS.
Circuits: Rgt hand circuit Rwy 24 (CAR 602.96).
REDUCED VISIBILITY PROCEDURES (RVR less than 2600 to 1200 ft)
Reduced Visibility operations - 24 hours

Reduced Visibility Operations on Rwy 06-24: these are operations when reported visibility is less than RVR 2600 feet or ½ statute mile and greater than or equal to RVR 1200 feet or ¼ statute mile, per advisory circular CI 302-001.

Low visibility operations (LVOP) (below RVR 1200') are not permitted.
DEPARTURES & ARRIVALS

"Follow-me" car

A Follow-me car will be available at all times, under any circumstances, upon a pilot's request. This service is available for one aircraft at a time based on first come, first served principles; some exceptions may apply.

During RVOP conditions, run-ups and towing will not be authorized on the maneuvering areas. Furthermore, vehicle access to the maneuver area during reduced visibility operations is restricted to essential operational functions only.

Operation Terms

20 minutes prior to a flight's departure or arrival, the pilot shall contact Nav Canada's ground controller to request a "Follow-me" car escort for taxiing on the manoeuvring area.

The pilot shall provide the following information:
- Exact position on the airfield (gate or FBO);
- Type of aircraft and airline;
- Flight departure time (if available);
- Runway used for take-off;

The "Follow-me" car will position itself 30m in front of the aircraft. Hazard lights will be activated when ready for taxiing and for the duration of the escort procedure.

Upon receiving authorization to proceed, the "Follow-me" car will follow the guide lines at no more than 30kph (16 knots) up to the desired destination.

Night Only: When reported visibility is less than RVR 1800 or 3/8 SM, a "Follow-me" car is mandatory per advisory circular AC 302-004.

DEPARTURE: Dep within CZ outside of QUÉBEC / JEAN LESAGE INTL aprt bdry, ctc Québec gnd prior tkof. If unable, call Québec twr at 418-871-7814.

QUÉBEC / JEAN LESAGE INTL QC (Cont'd) CYQB

PRO (Cont'd)

RUNWAY LEVEL OF SERVICE
Rwy 06 RVR 1200
Rwy 24 (1/4 sm)

Preferential rwy: Anticipate Rwy 06/24 in crosswinds up to 25 kt at 090° instead of Rwy 11.

NOISE: Unless otherwise instructed by ATC, all helicopters climbing over populated areas to have best rate of climb and avoid low flying over populated areas.

ATC:
IFR Clnc Acknowledgement:
IFR clnc read back with Québec Twr gnd shall include acft call sign, assigned SID name and transponder code.

MULTILATERATION: Pilots must keep their transponder on at all times when maneuvering on the aprt (turned on prior to brake release and on arrival, on until final engine shutdown).

Sightseeing
For city sightseeing tour see QUÉBEC VFR TERMINAL PROCEDURES CHART-CITY TOUR SIGHTSEEING CIRCUIT

HELI

All heli must ctc Ground Ctl. Avoid overflying north shore of Lac St-Augustin.
ROUTES: (See Québec Heli VTPC)
-Église: For arr & dep via Église, proceed to a point 1.5NM E, heading 264°/084°.
-Montagne: For arr & dep via Montagne, proceed to a point 1NM NW, heading 150°/330° not above 750 ASL.
-Chemin de fer: For dep via Chemin de fer, fly heading 104° to a point 1.7NM SE, then follow the railway to Robert-Bourassa highway.
For arr via Chemin de fer, follow the railway from Robert-Bourassa highway to a point 1.7NM SE and then fly heading 284°.
-Ste-Foy: Starting at highway Henry IV, follow highway Charest heading west until the intercepting Rwy 29 final at 1000 ft ASL or higher. Then proceed to the airport following the Rwy 29 final approach. Avoid flying over Rwy 29.

All Québec Rotor heli must ctc Québec gnd con prior to dep, and Québec TWR when ready for tkof. Activate transponder "altitude" mode when outbound only.
Release and banner towing prohibited PPR Opr 418-640-0707

Heli tng area avbl 3hr PPR 418-640-2700 ext 3333

CAUTION

Twin antennas aprx 2035' N of thld of Rwy 24, 140 AGL, 336 ASL, only one antenna painted & lighted.
Unlgtd p-line 247 ASL (42 AGL) aprx 0.36NM ESE Thld 24.
Lgtd twr 312 ASL (102 AGL) aprx 0.39NM ESE Thld 24.