FLIGHT PLAN & SITE SURVEY

GYMNASE

November 12, 2026

IMPORTANT NOTICE

Please ensure you have received all required authorizations prior to flight. This Site Survey was created using RPAS Wilco. The user accepts all responsibility for the accuracy of the information.

Terms & Conditions: rpaswilco.com/#tnc

Generated by **RPAS Wilco**

Mission Information

GYMNASE

FLIGHT DETAILS

Reference No:	**MAAC-180-5077**
Project Name:	**CLUB AEROMODELISME SAGUENAY INC.**
Pilot Name:	**MAAC**
Pilot Certificate:	
Mission Type:	**VLOS**
Flight Start:	**November 12, 2026 10:10 PM**
Flight End:	**November 12, 2026 11:10 PM**

LOCATION DETAILS

Flight Address:	**GYMNASE**
Latitude:	**48° 24' 44.14" N (48.412)**
Longitude:	**71° 13' 43.88" W (-71.229)**
Field Elevation:	**456 ft MSL**
Altitude / Radius:	**400.0 ft / 926 m (0.5 nm)**
Classification:	**UNCONTROLLED**
FIR / Contact:	**CZUL / 514-633-3365**

REPORT CONTENTS

Site Survey • Obstacles (if available) • Nearby Aerodromes • Canadian Aviation Regulations • GFA • Aerodrome Supplements • METAR & TAF • NOTAMs • CFS

Flight Map & MODEL Details

MISSION LOCATION SURVEY

FLIGHT AREA MAP




MISSION LOCATION DETAILS

ROLE	LATITUDE	LONGITUDE
MODEL	48° 24' 44.14" N 48.412	71° 13' 43.88" W -71.229
Pilot		
Payload Op.		
Observer		

Airspace Classification

MISSION LOCATION SURVEY

AIRSPACE MAP



OVERLYING AIRSPACES


Class	Name	Floor	Ceiling
E	Bagotville, QC e) [TCA]	700AGL	18000MSL

NEAREST AERODROMES & DISTANCE FROM OPERATION

SAGUENAY (HARVEY) (CSA8 - WATERDROME - Reg)	Lat: 48.44	Long: -71.129	7.945KM	4.29NM	NE
Operator: 10289221 CANADA INC.: PHONE: 514-797-6725, POST: UNKNOWN **FIR Contact:** 514-633-3365					
OLIGNY (COL5 - HELIPORT - Reg)	Lat: 48.316	Long: -71.222	10.702KM	5.779NM	S
Operator: CHANTAL LUSSIER: PHONE: 514-973-4860, POST: UNKNOWN **FIR Contact:** 514-633-3365					
CHICOUTIMI (C.H. DE CHICOUTIMI) (CCS7 - HELIPORT - Cert)	Lat: 48.426	Long: -71.048	13.448KM	7.261NM	E
Operator: CIUSSS DU SAGUENAY-LAC ST-JEAN: PHONE: 418-541-1012, PHONE: 418-541-1234 +202811, POST: UNKNOWN **FIR Contact:** 514-633-3365					
ST-HONORE (CYRC - AERODROME/HELIPORT - Cert)	Lat: 48.521	Long: -71.051	17.827KM	9.626NM	NE
Operator: MINISTERE DES TRANSPORTS ET DE LA MOBILITE DURABLE: PHONE: 418-673-4245, PHONE: 418-812-4524, POST: UNKNOWN **FIR Contact:** 514-633-3365					
BAGOTVILLE (CYBG - AERODROME - DND)	Lat: 48.331	Long: -70.996	19.427KM	10.49NM	SE
Operator: DEPARTMENT OF NATIONAL DEFENCE: PHONE: 319-661-7342, PHONE: 418-677-2651 +6900, PHONE: 418-677-7342, POST: UNKNOWN **FIR Contact:** 514-633-3365					

STE-VÉRONIQUE QC CSW9


REF	N46 30 56 W74 59 19 Adj NNE 15°W UTC-5(4) Elev 823′ A5002
OPR	Air Mt-Laurier 1985 819-275-2794 Reg PPR
PF	B-1,2,3,5 C-6 D-4
FLT PLN FIC	(bil) Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
SERVICES FUEL OIL S	 100LL 80, 100 1,2,5
A/D DATA	Open water May-mid Nov. Sandy beach.
COMM ATF A/G	 tfc 123.2 5NM 3900 ASL 122.9 5460 SSB (Co)
PRO	Avoid overflight of village & beach below 1000 AGL.
CAUTION	P-lines 0.5NM N.



ST. WALERAN ISLAND ON — See PARRY SOUND / ST. WALERAN ISLAND

SAGUENAY (HARVEY) QC CSA8

REF	N48 26 23 W71 07 46 2.5NM WNW 17°W (2014) UTC-5(4) Elev 30′ A5010
OPR	10289221 Canada Inc. 514-797-6725 Reg PPR
PF	C-1,2,3,4,5,6
FLT PLN FIC	(bil) Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
SERVICES S	 5,7
A/D DATA	Open water May-Nov. Dock depth 3' during low tide. Tidal range 12', current 3 kt. Rocks and shoal unmarked at low tide along the shore.
COMM TWR VFR ADV A/G	 Bagotville 126.2 Bagotville Tml 121.2 122.925




SAGUENAY (HARVEY) QC (Cont'd) CSA8

PRO	Refer to Bagotville VTPC **Circuits:** Right hand circuits when ldg and tkof to E (CAR 602.96) **Depart:** Obtain appr fr Bagotville TWR (418-677-4000 Ext 7507) at least 5 min before tkof. Broadcast intentions on 126.2 - Bagotville TWR before tkof. Remain at 1000 ASL or BLW until comm with Bagotville TWR is established; ctc TWR even if you leave the CZ at 1000 ASL or below. Avoid CYRC CZ north of the Saguenay River.
CAUTION	Marked P-lines aprx 250 ASL (110 AGL) 1.5NM E Frequent low alt heli activity E of Dubuc bridge

SAGUENAY / ST-CHARLES-DE-BOURGET QC CSA5

REF	N48 30 34 W71 27 50 5.8WNW St-Charles-de-Bourget 17°W (2014) UTC-5(4) Elev 230' A5010
OPR	Michel Guay 418-487-4071 Reg PN
PF	D-1,2,3,4,5,6
FLT PLN **FIC**	(bil) Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
SERVICES **S**	1,5,7
A/D DATA **DOCKS**	Open water May-Nov. Sand and rock bottom. Dock depth 5'. Ramp




COMM **ATF** **VFR ADV**	 tfc 123.4 5NM outside Alma MF area 3300 ASL Bagotville Tml 121.2
CAUTION	Hvy tng zone N of river freq 123.4. Refer to Chicoutimi/St-Honoré VTPC.

SAKINAW LAKE SOUTH BC — See GARDEN BAY / SAKINAW LAKE SOUTH


SALMON LAKE ON — See PARRY SOUND / SALMON LAKE

SAGUENAY / OLIGNY QC (Heli) COL5

REF	N48 18 58 W71 13 21 9WSW 17°W (2018) UTC-5(4) Elev 551´ aprx A5010
OPR	Chantal Lussier 514-973-4860 Reg PPR
FLT PLN **FIC**	(bil) Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
HELI DATA **RCR**	FATO/TLOF 45' x 45' CONC Safety Area 80' x 80' Max heli overall length 37.86' Opr Ltd win maint
COMM **TWR** **VFR ADV**	 Bagotville 126.2 Bagotville Tml 121.2
PRO	Arr/dep 040° & 250° fr heli, day use only. Refer to Bagotville VTPC




CHICOUTIMI (C. H. DE CHICOUTIMI) QC (Heli) CCS7



REF	N48 25 33 W71 02 52 Adj 17°W (2014) UTC-5(4) Elev 198' A5010
OPR	CIUSSS du Saguenay-Lac St-Jean 418-541-1012 Cert PPR 418-541-1234 ext 202811 prior to tkof, 1 hr prior to arr
FLT PLN **FIC**	(bil) Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
HELI DATA	FATO 84' dia ASPH TLOF 24' dia CONC Safety Area 112' Max heli overall length 56.2' (CAR 602.96)
RCR	Opr
LIGHTING	RF RW(ME)
COMM	(bil)
ATIS	(English) 124.2 (French) 125.8
TWR	Bagotville 126.2
TML	Bagotville 127.2
A/G	Hosp security 122.75 MHZ 5-10 min PN
PRO	Arr/dep 118° fr heli, (H1) (CAR 602.96). Arr/dep curved 254° to 315° fr heli, along the Jacques-Cartier Street, (H1) (CAR 602.96). Curved dep path starts 131' fr heli. H1 ops PPR (CAR 602.96) and must meet required performance criteria per CAR 325.19. **Arrival Procedure:** 5-10 min before ldg, ctc 122.75 MHZ or 418-541-1234 ext 202811. Advs intentions (westerly or easterly apch) and wait for secured heli confirmation. Hosp security must secure heli prior to all heli movements. Go-around on apch, or tkof delay, may be required.
CAUTION	Ambulance garage 250' SW of heli aprx 30 AGL. Trees 40 AGL S of Jacques-Cartier Street in the arr/dep 253° path fr heli. Steep upward slope of the terrain S of Jacques-Cartier Street. Heli within the Bagotville CZ.

CHICOUTIMI / ST-HONORÉ QC CYRC




LDA FOR LAND AND HOLD SHORT OPERATIONS (LAHSO)		
FROM	TO	LDA in ft.
Thld Rwy 30 Thld Rwy 12	Short of Rwy 06-24 Short of Rwy 18-36	5622 3914

REF	N48 31 15 W71 03 02 1.5ESE 17°W (2013) UTC-5(4) Elev 544' A5010 LO7 HI5 HI6 CAP
OPR	Ministère des transports et de la mobilité durable 418-673-4245 (Administration), 418-812-4524 (Maint) Cert
PF	B-1,2,7 D-3,4,5,6
FLT PLN	(bil)
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
ACC	Montréal 800-633-1353
WX	LWIS H24 LAWO 1300-0130Z‡; 13-03Z‡ Mon-Fri 1300-0130Z‡ Sat-Sun Oct 15-Nov 16 and Feb 15-Mar 2. WxCam
SERVICES	
FUEL	100LL, JA
OIL	All
S	1,2,3,4,5,6,7
PVT ADV	Exact Air/Petro T 129.15 418-673-3522; AirMédic 13-22Z‡ 418-673-3838 O/T 418-718-5648 call out chgs.
RWY DATA	Rwy 12(122°)/30(302°) 6085x150 ASPH Rwy 06(062°)/24(242°) 3735x148 ASPH Rwy 18(182°)/36(002°) 3597x148 ASPH Poor drainage may cause hydroplaning.
RWY CERT	Rwy 12/30 AGN IIIB Rwy 06/24 AGN II Rwy 18/36 AGN II
RCR	Opr 12-03Z‡ Mon-Fri 12-24Z‡ Sat-Sun CRFI Rwy 06/24 no win maint.

CHICOUTIMI / ST-HONORÉ QC (Cont'd) CYRC

HELI DATA	North: TLOF 65' x 65' ASPH South: TLOF 65' x 820' ASPH
LIGHTING	12-AO(TE ME) P2, 30-AO(TE ME) P2, 18-(TE ME), 36-(TE ME) ARCAL-118.4 type K
COMM	(bil)
ATIS	(English) 134.8; (French) 124.95
CLNC DEL	Prior to dep pilots must ctc Bagotville Tml for IFR clnc at 888-813-8508 when TWR clsd.
GND	St-Honoré 121.9 1300-0130Z‡; 13-03Z‡ Mon-Fri 1300-0130Z‡ Sat-Sun Oct 15-Nov 16 and Feb 15-Mar 2.
TWR	St-Honoré 118.4 (V) 1300-0130Z‡; 13-03Z‡ Mon-Fri 1300-0130Z‡ Sat-Sun Oct 15-Nov 16 and Feb 15-Mar 2. (emerg only 418-673-4353)
ATF	tfc 118.4 0130-1300Z‡; 03-13Z‡ Mon-Fri 0130-1300Z‡ Sat-Sun Oct 15-Nov 16 and Feb 15-Mar 2. 5NM shape irregular 4000 ASL
TML	Bagotville 127.2 227.6
VFR ADV	Bagotville Tml 121.2
PRO	**Itinerant tfc: See Bagotville VTPC.** **Training zone:** Arrival & departure tracks see VTPC. Arrivals: Single engine: Minimum alt 2000 ASL. Helicopters: Maximum alt 1000 ASL within 2.5NM of A/D. (see Heli VTPC). Others: Minimum alt 2500 ASL. Right hand circuits runways 06, 12 and 36 (CAR 602.96)
HELI	**Arrivals & departures:** Maximum alt 1000 ASL btwn A/D & checkpoints. **Departures:** All heli must ctc gnd ctl. **Checkpoints:** JOLI (2NM E) arr/dep hdg 274°/094°. MARTEL (2NM NW) arr/dep hdg 154°/334°. MADOC (1.4NM SW) arr/dep hdg 024°/204°. SILO (2NM N) arr/dep hdg 169°/349°. **HELIPAD RESTRICTIONS:** North and South helipads avbl only with written authorization from Opr (CAR 602.96 (3)(d)). North and South helipads avbl only during TWR hr of ops (CAR 602.96 (3)(d)).
CAUTION	**Training:** Hvy tng W of the aprt fr W bdry of CZ to St-Augustin (freq 123.4). **Blasting:** Blasting area 0.54NM radius N48 28 38 W071 06 46 (aprx 3.6NM SW A/D) sfc to 3800 ASL. Blasting area 0.54NM radius N48 28 41 W071 05 41 (aprx 3.1NM SW A/D) sfc to 3800 ASL.

BAGOTVILLE QC CYBG



REF	N48 19 50 W70 59 47 4.5W 18°W UTC-5(4) Elev 522′ A5010 LO7 HI5 HI6 CAP RCAP
OPR	DND (Aéroport Saguenay-Bagotville) Mil: Airlift msg or PN CSN 319-661-7342 Civ: 48hrs PN ctc both 418-677-7342 & 418-677-2651 ext 6900. Ldg fees, Mandatory hdlg fees
PF	A-1,2,3,6 C-4,5 48 hrs PN by tel for B-5 (Mil only)
CUST	AOE/M 3 Wg Ops PN mandatory CSN 319-661-7342, 418-677-4000 Ext 7342 PN dur opr hrs 12 to 72 hrs prior to ETA; AOE/30 418-698-5732, 888-226-7277 1300-2130Z‡ Mon to Fri exc hols
FLT PLN	(bil)
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
MIL	418-677-7342, CSN 319-661-7342, NTAS 269-5342
WX	METAR H24. TAF H24, issue times: 00, 06, 12 & 18Z (plus 15 and 21Z dur mil flt ops). Met brief for mil only. Lcl Met Section CSN 661-7648. O/T JMC 1-800-WXMETEO (996-3836) or CSN 432-2613. (See COMM).


BAGOTVILLE QC (Cont'd) CYBG

SERVICES	Mil: All tran acft require PPR thru Wg Ops CSN 319-677-7342, NTAS 269-5342, 418-677-7342. Tran svcg 08-17 hrs lcl Mon-Fri exc hols, O/T by special arng. PN or Airlift msg rqrd. Tran svcg ltd to prkg, refuelling & starts. Tran aircrew rqrd to carry out own DI & supervise svcg, refuelling & pin installation. Crews & Pax who wish to exit & re-enter the CYBG GRA must obtain a GRA Visitor Pass from the guard shack on their way out. No access to CYBG GRA solely with a Pass from another base. CYBG GRA Passes must be returned prior to departure. Civ: PPR rqrd for all non CF acft, 48 hrs PN thru Wg Ops 418-677-7342. All civ acft require coord thru Trans-Sol Aviation 418-677-2227.
FUEL	100LL, JA-1 (FSII avbl), F-34, SP
OIL	123, 128, 133, 148, 156, SOAP, (15W50, W80 avbl dly at civ tml thru Avjet 418-677-2555 Page 418-693-7116)
S	1 (ltd),2,3. Fleet svc avbl 48 hrs thru Wg Ops. Civ: Fleet svc via Trans-Sol Aviation 418-677-2227. Civ4 (ltd), 6
ARFF	CAT 5
SUP FL	D & A ice, LHOX, LOX
JASU	CE1,3,13,15,16, CA2, CEA1,2
MIL ADV	Wg Ops 264.6 All tran mil acft call stating requirements 10 min prior to ldg
PVT ADV	Trans-sol 122.9 418-677-2227
RWY DATA	Rwy 11(109°)/29(289°) 10000x150 asphalt/concrete Rwy 18(181°)/36(001°) 6029x150 asphalt RAG: Rwy 11 BAK-12 Smart Arrest, B, (1500'); Rwy 29 BAK-12 Smart Arrest, B, (1500'); Rwy 36 BAK-12 Smart Arrest (1600')
RCR	Opr Hydroplaning may occur on Rwy 11/29 (mostly at intxn Rwy 18/36) dur hvy or prolonged precipitation. CRFI, PCN. Rwy 11/29 PCN 91/F/A/W/T. Rwy 18/36 PCN 54/F/A/W/T.
LIGHTING	11-AN(TE HI) P2 GPI 1000' TCH 52', 29-AN(TE HI) P2 GPI 1000' TCH 55', 18-AO(TE HI), 36-AO (TE HI)
COMM	(bil) Flight Advisory hrs of operation dates & hrs may vary and will be broadcasted on ATIS.
ATIS	124.2 (English) 125.8 (French) 302.5
CLNC DEL	119.0 384.5
GND	121.7 275.8
TWR	126.2 236.6 337.7 (E)
TML	127.2 227.6 (E)
VFR ADV	121.2
PMSV	344.6 ltd hrs.
NAV	
NDB	YBG 356 N48 20 02 W71 08 46
TACAN	UBG 110.0 Ch 37 N48 19 46 W70 59 44 (531´) Unrel btwn 030°-080° & 200°-250° beyond 35NM below 6000'. Preventive maint 12-16Z‡ each Thu.
ILS	ITV 110.15 (Rwy 11) RVR, IBG 111.5 (Rwy 29) Preventive maint each Wed 17-21Z‡ exc dur IFR & hols.

BAGOTVILLE QC (Cont'd) CYBG

PRO	Rgt hand circuits Rwys 11 & 18 (CAR 602.96). Tfc ptn alts heli 1000 ASL, convl 1500 ASL, jet fighter acft 2000 ASL. In VMC, VFR & IFR acft shall not on dep or on the overshoot exceed 1500 ASL til dep end of rwy. No civ tng flt permitted btwn 2100 & 0700 hrs lcl. Rwy 11, civ acft expect dep fr Twy K to avoid RAG, advise if unable. Rwy length remaining fr Twy K 7800', 6300' before the RAG. Aircraft blast avoidance procedure Rwy 29: When East RAG is in operation, backtrack Rwy 29, conduct 180º turn in front of the RAG, directing engine blast toward the South at all times. Precision approach radar (Mil Only) available only as previously coordinated with CYBG Terminal CSN 319-661-7407, itinerant aircraft should coordinate in advance to ensure availability.
HELI	VFR, arr/dep req Echo, Sierra or Whiskey rtes. See VTPC. Echo, remain N of rwy 11/29. Sierra, remain S of rwy 11/29 til cleared by ATC. Whiskey, remain N of rwy 11/29. Dep maintain 500 AGL within 5NM of aprt or as cleared by ATC. Arr maintain 500 AGL within 1NM of aprt. De-Icing - All aircrew to arrange de-icing through 3 Wg Ops Ctr at 418-677-7283. Terminal Area Surveillance Radar preventive maint 0130-0530Z‡ each Wed. **Aerial/Photo Survey Ops:** CYBG MTCA - 48hrs PN. CYR/CYA - 7 days PN. All req via: coe@forces.gc.ca. For info ctc 3 Wg Flt Planning Ctr at 418-677-4000 ext: 7342.
CAUTION	Extv jet fighter acft tfc in tml area. Extv gliding to 3500 ASL N of Rwy 11/29 W of Rwy 18/36 within 3NM wknds & hols May-Oct, dly Jul-Aug. Avoid St-Honoré CZ 4NM N (to 4000 ASL), Twr 118.4/237.4. Ocsl low lvl NORDO paramotor activities in the vic of Bagotville A/D.

BAGOTVILLE VFR TERMINAL PROCEDURES CHART



BAGOTVILLE CLASS D AIRSPACE

In order to improve radar tml svcs at Bagotville, all acft with permanent transponder codes wishing to fly in class D airspace must ctc Bagotville tml on freq 121.2 before penetrating class D airspace. All VFR acft wishing to penetrate Bagotville's class D airspace and who have not filed a Flt Pln with arr or dep to/fr Bagotville TCA or St-Honoré can obtain a transponder code in flt on freq 121.2 before penetrating Bagotville's class D airspace or by phone at the following number 1-888-813-8508. This pro is eff daily. All Remotely Piloted Aircraft (RPA) users wishing to opr in CYBG class D airspace must contact the ops ctr at 418-677-7342