FLIGHT PLAN & SITE SURVEY

DUFF'S FIELD

November 12, 2026

IMPORTANT NOTICE

Please ensure you have received all required authorizations prior to flight. This Site Survey was created using RPAS Wilco. The user accepts all responsibility for the accuracy of the information.

Terms & Conditions: rpaswilco.com/#tnc

Mission Information

DUFF'S FIELD

FLIGHT DETAILS

Reference No:	**MAAC-576-5567**
Project Name:	**SAINTS R/C FLYING CLUB**
Pilot Name:	**MAAC**
Pilot Certificate:	
Mission Type:	**VLOS**
Flight Start:	**November 12, 2026 09:24 PM**
Flight End:	**November 12, 2026 10:24 PM**

LOCATION DETAILS

Flight Address:	**DUFF'S FIELD**
Latitude:	**49° 58' 27.71" N (49.974)**
Longitude:	**96° 58' 49.78" W (-96.98)**
Field Elevation:	**764 ft MSL**
Altitude / Radius:	**400.0 ft / 926 m (0.5 nm)**
Classification:	**CONTROLLED**
FIR / Contact:	**CZWG / 204-983-8338**

NOTES

Your flight is in controlled airspace.
If your RPAS is > 250g, please obtain RPAS Flight Authorization using the NavDrone app or by contacting NavCanada. (CARs 901.71)


REPORT CONTENTS

Site Survey • Obstacles (if available) • Nearby Aerodromes • Canadian Aviation Regulations • GFA • Aerodrome Supplements • METAR & TAF • NOTAMs • CFS

Flight Map & MODEL Details

MISSION LOCATION SURVEY

FLIGHT AREA MAP




MISSION LOCATION DETAILS

ROLE	LATITUDE	LONGITUDE
MODEL	49° 58' 27.71" N 49.974	96° 58' 49.78" W -96.98
Pilot		
Payload Op.		
Observer		

Airspace Classification

MISSION LOCATION SURVEY

AIRSPACE MAP




OVERLYING AIRSPACES

Class	Name	Floor	Ceiling
D	St. Andrews, MB [CZ]	SFC	3000MSL
E	Winnipeg, MB [TA]	700AGL	18000MSL
C	Winnipeg, MB b) [TCA]	2000AGL	18000MSL
C	Winnipeg, MB c) [TCA]	3000AGL	18000MSL
C	Winnipeg, MB d) [TCA]	4000MSL	12500MSL
E	Winnipeg, MB a) [CAE]	6500AGL	18000MSL
E	Winnipeg, MB b) [CAE]	7000AGL	18000MSL

NEAREST AERODROMES & DISTANCE FROM OPERATION

ST. ANDREWS (CYAV - AERODROME/HELIPORT - Cert)	Lat: 50.056	Long: -97.032	9.82KM	5.302NM	N
Operator: ST. ANDREWS AIRPORT INCORPORATED: PHONE: 204-336-3250, POST: UNKNOWN **FIR Contact:** 204-983-8338					
WINNIPEG (CITY OF WINNIPEG) (CWG2 - HELIPORT - Cert)	Lat: 49.9	Long: -97.096	11.67KM	6.301NM	SW
Operator: CITY OF WINNIPEG: PHONE: 204-470-7800, PHONE: 204-986-4869, POST: Greg Robinson 3 Grey St. Winnipeg MB R2L1V2 **FIR Contact:** 204-983-8338					
LYNCREST (CJL5 - AERODROME - Reg)	Lat: 49.852	Long: -96.974	13.56KM	7.322NM	S
Operator: SPRINGFIELD FLYING CLUB: PHONE: 204-222-0079, POST: UNKNOWN **FIR Contact:** 204-983-8338					
WINNIPEG (HEALTH SCIENCES CENTRE) (CWH7 - HELIPORT - Reg)	Lat: 49.904	Long: -97.156	14.812KM	7.998NM	SW
Operator: WINNIPEG REGIONAL HEALTH AUTHORITY: PHONE: 204-787-2735, POST: UNKNOWN **FIR Contact:** 204-983-8338					
COOKS CREEK (CCC3 - AERODROME - Reg)	Lat: 50.032	Long: -96.733	18.826KM	10.165NM	E
Operator: THOMAS STOYKA: PHONE: 204-444-3838, POST: UNKNOWN **FIR Contact:** 204-983-8338					

WINNIPEG / ST. ANDREWS MB CYAV




REF	N50 03 23 W97 01 57 10NNE 4°E UTC-6(5) Elev 759' VTA A5007 LO4 T1 CAP
OPR	St. Andrews Aprt Inc 204-336-3250 1300-2130Z‡ Nov-Mar exc hols, 1300-2130Z‡ Mon-Fri Apr-Oct exc hols Cert
PF	B-1,2,5 D-3,4,6
FLT PLN	Pilots to open/close VFR flt plan with Edmonton rdo, FISE or by phone.
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA) (file 30 min prior ETD, see PRO)
ACC	IFR, 204-983-8337 or 888-834-3344 or flt pln by Fax at 204-983-2823 & include phone numbers where pilot can be reached prior to dep.
WX	LWIS H24 LAWO 13-04Z‡
SERVICES	
FUEL	100LL (Self-serve), JA-1
OIL	All
S	1,2,3,4,5,6
PVT ADV	Winnipeg Aviation 204-338-7923 13-01Z Mon-Thu, 13-22Z Fri-Sat, 16-22Z Sun, Apr-Oct exc hols; 14-24Z Mon-Thu, 14-23Z Fri-Sat, 17-23Z Sun, Nov-Mar exc hols; O/T call out chg will apply. Harv's Air Service 126.97 204-339-6186 14-01Z‡ Mon-Sat, 17-01Z‡ Sun. Centric Aviation 129.075 FBO 431-844-6677, 431-337-8085

WINNIPEG / ST. ANDREWS MB (Cont'd) CYAV

RWY DATA	Rwy 13(129°)/31(309°) 3002x75 ASPH Rwy 18(184°)/36(004°) 3000x75 ASPH Rwy 04(041°)/22(221°) 2852x75 ASPH
RWY CERT	Rwy 13/31 AGN II Rwy 18/36 AGN II Rwy 04/22 AGN II
TWY CERT	Twy: A, C, D, E, F, G, H AGN I Twy B: AGN II S of Apn I & AGN I fr Apn IV to Apn I Twy F, H: Day use only.
RCR	Opr 1300-2130Z‡ Nov-Mar exc hols, 1300-2130Z‡ Mon-Fri Apr-Oct exc hols O/T call out chg. PCN
HELI DATA	FATO 82' dia ASPH TLOF 82' x 82' ASPH Safety Area 109' dia Max heli overall length 54.7'
LIGHTING	04-(TE ME), 22-(TE ME), 13-AO(TE ME) P2, 31-AO(TE ME) P2, 18-AO(TE ME) P2, 36-AO(TE ME) P2 ARCAL-118.5 type K Opr when TWR clsd. RY(ME) RF(FL) Helipad lgts not avbl on ARCAL.
COMM	
ATIS	125.8 13-04Z‡
GND	121.8 13-04Z‡
TWR	118.5 (V) 13-04Z‡ (emerg only 204-983-0660)
ATF	tfc 118.5 04-13Z‡ 4NM below 3000 ASL
ARR	Winnipeg Tml 119.9 (East) 121.0 (West)
DEP	Winnipeg Tml 119.9
VFR ADV	Winnipeg Tml 119.9 (East) 121.0 (West)
PRO	**AIRPORT:** Rgt hand circuits Rwy 04, 13, 18 (CAR 602.96). Circuit hgt 1600 ASL. Special VFR not avbl when TWR clsd. **ATS REQUIREMENTS (All Acft):** PPR for block airwork, photo flt or tng flt oprg in Winnipeg TCA, ctc Winnipeg ACC 204-984-5979 or fax 204-983-2823. When TWR clsd, clnc may be obtained from Winnipeg Tml at 204-983-4121. Mode C Transponder Mandatory - Acft operating in Winnipeg Class C CZ or TCA require a discrete transponder code which must be obtained by filing a flt plan, flt itinerary or by ctc Winnipeg ACC 204-984-5979 at least 15 min prior to entering. Acft departing CYAV may ctc CYAV Tower to obtain a discrete transponder code. Set transponder to discrete code prior to ctc ATC. **AIRSPACE**: Refer to Winnipeg / St. Andrews VTPC for VFR arr/dep rtes & VFR corridor info to Winnipeg/James Armstrong Richardson Intl. Refer to VTA A1902 for greater chart detail. Transponder preferred but not required for flt within St. Andrews ctl zone. **PREFERENTIAL RUNWAYS:** ATC will designate rwys to align IFR arr and dep paths with those in use at Winnipeg/James Armstrong Richardson Intl (CYWG) based on the following conds: - Physical cond of sfc - Effective crosswind component not to exceed 15 kt - Effective tailwind component not to exceed 5 kt - Other safety considerations declared by the Captain of the acft. Use of other-than-designated rwys should only be requested to meet operational necessity. PPR for balloon ops on aprt, ctc opr for details.
HELI	Concurrent with safety & twr instructions helicopters are to hover taxi via rwys/twys to other posns on airport at slow speeds. Arr/dep 004° to 024° & 162° to 184° fr heli, slope 8% (H3), day/night use.
CAUTION	Extv bird & wildlife activity in vic of rwys.

WINNIPEG / ST. ANDREWS VFR TERMINAL PROCEDURE CHART




WINNIPEG / ST. ANDREWS VFR TERMINAL PROCEDURE CHART (Cont'd)

NAME	IDENT	LAT/LONG
ANOLA	VCANO	N49° 53' 00" W096° 38' 00"
BEAUSEJOUR	VCBSJ	N50° 04' 00" W096° 31' 00"
CABOT	VCABT	N49° 52' 30" W097° 35' 30"
CLANDEBOYE	VCLND	N50° 14' 30" W096° 58' 30"
DUGALD	VCDGH	N49° 53' 00" W096° 50' 00"
EAST SELKIRK	VCESK	N50° 08' 00" W096° 49' 30"
HWY 59/FLOODWAY BRIDGE	VCHWY	N49° 58' 00" W096° 59' 00"
IKEA	VCKEA	N49° 50' 28" W097° 12' 35"
MCPHILLIPS CLOVERLEAF	VCPER	N49° 59' 00" W097° 06' 00"
MEADOWS	VCMDS	N50° 02' 00" W097° 35' 30"
REFINERY	VCREF	N49° 58' 48" W097° 02' 40"
ROSSER POWER STATION	VCRSR	N49° 59' 30" W097° 25' 30"
STONEWALL	VCSTW	N50° 08' 00" W097° 19' 30"
WEST SHOAL LAKE	VCWSL	N50° 17' 00" W097° 38' 00"
WOODLANDS	VCWDD	N50° 12' 30" W097° 39' 00"


WINNIPEG (CITY OF WINNIPEG) MB (Heli) CWG2

REF	N49 54 01 W97 05 44 4ºE UTC-6(5) Elev 767' VTA A5007
OPR	City of Winnipeg 204-986-4869 204-470-7800 Cert PPR Heli clsd Oct 2-Mar 31
PF	B-1 C-2,3 D-4,5,6
FLT PLN **FIC**	Pilots to open/close VFR flt plan with Edmonton rdo, FISE or by phone. Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
HELI DATA **RCR**	FATO 66' dia CONC Safety Area 87' dia Parking Pad 1 & 2: 52' dia CONC/GRASS Opr
COMM **TWR**	 Winnipeg 118.3
PRO	Arr/dep 090° to 270° fr heli, slope 8% (H3) (CAR 602.96). Mode C Transponder Mandatory - Acft operating in Winnipeg Class C CZ or TCA require a discrete transponder code which must be obtained by filing a flt plan, flt itinerary or by ctc Winnipeg ACC 204-984-5979 at least 15 min prior to entering.
CAUTION	Extv insect ctl heli ops Apr-Oct.




WINNIPEG / LYNCREST MB CJL5

REF	N49 51 09 W96 58 25 2.8E 3°E (2015) UTC-6(5) Elev 775´ VTA A5007
OPR	Springfield Flying Club 204-222-0079 Reg
PF	B-1 C-2,3,4,5,6
FLT PLN	Pilots to open/close VFR flt plan with Edmonton rdo, FISE or by phone.
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA) (file 30 min prior ETD, see PRO)
ACC	IFR, 204-983-8337 or 888-834-3344 or flt pln by Fax at 204-983-2823 & include phone numbers where pilot can be reached prior to dep.




SERVICES	
FUEL	100LL
RWY DATA	Rwy 09(093°)/27(273°) 3000x120 GRASS Rwy 17(170°)/35(350°) 2500x200 GRASS
RCR	Ctc opr Ltd win maint. Win rwy width 90´ marked with cones.
COMM	
ATF	tfc 123.2 3NM to below 3000 ASL excluding airspace within Winnipeg TCA
PRO	Circuit hgt 1300 ASL. Mode C Transponder Mandatory - Acft operating in Winnipeg Class C CZ or TCA require a discrete transponder code which must be obtained by filing a flt plan, flt itinerary or by ctc Winnipeg ACC 204-984-5979 at least 15 min prior to entering. PPR for block airwork, photo flt or tng flt oprg in Winnipeg TCA ctc Winnipeg ACC 204-984-5979 or fax 204-983-2823.
NOISE	Noise abatement pro: avoid flying over houses. Dep path Rwy 17 if cond permit.
CAUTION	Apch path Rwy 17 over railway tracks. Apch path Rwy 09 over road. P-lines all quad, see VTA. Ultra-light activity in the circuit. Migratory bird activity in vic of A/D. Avoid flying over water retention ponds E of aprt dep Rwy 09, ldg Rwy 27 if cond permit.

WINNIPEG (HEALTH SCIENCES CENTRE) MB (Heli) CWH7



REF	N49 54 15 W97 09 23 Adj WNW 3°E (2016) UTC-6(5) Elev 880' VTA A5007
OPR	Winnipeg Regional Health Authority 204-787-2735 Cert NVG Compliant PPR
PF	A-1,2,3,4 C-5,6,7,8
FL PLN	Pilots to open/close VFR flt plan with Edmonton rdo, FISE or by phone.
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
HELI DATA	FATO 86' dia non-supporting TLOF 57' x 57' CONC Safety Area 115' dia 17,000 lbs Max heli overall length 57.4'
RCR	Opr 204-787-1244
LIGHTING	RY (LO) green
COMM	
TWR	Winnipeg 118.3
PRO	Arr/dep 335° to 194° fr heli (H1), day/night use.
CAUTION	Elevator vestibule W of pad

COOKS CREEK MB CCC3



REF	N50 01 55 W96 43 58 1.8ENE 3°E (2018) UTC-6(5) Elev 785' VTA A5007
OPR	Thomas Stoyka 204-444-3838 Reg PPR
PF	B-1
FLT PLN	Pilots to open/close VFR flt plan with Edmonton rdo, FISE or by phone.
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
SERVICES	
S	5,7
RWY DATA	Rwy 09(087°)/27(267°) 1800x40 GRASS
RCR	Opr No win maint
COMM	
ATF	tfc 123.2 5NM BLW 3000 ASL
PRO	Avoid overflight of houses immediately E and W of A/D. Mode C Transponder Mandatory - Acft operating in Winnipeg Class C CZ or TCA require a discrete transponder code which must be obtained by filing a flt plan, flt itinerary or by ctc Winnipeg ACC 204-984-5979 at least 15 min prior to entering.