FLIGHT PLAN & SITE SURVEY

Aberdeen Mall

November 12, 2026

IMPORTANT NOTICE

Please ensure you have received all required authorizations prior to flight. This Site Survey was created using RPAS Wilco. The user accepts all responsibility for the accuracy of the information.

Terms & Conditions: rpaswilco.com/#tnc

Generated by **RPAS Wilco**

Mission Information

ABERDEEN MALL

FLIGHT DETAILS

Reference No:	**MAAC-530-5756**
Project Name:	**KAMLOOPS MODEL AIRPLANE SOCIETY**
Pilot Name:	**MAAC**
Pilot Certificate:	
Mission Type:	**VLOS**
Flight Start:	**November 12, 2026 07:26 PM**
Flight End:	**November 12, 2026 08:26 PM**

LOCATION DETAILS

Flight Address:	**Aberdeen Mall**
Latitude:	**50° 39' 19.35" N (50.655)**
Longitude:	**120° 22' 17.23" W (-120.371)**
Field Elevation:	**2057 ft MSL**
Altitude / Radius:	**400.0 ft / 926 m (0.5 nm)**
Classification:	**CONTROLLED**
FIR / Contact:	**CZVR / 604-586-4500**

NOTES

Your flight is in controlled airspace.
If your RPAS is > 250g, please obtain RPAS Flight Authorization using the NavDrone app or by contacting NavCanada. (CARs 901.71)


REPORT CONTENTS

Site Survey • Obstacles (if available) • Nearby Aerodromes • Canadian Aviation Regulations • GFA • Aerodrome Supplements • METAR & TAF • NOTAMs • CFS

Flight Map & MODEL Details

MISSION LOCATION SURVEY

FLIGHT AREA MAP




MISSION LOCATION DETAILS

ROLE	LATITUDE	LONGITUDE
MODEL	50° 39' 19.35" N 50.655	120° 22' 17.23" W -120.371
Pilot		
Payload Op.		
Observer		

Airspace Classification

MISSION LOCATION SURVEY

AIRSPACE MAP




OVERLYING AIRSPACES


Class	Name	Floor	Ceiling
E	Kamloops, BC [CZ]	SFC	3000GND
E	Kamloops, BC [TA]	700AGL	18000MSL
E	Kamloops, BC [TA]	1600AGL	18000MSL
E	Williams Lake, BC [CAE]	8000AGL	18000MSL


NEAREST AERODROMES & DISTANCE FROM OPERATION

KAMLOOPS (ROYAL INLAND HOSPITAL) (CBC4 - HELIPORT - Cert)	Lat: 50.669	Long: -120.333	3.113KM	1.681NM	NE
Operator: INTERIOR HEALTH AUTHORITY: PHONE: 250-374-4160, POST: UNKNOWN **FIR Contact:** 604-586-4500					
KAMLOOPS (CAH7 - WATERDROME - Reg)	Lat: 50.7	Long: -120.433	6.606KM	3.567NM	NW
Operator: KAMLOOPS AIRPORT LTD.: PHONE: 250-376-3613, POST: UNKNOWN **FIR Contact:** 604-586-4500					
KAMLOOPS (CYKA - AERODROME - Cert)	Lat: 50.703	Long: -120.448	7.537KM	4.07NM	NW
Operator: KAMLOOPS AIRPORT LTD.: PHONE: 250-376-3613, POST: UNKNOWN **FIR Contact:** 604-586-4500					

KAMLOOPS (ROYAL INLAND HOSP) BC (Heli) CBC4








REF	N50 40 09 W120 19 59 Adj 17°E (2012) UTC-7 Elev 1453′ A5004
OPR	Interior Health Authority 250-374-4160 Cert PPR
PF	B-1,2,4 C-3,5,6
FLT PLN	
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	Surface Pad 1: FATO 86' dia elevated TLOF 57' dia CONC Safety Area 115' dia elevated 17,000 lbs Max heli overall length 57.4' (CAR 602.96) Rooftop Pad 2: FATO 86' x 86' non-supporting TLOF 71' x 71' CONC Safety Area 115' x 115' 18,000 lbs Max heli overall length 57.4' (CAR 602.96)
RCR	Opr
LIGHTING	Surface Pad 1: RY(LO) green ARCAL-125.7 type J Rooftop Pad 2: RW(ME) green LED ARCAL-122.9 type K

KAMLOOPS (ROYAL INLAND HOSP) BC (Heli) (Cont'd) CBC4

COMM	
MF	Kamloops rdo 125.7 5NM 4100 ASL centered on Kamloops aprt (CAR 602.98).
A/G	Hosp Security PEPCORD1 148.655 FM 3 min PN
PRO	Surface Pad 1 Arr/dep 125° fr heli, (H3) (CAR 602.96). Arr/dep 002° to 125° fr heli, (H1) (CAR 602.96). Rooftop Pad 2 Arr/dep 265° to 108° fr heli (H1) (CAR 602.96).
CAUTION	Unlgtd embankment to 40', adj SE. Marked & lgtd hosp penthouse elevator aprx 30' W of rooftop pad safety area.

KAMLOOPS VFR TERMINAL PROCEDURES CHART - NIGHT CIRCUIT PROCEDURE



ISLAND VIEW ON — See LAKE SCUGOG / ISLAND VIEW

JENKINS COVE NB — See KARS / JENKINS COVE


JENNY'S LANDING ON — See KENNISIS LAKE / JENNNY'S LANDING

JOHN'S BAY ON — See LAKE ROSSEAU / JOHN'S BAY

KAMANISKEG LAKE ON — See COMBERMERE / KAMANISKEG LAKE

KAMLOOPS BC CAH7

REF	N50 42 W120 26 3WNW 17°E (2013) UTC-8(7) Elev 1129′ A5004
OPR	Kamloops Aprt Ltd 250-376-3613 Reg
PF	A-1,2,3,6 C-4,5 at adj land A/D
CUST	AOE/15 16-08Z‡ 888-226-7277
FLT PLN FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
SERVICES	Float cart chg. Call out chg may be levied for one or more svcs. Mountainaire Svc 250-376-3800, Spring Avn 250-554-2616.
FUEL	100LL, JA-1 avbl at adj A/D, acft removal fr water rqrd, refuelling at dock proh. Shell 250-376-7633 or 250-819-9345 PN. Executive Flight Centre 250-376-9069.
OIL	80, 100, 120
S	1 (ltd),2,3 (at adj land A/D), 5
A/D DATA	Open water Apr-mid Nov. Depth 12′, sand bottom, current 5 kt. Spring freshets raise water level by 12′. Buoys, ramp & beach.
COMM	
RADIO	125.7 297.0 (V) (emerg only 250-376-7941)
RCO	Pacific rdo 123.375 (FISE) 126.7 (bcst)
MF	rdo 125.7 5NM 4100 ASL centred on land A/D (CAR 602.98)
PRO	Seaplane conform to land A/D tfc pattern: Rgt hand circuits Rwys 04, 22 & 27 (CAR 602.96). E departures climb to 2200 ASL or river junction before turning N.
CAUTION	Migratory bird activity in vic of A/D. Seasonal boat tfc. Dur low water sand bars hazardous; oprg channel swings from N side of river E of dock, to S side W of dock. Adj land A/D. Class "E" CZ to 5NM radius, 4100 ASL (2900 AGL).



KAMLOOPS FIC – RCO


Cross reference to PACIFIC RADIO – RCO (New)

KAMLOOPS FSS – RCO

Victoria 119.7 (RAAS) 08-14Z‡ (N48 38 W123 25)


KARS / JENKINS COVE NB — CJO3

REF	N45 35 38 W65 57 25 1.3ESE 17°W (2017) UTC-4(3) Elev 20′ A5003
OPR	Richard Pattie 506-485-1122 Reg
PF	B-1 C-2,5
FLT PLN FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
ACC	(IFR only) Moncton 506-867-7177 or 866-480-8200.
SERVICES S	5
A/D DATA	Open water May-Dec
COMM ATF	tfc 123.05 5NM 3000 ASL




KASBA LAKE NT — CJP5


REF	N60 17 W102 31 7°E (2013) UTC-6(5) Elev 1089′ A5024 A5031
OPR	Kasba Lake Lodge 250-248-3572 Reg PPR
PF	B-1,2,5 PN Oprg Jun15-Sep 1
FLT PLN FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
SERVICES FUEL	100LL, JA Prior arng thru Opr Jun 15 - Aug 15
A/D DATA	Open water Jun-Oct. Sand beach.
COMM ATF	UNICOM ltd hrs O/T tfc 122.8 5NM 4200 ASL



KAMLOOPS VFR TERMINAL PROCEDURES CHART - NIGHT CIRCUIT PROCEDURE



KAMLOOPS BC CYKA



REF	N50 42 09 W120 26 55 5WNW 16°E (2016) UTC-7 Elev 1133´ A5004 LO2 HI3 CAP RCAP
OPR	Kamloops Aprt Ltd 250-376-3613 Cert
PF	A-1,2,3,6 C-4,5
CUST	AOE/30 1530-2330Z Mon-Fri exc hols 888-226-7277
FLT PLN	
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
WX	METAR H24. TAF H24, issue times: 01, 07, 13, 19Z.
SERVICES	Call out chg may be levied for one or more svcs
FUEL	100LL, JA-1 (FSII avbl)
OIL	80, 100, 120
S	1 (ltd), 2,3,4,5,6 (ltd)
ARFF	DESIGNATED CAT 6 13-07Z, O/T 2 hr PN 250-376-3233 call out chg
PVT ADV	Shell 123.0 250-376-7633; Executive Flight Centre 122.85 250-376-9069
MIL CON	Executive Flight Centre Fuel 250-376-9069
RWY DATA	Rwy 09(087°)/27(267°) 8000x148 ASPH Rwy 05(045°)/23(225°) 1875x49 ASPH Thld 23 displ 249'.
RWY CERT	Rwy 05/23 AGN I Rwy 09/27 AGN IIIB
TWY CERT	Twy: D, E AGN II
TWY	Twy A, no vehicle ctl first 600' W of Apron I. Twy E: Unlgtd
APRON	Apron 1: Uncontrolled, avbl to sked pax flt only. All acft must yield to acft in pushback from ATB. Prkg fees. Apron II: Uncontrolled, avbl for transient and itinerant prkg. All acft must yield to acft in pushback from ATB. Pilot/pax access via groundside Gate 10 only; no access/egress permitted via ATB. Prkg fees. Apron V: Uncontrolled, PPR for prkg on or within 25' of apn.
RCR	FSS Win maint 12-07Z O/T 2 hrs PN cost recovery. CRFI, PCN.
LIGHTING	09-AO(TE ME) P2, 27-AO(TE ME) P2 ARCAL-125.7 type K avbl when FSS clsd PAPI limitation/restriction. PAPI Rwy 09 to be used only within 4NM of thld; PAPI Rwy 27 to be used only within 4NM of thld. Twy D RR.

KAMLOOPS BC (Cont'd) CYKA

COMM	
RADIO	125.7 PTC avbl (V) (emerg only 250-376-7941)
RCO	Pacific rdo 123.375 (FISE) 126.7 (bcst)
CLNC DEL	121.9 PTC avbl ltd hrs
MF	rdo 125.7 5NM 4100 ASL (CAR 602.98)
PAL	Vancouver Ctr 132.35 133.5 134.4 236.0
NAV	
DME	IKA 109.3 Ch 30 N50 42 14 W120 27 41 (1136')
	MT LOLO YKB 117.5 Ch 122 N50 48 03 W120 07 39 (5757')
ILS	IKA 109.3 (Rwy 09)
LOC	IPP 109.9 (Rwy 27)
PRO	Pilots should refer to Canadian Airport Charts (CAC) to obtain details on established hot spots, prior to operating on maneuvering areas. CAC are available for free on the NAV CANADA website. Day: rgt hand circuits Rwys 05, 23 & 27 (CAR 602.96). Night: follow VTPC night circuit pro. Tkof and ldg in grass adj rwys by fixed-wing acft not auth.
CAUTION	Migratory bird activity in vic of A/D. Only pilots familiar with lcl terrain should use this aprt dur hrs of darkness. Ngt ops not recommended unless all 6 hazard beacons are oprg. Hi terrain reduces operational length of Rwys 09 and 27 PAPI. Painted & lgtd twr 1253 ASL (128 AGL) aprx 250' beyond Thld 05 and aprox 2710' NW rwy centreline. Fuel facility (tanks 80 AGL) aprx 0.5NM NE A/D; no low alt heli ops.

KAMLOOPS VFR TERMINAL PROCEDURES CHART - NIGHT CIRCUIT PROCEDURE

