

---

# FLIGHT PLAN & SITE SURVEY

---

D 576-5567 SAINTS R/C FLYING CLUB- DUFF'S FIELD

July 10, 2026



## IMPORTANT NOTICE

Please ensure you have received all required authorizations prior to flight. This Site Survey was created using RPAS Wilco. The user accepts all responsibility for the accuracy of the information.

Terms & Conditions: [rpaswilco.com/#tnc](https://rpaswilco.com/#tnc)

# Mission Information

D 576-5567 SAINTS R/C FLYING CLUB- DUFF'S FIELD

## FLIGHT DETAILS

Reference No:	<b>MAAC-576-5567</b>
Project Name:	<b>SAINTS R/C FLYING CLUB</b>
Pilot Name:	<b>MAAC</b>
Pilot Certificate:	
Mission Type:	<b>VLOS</b>
Flight Start:	<b>July 10, 2026 12:12 PM</b>
Flight End:	<b>July 10, 2026 01:12 PM</b>

## LOCATION DETAILS

Flight Address:	<b>DUFF'S FIELD</b>
Latitude:	<b>49° 58' 27.71" N ( 49.974 )</b>
Longitude:	<b>96° 58' 49.78" W ( -96.98 )</b>
Field Elevation:	<b>764 ft MSL</b>
Altitude / Radius:	<b>400 ft / 926 m ( 0.5 nm )</b>
Classification:	<b>CONTROLLED</b>
FIR / Contact:	<b>CZWG / 204-983-8338</b>

### NOTES

Your flight is in controlled airspace.  
If your RPAS is > 250g, please obtain RPAS Flight Authorization using the NavDrone app or by contacting NavCanada. (CARs 901.71)


## REPORT CONTENTS

Site Survey • Obstacles (if available) • Nearby Aerodromes • Canadian Aviation Regulations • GFA • Aerodrome Supplements • METAR & TAF • NOTAMs • CFS

# Flight Map & MODEL Details

MISSION LOCATION SURVEY

## FLIGHT AREA MAP



## MISSION LOCATION DETAILS

ROLE	LATITUDE	LONGITUDE
MODEL	49° 58' 27.71" N 49.974	96° 58' 49.78" W -96.98
Pilot		
Payload Op.		
Observer		

# Airspace Classification

MISSION LOCATION SURVEY

## AIRSPACE MAP



## OVERLYING AIRSPACES

Class	Name	Floor	Ceiling
D	St. Andrews, MB [CZ]	SFC	3000MSL
E	Winnipeg, MB [TA]	700AGL	18000MSL

## NEAREST AERODROMES & DISTANCE FROM OPERATION


ST. ANDREWS (CYAV - AERODROME/HELIPORT - Cert)	Lat: 50.056	Long: -97.032	9.82KM	5.302NM	N
<b>Operator:</b> ST. ANDREWS AIRPORT INCORPORATED: PHONE: 204-336-3250, POST: UNKNOWN <b>FIR Contact:</b> 204-983-8338					
LYNCREST (CJL5 - AERODROME - Reg)	Lat: 49.852	Long: -96.974	13.56KM	7.322NM	S
<b>Operator:</b> SPRINGFIELD FLYING CLUB: PHONE: 204-222-0079, POST: UNKNOWN <b>FIR Contact:</b> 204-983-8338					
WINNIPEG (CITY OF WINNIPEG) (CWG2 - HELIPORT - Cert)	Lat: 49.9	Long: -97.096	11.67KM	6.301NM	SW
<b>Operator:</b> CITY OF WINNIPEG: PHONE: 204-470-7800, PHONE: 204-986-4869, POST: Greg Robinson 3 Grey St. Winnipeg MB R2L1V2 <b>FIR Contact:</b> 204-983-8338					

MANITOBA

AERODROME / FACILITY DIRECTORY

WINNIPEG / ST. ANDREWS MB

CYAV



<b>REF</b>	N50 03 23 W97 01 57 10NNE 4°E UTC-6(5) Elev 759' VTA A5007 LO4 T1 CAP
<b>OPR</b>	St. Andrews Apt Inc 204-336-3250 1300-2130Z‡ Nov-Mar exc hols, 1300-2130Z‡ Mon-Fri Apr-Oct exc hols Cert
<b>PF</b>	B-1,2,5 D-3,4,6
<b>FLT PLN</b>	Pilots to open/close VFR flt plan with Edmonton rdo, FISE or by phone.
<b>FIC</b>	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA) (file 30 min prior ETD, see PRO)
<b>ACC</b>	IFR, 204-983-8337 or 888-834-3344 or flt pln by Fax at 204-983-2823 & include phone numbers where pilot can be reached prior to dep.
<b>WX</b>	LWIS H24 LAWO 13-04Z‡
<b>SERVICES</b>	
<b>FUEL</b>	100LL, JA-1
<b>OIL</b>	All
<b>S</b>	1,2,3,4,5,6
<b>PVT ADV</b>	Winnipeg Aviation 204-338-7923 13-01Z Mon-Thu, 13-22Z Fri-Sat, 16-22Z Sun, Apr-Oct exc hols; 14-24Z Mon-Thu, 14-23Z Fri-Sat, 17-23Z Sun, Nov-Mar exc hols; O/T call out chg will apply. Harv's Air Service 204-339-6186 14-01Z‡ Mon-Sat, 17-01Z‡ Sun. Centric Aviation 129.075 FBO 431-844-6677, 431-337-8085

## MANITOBA

## AERODROME / FACILITY DIRECTORY

## WINNIPEG / ST. ANDREWS MB (Cont'd)

CYAV

<b>RWY DATA</b>	Rwy 13(129°)/31(309°) 3002x75 ASPH Rwy 18(184°)/36(004°) 3000x75 ASPH Rwy 04(041°)/22(221°) 2852x75 ASPH
<b>RWY CERT</b>	Rwy 13/31 AGN II Rwy 18/36 AGN II Rwy 04/22 AGN II
<b>TWY CERT</b>	Twy: A, C, D, E, F, G, H AGN I Twy B: AGN II S of Aprn I & AGN I fr Aprn IV to Aprn I Twy F, H: Day use only.
<b>RCR</b>	Opr 1300-2130Z± Nov-Mar exc hols, 1300-2130Z± Mon-Fri Apr-Oct exc hols O/T call out chg. PCN
<b>HELI DATA</b>	FATO 82' dia ASPH TLOF 82' x 82' ASPH Safety Area 109' dia Max heli overall length 54.7'
<b>LIGHTING</b>	04-(TE ME), 22-(TE ME), 13-AO(TE ME) P2, 31-AO(TE ME) P2, 18-AO(TE ME) P2, 36-AO(TE ME) P2 ARCAL-118.5 type K Opr when TWR clsd. RY(ME) RF(FL) Helipad lgts not avbl on ARCAL.
<b>COMM</b>	<b>ATIS</b> 125.8 13-04Z± <b>GND</b> 121.8 13-04Z± <b>TWR</b> 118.5 (V) 13-04Z± (emerg only 204-983-0660) <b>ATF</b> tfc 118.5 04-13Z± 4NM below 3000 ASL <b>ARR</b> Winnipeg Tml 119.9 (East) 121.0 (West) <b>DEP</b> Winnipeg Tml 119.9 <b>VFR ADV</b> Winnipeg Tml 119.9 (East) 121.0 (West)
<b>PRO</b>	<b>AIRPORT:</b> Rgt hand circuits Rwy 04, 13, 18 (CAR 602.96). Circuit hgt 1600 ASL. Special VFR not avbl when TWR clsd. <b>ATS REQUIREMENTS (All Acft):</b> PPR for block airwork, photo flt or tng flt oprng in Winnipeg TCA, ctc Winnipeg ACC 204-984-5979 or fax 204-983-2823. When TWR clsd, clnc may be obtained from Winnipeg Tml at 204-983-4121. Mode C Transponder Mandatory - Acft operating in Winnipeg Class C CZ or TCA require a discrete transponder code which must be obtained by filing a flt plan, flt itinerary or by ctc Winnipeg ACC 204-984-5979 at least 15 min prior to entering. Acft departing CYAV may ctc CYAV Tower to obtain a discrete transponder code. Set transponder to discrete code prior to ctc ATC. <b>AIRSPACE:</b> Refer to Winnipeg / St. Andrews VTPC for VFR arr/dep rtes & VFR corridor info to Winnipeg/James Armstrong Richardson Intl. Refer to VTA A1902 for greater chart detail. Transponder preferred but not required for flt within St. Andrews ctl zone. <b>PREFERENTIAL RUNWAYS:</b> ATC will designate rwys to align IFR arr and dep paths with those in use at Winnipeg/James Armstrong Richardson Intl (CYWG) based on the following conds: - Physical cond of sfc - Effective crosswind component not to exceed 15 kt - Effective tailwind component not to exceed 5 kt - Other safety considerations declared by the Captain of the acft. Use of other-than-designated rwys should only be requested to meet operational necessity. <b>HELI</b> PPR for balloon ops on aprt, ctc opr for details. Concurrent with safety & twr instructions helicopters are to hover taxi via rwys/twys to other posns on airport at slow speeds. Arr/dep 004° to 024° & 162° to 184° fr heli, slope 8% (H3), day/night use.
<b>CAUTION</b>	Extv bird & wildlife activity in vic of rwys.

## MANITOBA

## AERODROME / FACILITY DIRECTORY

## WINNIPEG / LYNCREST MB

CJL5

<b>REF</b>	N49 51 09 W96 58 25 2.8E 3°E (2015) UTC-6(5) Elev 775' VTA A5007	
<b>OPR</b>	Springfield Flying Club 204-222-0079 Reg	
<b>PF</b>	B-1 C-2,3,4,5,6	
<b>FLT PLN</b>	Pilots to open/close VFR flt plan with Edmonton rdo, FISE or by phone.	
<b>FIC</b>	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA) (file 30 min prior ETD, see PRO)	
<b>ACC</b>	IFR, 204-983-8337 or 888-834-3344 or flt pln by Fax at 204-983-2823 & include phone numbers where pilot can be reached prior to dep.	
<b>SERVICES</b>		
<b>FUEL</b>	100LL	
<b>RWY DATA</b>	Rwy 09(093°)/27(273°) 3000x120 GRASS Rwy 17(170°)/35(350°) 2500x200 GRASS	
<b>RCR</b>	Ctc opr Ltd win maint. Win rwy width 90' marked with cones.	
<b>COMM</b>		
<b>ATF</b>	tfc 123.2 3NM to below 3000 ASL excluding airspace within Winnipeg TCA	
<b>PRO</b>	Circuit hgt 1300 ASL. Mode C Transponder Mandatory - Acft operating in Winnipeg Class C CZ or TCA require a discrete transponder code which must be obtained by filing a flt plan, flt itinerary or by ctc Winnipeg ACC 204-984-5979 at least 15 min prior to entering. PPR for block airwork, photo flt or tng flt oprg in Winnipeg TCA ctc Winnipeg ACC 204-984-5979 or fax 204-983-2823.	
<b>NOISE</b>	Noise abatement pro: avoid flying over houses. Dep path Rwy 17 if cond permit.	
<b>CAUTION</b>	Apch path Rwy 17 over railway tracks. Apch path Rwy 09 over road. P-lines all quad, see VTA. Ultra-light activity in the circuit. Migratory bird activity in vic of A/D. Avoid flying over water retention ponds E of aprt dep Rwy 09, ldg Rwy 27 if cond permit.	

## MANITOBA

## AERODROME / FACILITY DIRECTORY

## WINNIPEG (CITY OF WINNIPEG) MB (Heli)

CWG2

<b>REF</b>	N49 54 01 W97 05 44 4°E UTC-6(5) Elev 767' VTA A5007	
<b>OPR</b>	City of Winnipeg 204-986-4869 204-470-7800 Cert PPR Heli clsd Oct 2-Mar 31	
<b>PF</b>	B-1 C-2,3 D-4,5,6	
<b>FLT PLN</b>	Pilots to open/close VFR flt plan with Edmonton rdo, FISE or by phone.	
<b>FIC</b>	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
<b>HELI DATA</b>	FATO 66' dia CONC Safety Area 87' dia Parking Pad 1 & 2: 52' dia CONC/GRASS	
<b>RCR</b>	Opr	
<b>COMM</b>		
<b>TWR</b>	Winnipeg 118.3	
<b>PRO</b>	Arr/dep 090° to 270° fr heli, slope 8% (H3) (CAR 602.96). Mode C Transponder Mandatory - Acft operating in Winnipeg Class C CZ or TCA require a discrete transponder code which must be obtained by filing a flt plan, flt itinerary or by ctc Winnipeg ACC 204-984-5979 at least 15 min prior to entering.	
<b>CAUTION</b>	Extv insect ctl heli ops Apr-Oct.	