

FLIGHT PLAN & SITE SURVEY

KISKARDE RD.

July 29, 2026



IMPORTANT NOTICE

Please ensure you have received all required authorizations prior to flight. This Site Survey was created using RPAS Wilco. The user accepts all responsibility for the accuracy of the information.

Terms & Conditions: rpaswilco.com/#tnc

Mission Information

KISKARDE RD.

FLIGHT DETAILS

Reference No:	MAAC-99-4023
Project Name:	PARKSVILLE DISTRICT AND QUALICUM FLYERS
Pilot Name:	MAAC
Pilot Certificate:	
Mission Type:	VLOS
Flight Start:	July 29, 2026 07:51 PM
Flight End:	July 29, 2026 08:51 PM

LOCATION DETAILS

Flight Address:	KISKARDE RD.
Latitude:	49° 16' 27.79" N (49.274)
Longitude:	124° 13' 32.99" W (-124.226)
Field Elevation:	364 ft MSL
Altitude / Radius:	400.0 ft / 926.0 m (0.5 nm)
Classification:	UNCONTROLLED
FIR / Contact:	CZVR / 604-586-4500


REPORT CONTENTS

Site Survey • Obstacles (if available) • Nearby Aerodromes • Canadian Aviation Regulations • GFA • Aerodrome Supplements • METAR & TAF • NOTAMs • CFS

Flight Map & MODEL Details

MISSION LOCATION SURVEY

FLIGHT AREA MAP



MISSION LOCATION DETAILS

ROLE	LATITUDE	LONGITUDE
 MODEL	49° 16' 27.79" N 49.274	124° 13' 32.99" W -124.226
 Pilot		
 Payload Op.		
 Observer		

Airspace Classification

MISSION LOCATION SURVEY

AIRSPACE MAP



OVERLYING AIRSPACES

Class	Name	Floor	Ceiling
E	Vancouver, BC g) [TA]	700AGL	18000MSL
E	V342 VHF/UHF Airway	2200AGL	18000MSL

Planned flight altitude is below the lowest documented airspace layer

NEAREST AERODROMES & DISTANCE FROM OPERATION


QUALICUM BEACH (CAT4 - AERODROME - Cert)	Lat: 49.337	Long: -124.394	14.028KM	7.575NM	NW
Operator: TOWN: PHONE: 250-752-6921, POST: UNKNOWN FIR Contact: 604-586-4500					
PARKSVILLE (ASCENT HELICOPTERS) (CAH5 - HELIPORT - Reg)	Lat: 49.312	Long: -124.37	11.266KM	6.083NM	W
Operator: ASCENT HELICOPTERS LTD: PHONE: 250-586-5454, POST: UNKNOWN FIR Contact: 604-586-4500					
QUALICUM BEACH (AEROSMITH HELI SERVICE) (CA55 - HELIPORT - Reg)	Lat: 49.307	Long: -124.413	14.072KM	7.598NM	W
Operator: AEROSMITH HELI SERVICE: PHONE: 250-954-0668, POST: 1020 Virginia Rd P.O. Box 128 Coombs, BC V0R 1M0 FIR Contact: 604-586-4500					
NANAIMO HARBOUR (CAC8 - WATERDROME - Reg)	Lat: 49.183	Long: -123.95	22.443KM	12.118NM	SE
Operator: NANAIMO PORT AUTHORITY & SEAIR SEAPLANES: PHONE: 1-866-692-6440, PHONE: 250-753-1115, PHONE: 250-753-4146, POST: UNKNOWN FIR Contact: 604-586-4500					
NANAIMO (REGIONAL GEN HOSP) (CBG5 - HELIPORT - Cert)	Lat: 49.186	Long: -123.972	20.933KM	11.303NM	SE
Operator: ISLAND HEALTH: PHONE: 250-370-8575, POST: UNKNOWN FIR Contact: 604-586-4500					

BRITISH COLUMBIA

AERODROME / FACILITY DIRECTORY

QUALICUM BEACH BC

CAT4


REF	N49 20 14 W124 23 38 2.1E 17°E (2013) UTC-8(7) Elev 192' A5004 LO2 HI3 CAP	
OPR	Town 250-752-6921 1630-2300Z± exc hol Cert	
PF	A-1,2,7 ATB ltd hrs ctc opr C-3,4,5,6	
FLT PLN		
FIC ACC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA) For IFR clnc ctc Comox Terminal 250-339-8115 before take off. IFR tng flts PPR Comox Terminal 250-339-8115.	
SERVICES		
FUEL S	100LL, JA 2 15-24Z± Mon-Fri, 4, 5	
RWY DATA	Rwy 11(111°)/29(291°) 3564x75 ASPH Thld 11 displ 485' Thld 29 displ 251' Rwy 11 down 0.70% Rwy 11/29 AGN I Twy F: Pvt Apron III, IV: Pvt Opr Ltd win maint	
LIGHTING	11-(TE ME) P1 4.5°, 29-(TE ME) P1 4.5° ARCAL-122.8 type K	
COMM		
MF TML	tfc 122.8 5NM 3200 ASL (CAR 602.98) Comox 123.7 227.6	
PRO	Rgt hand circuits rwy 11 (CAR 602.96) For IFR clnc ctc Comox tml 250-339-8115, 10 min prior to dep. Avoid overflight of noise sensitive areas at less than 1000 AGL, see sketch. Night restrictions (btwn 06-14Z±): Medevac only, or PPR. Night circuit height 1400 ASL. Night ops prohibited when PAPI u/s.	
HELI	All Turbine Heli: Cont circuits proh unless appr by APM. -VFR Arr/dep flt over noise sensitive areas (depicted on chart) blw 1000' not permitted.	
NOISE	NOISE ABATEMENT PROCEDURES (pursuant to CAR 602.105): These procedures apply to acft operating under VFR dur wx conds of 2 or more miles vis or better. Arr: Landing acft to be established on or S of extended rwy centerline within 2NM of rwy thld. Dep: Acft track extended rwy centerline, no turns N BLW 1000 ASL (800 AGL) within 2NM of rwy end. No alt restriction on turns to S.	
CAUTION	100' trees aprx 3000' fr Thld 29. Only pilots familiar with lcl terrain should use this A/D dur hrs of darkness. Parachuting aprx 7NM ESE A/D fr 12,500 ASL.	

BRITISH COLUMBIA

AERODROME / FACILITY DIRECTORY

PARKSVILLE (ASCENT HELICOPTERS) BC (Heli)

CAH5

REF	N49 18 42 W124 22 13 2.2WSW 16°E (2024) UTC-8(7) Elev 261' A5004	
OPR	Ascent Helicopters Ltd 250-586-5454 Reg PPR	
PF	A-1,7,8 C-2,3,4,5 D-6	
FLT PLN	FIC Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)	
SERVICES		
FUEL	JA 16-24Z†	
HELI DATA	FATO/TLOF 91' dia GRVL Safety Area 121' dia	
RCR	Opr	
LIGHTING	RF(FH)	
COMM		
ATF	tfc 122.8 5NM 3200 ASL centred on Qualicum Beach A/D 1.8NM NW (CAR 602.98)	
TML	Comox 123.7 227.6	
PRO	Arr/dep from/to the W.	
CAUTION	P-line training poles 200' S, 30' AGL. Parachuting aprx 5NM ESE A/D fr 12,500 ASL.	


BRITISH COLUMBIA

AERODROME / FACILITY DIRECTORY

QUALICUM BEACH (AEROSMITH HELI SERVICE) BC (Heli)

CAS5

REF	N49 18 25 W124 24 48 2.2S 17°E (2014) UTC-8(7) Elev 292' A5004
OPR	Aerosmith Heli Service 250-954-0668 Reg PPR
PF	A-1 D-2,3,4,5,6
FLT PLN	
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	FATO/TLOF 85' x 56' CONC Safety Area 85' x 220'
RCR	Opr 250-443-1678 15-04Z†
COMM	
ATF	tfc 122.8 5NM centered on Qualicum Beach A/D 1.9NM NE 3200 ASL
PRO	Arr/dep 063° fr heli, day use only. Arr/dep 313° curved to 253° fr heli, day use only. Avoid over-flying built-up area on arr/dep.
CAUTION	150 AGL trees WNW adj to Heli.




CANADA WATER AERODROME SUPPLEMENT

Effective 0901Z 19 March 2026 to 0901Z 18 February 2027

NANAIMO HARBOUR BC

CAC8



REF	N49 11 W123 57 Adj 17°E (2014) UTC-8(7) Elev 00' VTA A5004
OPR	Nanaimo Port Authority 250-753-4146 Seair Seaplanes 866-692-6440 or 250-753-1115 Reg docking fee applicable if not purchasing fuel
PF	A-1,2 C-3,4,5,6
CUST	AOE/15/SEAPL 888-226-7277 1630-0030Z†
FLT PLN	FIC Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA) WX WxCam

CANADA WATER AERODROME SUPPLEMENT

Effective 0901Z 19 March 2026 to 0901Z 18 February 2027

B146 AERODROME/FACILITY DIRECTORY

NANAIMO HARBOUR BC (Cont'd)

CAC8

SERVICES	
FUEL	100LL, JA
S	4,6 Ltd hrs
PVT ADV	Seair Seaplanes 129.30 1500-0230Z†
COMM	
RCO	Pacific rdo (Nanaimo) 126.0 (FISE) (may not be receivable on the ground) Pacific rdo (Victoria) 122.375 (FISE)
MF	tfc 122.9 5NM 1200 ASL exc area within Nanaimo land A/D CZ (CAR 602.98)
NAV	
NDB	YCD 251 (M) N49 07 40 W123 52 18
PRO	GENERAL: 1. Acft ops within Nanaimo Harbour & Departure Bay rstd to 15-06Z† O/T PPR fr Nanaimo Port Authority. 2. No acft should overfly the noise sensitive areas of the City of Nanaimo, Gabriola Island or Protection Island at an alt below 2000'. 3. No acft should overfly Newcastle Island Passage below 300' except in transition for tkof and ldg. 4. No acft should overfly the Pimbury Point tank farm. 5. No acft should tkof or land or step taxi within Newcastle Island Passage or within 500' of any shoreline, wharf or fixed object. 6. Taxi speed rstd to 5 kts in Newcastle Island Passage. 7. No flying training or circuits should be conducted within Nanaimo Harbour or Departure Bay. 8. Acft rdo activated white strobe lgts oprg on 122.9 to alert mariners and pilots of arr/dep seaplanes. Located on central breakwater SW of Area "A" in Nanaimo Harbour and between Shaft Point and Pimbury Point for Area "B". Refer to Area A/B Ops below. Report strobe u/s to opr. AREA "A" OPS Area "A" description - As depicted. N bdry marked by 3 lgtd white buoys. W bdry marked by 2 lgtd white buoys parallel to central breakwater. 1. Follow proscribed routes during arr/dep. 2. Consistent with wind, wx, sfc tfc and water conditions, make tkofs/ldgs within Area "A". Remain clear of ferries. 3. Activate strobe aprx 60 secs prior to tkof or ldg. Key mike 3 times in 5 secs on 122.9. Strobe opr for 90 secs. AREA "B" OPS Area "B" description - As depicted. Begins 300' NW of a line btwn Pimbury and Shaft Points. 1. Follow proscribed routes during arr/dep. 2. Consistent with wind, wx, sfc tfc and water conditions (ferry swells and turbulence etc.) make tkofs/ldgs within Area "B", favouring the E side of the area. Remain clear of ferries. 3. Activate strobe aprx 60 secs prior to tkof or ldg. Key mike 5 times in 5 secs on 122.9. Strobe opr for 90 secs. Refer to Nanaimo VTPCs and CYCD PRO for additional procedures in vicinity of Nanaimo. ATS REQUIREMENTS: All VFR acft entering the Vancouver Tower Class C airspace require a transponder code. Call Kamloops FIC at 866-992-7433 (866-WXBRIEF) or 866-541-4101 for code assignment at least 30 min prior to flt.
CAUTION	AREAS "A" AND "B": Hvy sfc tfc. Ferries create large swells and turbulence.


CANADA WATER AERODROME SUPPLEMENT

Effective 0901Z 19 March 2026 to 0901Z 18 February 2027

AERODROME/FACILITY DIRECTORY B147


NANAIMO / QUENNEL LAKE BC

CBQ9


REF	N49 04 39 W123 49 50 10SE 17°E (2014) UTC-8(7) Elev 122' VTA A5004	
OPR	Zuiderzee Campsites 250-722-2334 Reg PPR	
FLT PLN	FIC Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)	
SERVICES	FUEL 100LL daylight hrs PN S 1,2,3,5,6 PVT ADV Pacific Seaplanes 1-855-933-5922	
A/D DATA	MOORING Year round open water, lake ocsl freeze over mid win, call opr to confirm cond. Sheltered alighting area. Depth at dock 15', mud/sand bottom. Wharf & ramp PPR.	
COMM	MF/ATF Nanaimo rdo 1330-0530Z± O/T tfc 122.1 centred on Nanaimo land A/D 2.1NM SSW, CZ shape irregular 5NM 2500 ASL (CAR 602.98)	
PRO	Take-off/Landing: All tkofs and ldgs in the W arm of the lake. Arrival/Departure: No arr or dep before 0700 lcl time. Circuits: All circuits remain W of alighting area. Training: Touch & go flight training is discouraged. Refer to Nanaimo VTPCs and CYCD PRO for additional procedures in vicinity of Nanaimo.	
CAUTION	No tkof or ldg in low speed areas of lake.	

NATASHQUAN (LAC DE L'AVION) QC

CSY8


REF	N50 11 21 W61 45 14 2.5SE 20°W (2014) UTC-5(4) Elev 35' A5011		
OPR	Air Tunilik 418-579-0937 or 418-409-5027 Fax 418-726-3807 Reg PPR		
PF	C-1 (at land A/D), 2,3,4,5		
FLT PLN	(bil) FIC Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)		
SERVICES	FUEL 100LL S 5		
A/D DATA	Open water Jun-Oct. Depth 2.5' at dock, sand bottom. Depth 3'-4' in the narrow of the lake.		
COMM	(bil) RCO Madeleine rdo 122.2 (RAAS) 13-23Z± Québec rdo 123.85 (FISE) 126.7 (bcst) MF Madeleine rdo 13-23Z± O/T t/c 122.2 15NM 3000 ASL around Natasquan land A/D 1.5NM W (CAR 602.98) See PRO section		

NANAIMO VFR TERMINAL PROCEDURES CHART



NAME	IDENT	LAT/LONG
BOAT HARBOUR	VCBHB	N49° 05' 30" W123° 47' 55"
BRANNEN LAKE	VCBNL	N49° 12' 50" W124° 03' 15"
BUFFALO	VCBUF	N49° 04' 42" W124° 05' 00"
ENTRANCE ISLAND	VCENT	N49° 12' 24" W123° 48' 24"
GABRIOLA	VCGAB	N49° 08' 06" W123° 42' 18"
GRAVEL PIT	VCGRA	N49° 04' 04" W123° 55' 54"
HOLLAND LAKE	VCHOL	N48° 56' 48" W123° 51' 50"
PORLIER	VCPOR	N49° 01' 00" W123° 35' 06"
RICHARD LAKE	VCRDL	N49° 06' 06" W123° 55' 35"
SOUTHEY POINT	VCSYP	N48° 56' 39" W123° 35' 40"
VALDEZ	VCVAL	N49° 04' 42" W123° 39' 24"
WESTWOOD LAKE	VCWWL	N49° 10' 00" W124° 00' 00"
YELLOW POINT	VCYPT	N49° 02' 20" W123° 44' 50"

NANAIMO VFR TERMINAL PROCEDURES CHART - CIRCUIT PROCEDURES





BRITISH COLUMBIA

AERODROME / FACILITY DIRECTORY


NANAIMO (REGIONAL HOSP) BC (Heli)

CBG5



REF	N49 11 09 W123 58 18 1.7WNW 17°E (2013) UTC-8(7) Elev 293' VTA A5004
OPR	Island Health 250-370-8575 Cert NVIS OPS AUTH PPR
PF	B-1,2,4 C-3,5,6
FLT PLN	
FIC	Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)
HELI DATA	FATO/TLOF 87' dia CONC/GRASS Safety Area 115' dia Max heli overall length 57.4' (CAR 602.96)
RCR	Opr
LIGHTING	RW(ME) green ARCAL-122.9 type J
COMM	
RCO	Pacific rdo 126.0 (FISE)
MF	tfc 122.9 5NM centred on Nanaimo Harbour water A/D 1NM ENE 1200 ASL exc area within Nanaimo land A/D CZ (CAR 602.98)
PRO	Arr/dep 163° & 344° fr heli, (H1) day/night (CAR 602.96). Refer to NANAIMO VTPCs and CYCD PRO for additional procedures in vicinity of Nanaimo.
CAUTION	Several pkg lot lamp standards to 20' adj N and S of heli, lgtd and marked, p-lines adj W marked, power poles adj W marked and lgtd.

NANAIMO VFR TERMINAL PROCEDURES CHART



NAME	IDENT	LAT/LONG
BOAT HARBOUR	VCBHB	N49° 05' 30" W123° 47' 55"
BRANNEN LAKE	VCBNL	N49° 12' 50" W124° 03' 15"
BUFFALO	VCBUF	N49° 04' 42" W124° 05' 00"
ENTRANCE ISLAND	VCENT	N49° 12' 24" W123° 48' 24"
GABRIOLA	VCGAB	N49° 08' 06" W123° 42' 18"
GRAVEL PIT	VCGRA	N49° 04' 04" W123° 55' 54"
HOLLAND LAKE	VCHOL	N48° 56' 48" W123° 51' 50"
PORLIER	VCPOR	N49° 01' 00" W123° 35' 06"
RICHARD LAKE	VCRDL	N49° 06' 06" W123° 55' 35"
SOUTHEY POINT	VCSYP	N48° 56' 39" W123° 35' 40"
VALDEZ	VCVAL	N49° 04' 42" W123° 39' 24"
WESTWOOD LAKE	VCWWL	N49° 10' 00" W124° 00' 00"
YELLOW POINT	VCYPT	N49° 02' 20" W123° 44' 50"

