

FLIGHT PLAN & SITE SURVEY

TERRAIN DE VOL DU CLUB -271 RG ST-JEAN ST MAURICE
QC

July 29, 2026



IMPORTANT NOTICE

Please ensure you have received all required authorizations prior to flight. This Site Survey was created using RPAS Wilco. The user accepts all responsibility for the accuracy of the information.

Terms & Conditions: rpaswilco.com/#tnc

Mission Information

TERRAIN DE VOL DU CLUB -271 RG ST-JEAN ST MAURICE QC

FLIGHT DETAILS

Reference No:	MAAC-101-4028
Project Name:	CLUB AVION RADIO CONTROLE TROIS-RIVIERES
Pilot Name:	MAAC
Pilot Certificate:	
Mission Type:	VLOS
Flight Start:	July 29, 2026 10:51 PM
Flight End:	July 29, 2026 11:51 PM

LOCATION DETAILS

Flight Address:	TERRAIN DE VOL DU CLUB -271 RG ST-JEAN ST MAURICE QC
Latitude:	46° 27' 53.90" N (46.465)
Longitude:	72° 30' 49.60" W (-72.514)
Field Elevation:	131 ft MSL
Altitude / Radius:	400.0 ft / 926.0 m (0.5 nm)
Classification:	UNCONTROLLED
FIR / Contact:	CZUL / 514-633-3365

REPORT CONTENTS

Site Survey • Obstacles (if available) • Nearby Aerodromes • Canadian Aviation Regulations • GFA • Aerodrome Supplements • METAR & TAF • NOTAMs • CFS


MISSION LOCATION SURVEY

ROLE	LATITUDE	LONGITUDE
MODEL	46° 27' 53.90" N 46.465	72° 30' 49.60" W -72.514
Pilot		
Payload Op.		
Observer		

Airspace Classification

MISSION LOCATION SURVEY

AIRSPACE MAP



OVERLYING AIRSPACES

Class	Name	Floor	Ceiling
E	T781 Fixed RNAV Route	2200AGL	18000MSL
E	3.5.2-5 [CAE]	6000MSL	18000MSL

Planned flight altitude is below the lowest documented airspace layer

NEAREST AERODROMES & DISTANCE FROM OPERATION

ST-LOUIS-DE-FRANCE (CSJ5 - AERODROME - Reg)	Lat: 46.437	Long: -72.63	9.464KM	5.11NM	W
Operator: MARTIN LEMIRE/JANNY THIBEAU-LEVESQUE: PHONE: 514-264-1605, PHONE: 819-384-6212, POST: UNKNOWN FIR Contact: 514-633-3365					
TROIS-RIVIERES (CYRQ - AERODROME - NA)	Lat: 46.351	Long: -72.68	17.958KM	9.697NM	SW
Operator: TOWN: PHONE: 819-244-0699, PHONE: 819-377-4382, POST: UNKNOWN, URL: www.idetr.com/cyrq FIR Contact: 514-633-3365					
LAC-A-LA-TORTUE (CSU7 - WATERDROME - Reg)	Lat: 46.617	Long: -72.626	18.92KM	10.216NM	NW
Operator: BEL AIR LAURENTIAN AVIATION INC: PHONE: 819-538-8623, POST: BEL AIR LAURENTIAN AVIATION BOX 9, GRAND-MERE, QUE, GOX 1LO FIR Contact: 514-633-3365					
LAC-A-LA-TORTUE (CSL3 - AERODROME - Reg)	Lat: 46.622	Long: -72.63	19.57KM	10.567NM	NW
Operator: BEL AIR LAURENTIAN AVIATION INCORPORATED: PHONE: 819-538-8623, POST: UNKNOWN FIR Contact: 514-633-3365					
HYDRAVION AVENTURE (CHA2 - WATERDROME - Reg)	Lat: 46.477	Long: -72.776	20.159KM	10.885NM	W
Operator: HYDRAVION AVENTURE: FAX: 819-535-3169, PHONE: 819-609-9358, POST: UNKNOWN FIR Contact: 514-633-3365					


QUEBEC

AERODROME / FACILITY DIRECTORY

ST-LOUIS-DE-FRANCE QC

CSJ5

REF	N46 26 12 W72 37 49 1.6NE 16°W UTC-5(4) Elev 225' A5002
OPR	Martin Lemire 819-384-6212 Janny Thibeau-Lévesque 514-264-1605 Reg PPR
PF	C-1 D-2,3,5
FLT PLN	(bil)
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
SERVICES	S 1(ltd)
RWY DATA	Rwy 15/33 2300x50 GRVL
RCR	Opr No win maint
COMM	
ATF	tfc 122.35 3NM 3200 ASL excluding Trois-Rivières (CYRQ) MF area
PRO	Rgt hand circuits Rwy 33 (CAR 602.96). Mauricie Common Frequency Area aprx 4NM NW. See Section C Planning.
CAUTION	Acft flying at Trois-Rivières aprt (5.4NM SSW of St-Louis-de-France A/D) on inst apch may overfly St-Louis-de-France A/D at 1800 ASL. Blasting ops, 0.4NM radius from N46 34 53 W72 43 44 (9.6 NM N of A/D), max alt 2200 ASL. Blasting area of unkn dimensions 0.8NM NE of A/D.




QUEBEC

AERODROME / FACILITY DIRECTORY

TROIS-RIVIÈRES QC

CYRQ



REF	N46 21 06 W72 40 50 16°W (2013) UTC-5(4) Elev 199' A5002 LO6 LO7 LO8 HI5 CAP
OPR	Airport 819-377-4382 www.idetr.com/cyrq 12-01Z± Mon-Fri, 13-24Z± Sat-Sun Mar 16 - May 15; 12-02Z± Mon-Fri, 13-01Z± Sat-Sun May 16 - Aug 15; 12-01Z± Mon-Fri, 13-24Z± Sat-Sun Aug 16 - Nov 15; 12-24Z± Mon-Fri, 13-23Z± Sat-Sun Nov 16 - Mar 15; O/T 819-244-0699; hols ltd hrs (check NOTAM) Cert Ldg fees
PF	A-1,2,7,8 C-3,4,5,6
CUST	AOE/15 888-226-7277 1330-2130Z± Mon-Fri exc hols
FLT PLN	(bil)
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
ACC	Montréal 800-633-1353
WX	METAR AUTO H24 (see COMM) TAF H24, issue times: 02, 08, 14, 20Z. WxCam
SERVICES	
FUEL	100LL, JA-1 (FSII avbl), SP, HPR ltd hrs (see OPR) O/T 1 hr PN 819-244-0699 call out chg
OIL	W100, W15W50
S	1,2,3,4,5,6
SUP FL	D & A-ice
JASU	Electric start 10/15
PVT ADV	Cjet Aviation 819-330-2538

TROIS-RIVIÈRES QC (Cont'd)

CYRQ

RWY DATA	Rwy 05(047°)/23(227°) 9006x150 ASPH
RWY CERT	Rwy 05/23 AGN IV
TWY CERT	Twy B AGN IIIB
RCR	Opr 1 hr PN 12-01Z±, O/T 2 hr PN, call out chg. CRFI. Win maint 3 hr PN 12-23Z±, O/T 4 hr PN, call out chg. PCN
LIGHTING	05-AN(TE HI) P3, 23-AO(TE HI) P3 ARCAL-122.35 type K
COMM	(bil) MF UNICOM 12-01Z± O/T tfc 122.35 5NM 3200 ASL (CAR 602.98) ARR (bil) Montréal Ctr 128.225 DEP (bil) Montréal Ctr 128.225 PAL (bil) Montréal Ctr 128.225 AWOS 120.275 (English) 124.825 (French)
NAV	NDB YRQ 205 (L) N46 22 10 W72 39 53 DME YTO 115.65 Ch 103(Y) N46 22 08 W72 39 53 (246')
PRO	Rwy 05 rgt hand circuits (CAR 602.96). Mauricie Common Frequency Area aprx 9 NM N, see Section C Planning. Drones: Pilots wishing to operate a Remotely Piloted Acft within 3 NM of A/D centre should ctc opr for the established pro.
CAUTION	Parachute: Paradrops to 16,000 ASL, May 1-Oct 31. Avoid area NNW of Thld 23 (see sketch). Wildlife: Migratory bird act Apr-Oct. Heli: Piston heli should apch 100LL fuelling station with caution, due ltd space, nearby bldg, and possible turbulence. Blasting: Blasting ops, 0.4NM radius from N46 34 53 W72 43 44 (13.9NM N of A/D), max alt 2200 ASL.


QUEBEC

AERODROME / FACILITY DIRECTORY

LAC-À-LA-TORTUE QC (water aerodrome)

CSU7

REF	N46 37 00 W72 37 33 2.6E Grand-Mère 17°W UTC-5(4) Elev 427' A5002
OPR	Bel Air Laurentien Aviation Inc 819-538-8623 Reg
PF	B-1 C-2,3,4,5,6 at adj land A/D
CUST	AOE/15 888-226-7277 13-2130Z† Mon-Fri exc hols
FLT PLN	(bil)
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
SERVICES	
FUEL	100LL
OIL	All
S	1,2,3,4,5
A/D DATA	Open water May-Oct incl. Ramp, crane & sand beach.
COMM	
ATF	UNICOM ltd hrs O/T tfc 122.7 5NM 3500 ASL
PRO	Considerations for noise abatement: a. Take-off when wind conditions permit, from the centre of the lake in a direction parallel to the red buoys (see sketch). b. Apply power progressively. c. After take-off, as soon as possible when safe, reduce power (for constant speed propeller aircraft). d. Avoid low flying over residences. Pursuant to CAR 602.105, commercial sightseeing flights are authorized during the following period ONLY: from 0900 to 1200 and from 1400 to 1700 (local time). During June, July and August, NO commercial sightseeing flights will be authorized on Saturdays, Sundays, and statutory holidays.
CAUTION	OBST: P-line 514 ASL 1NM W. Four twrs up to 706 ASL (263 AGL) aprx 1.5NM NW A/D. A/D: Land A/D adj W. BLASTING: Blasting ops, 0.4NM radius from N46 34 53 W72 43 44 (4.8NM W of A/D), max alt 2200 ASL.




QUEBEC

AERODROME / FACILITY DIRECTORY

LAC-À-LA-TORTUE QC

CSL3

REF	N46 37 18 W72 37 49 2.6E 15°W (2015) UTC-5(4) Elev 434' A5002	
OPR	Bel Air Laurentian Aviation Inc 819-538-8623 Reg	
PF	A-1 13-17Z† & 18-22Z† C-2,3,4,5,6	
FLT PLN	(bil)	
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
SERVICES		
FUEL	100LL	
OIL	All	
S	1,2,3,4,5,6 Bel Air Laurentien Aviation	
RWY DATA	Rwy 03/21 3000x40 ASPH Rwy 16/34 2000x40 ASPH	
RCR	Opr 13-17Z† & 18-22Z† exc Sat & Sun. Dur thaw period (mid March to end of May) A/D NE sector may be flooded rendering rwys unserviceable. Rwy 03/21 no win maint. Rwy 16/34 ltd win maint. Ctc opr.	
COMM	(bil)	
ATF	UNICOM ltd hrs O/T tfc 122.7 5NM 3500 ASL	
PRO	Mauricie Common Frequency Area. See Section C Planning. Seaplane tfc on adj lake.	
CAUTION	RWY: Cracks in Rwy 16/34. OBST: P-lines N of Thld 16 not lgtd. Four twrs up to 706 ASL (263 AGL) aprx 1.5NM NW A/D. BLASTING: Blasting ops, 0.4NM radius from N46 34 53 W72 43 44 (4.7NM WSW of A/D), max alt 2200 ASL.	

CANADA WATER AERODROME SUPPLEMENT


Effective 0901Z 19 March 2026 to 0901Z 18 February 2027

B220 AERODROME/FACILITY DIRECTORY

STE-ANNE-DU-LAC QC

CSP9


REF	N46 52 55 W75 19 18 Adj N 15°W UTC-5(4) Elev 817' A5002
OPR	Air Tamarac Inc 819-586-2220 or 877-222-1298 Reg PPR
PF	B-1 C-2,3,4,5
FLT PLN	(bil) Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
SERVICES	
FUEL	100LL PN
A/D DATA	Open water May-Oct. Dock depth 3'. Mud bottom.
COMM	
ATF	UNICOM ltd hrs O/T tfc 122.7 5NM 3900 ASL
A/G	4684 SSB
CAUTION	Rwy adj 0.3NM NW. Common freq.



ST-ÉTIENNE-DES-GRÈS / HYDRAVION AVENTURE QC

CHA2

REF	N46 28 39 W72 46 36 2.5SE 15°W (2014) UTC-5(4) Elev 90' A5002
OPR	Hydravion Aventure 819-609-9358 Fax 819-535-3169 Reg PPR
FLT PLN	(bil) Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
SERVICES	
FUEL	100LL
OIL	15W50, W100
A/D DATA	Open water mid Apr-mid Nov. Dock depth 3', sand bottom, ramp & beach.
COMM	(bil) tfc 122.7 5NM 3100 ASL excluding Trois-Rivières (CYRQ) MF area
PRO	Mauricie Common Frequency Area. See Section C Planning. Touch and go forbidden. Rgt hand circuits when tkof and landing to the N (CAR 602.96). g
CAUTION	Water level varies btwn the 2 dams. Ocsl blasting ops. (Shawinigan) 1NM radius from N46 34 28 W72 43 42 (aprx 7NM NNE from A/D), max alt 3700 ASL. 300' long shoal S of dock when water level is very low.



ST. JOHN'S VFR TERMINAL PROCEDURES CHART

