

# FLIGHT PLAN & SITE SURVEY

DEVONSHIRE MALL 3100 HOWARD AVE. WINDSOR

July 29, 2026



## IMPORTANT NOTICE

Please ensure you have received all required authorizations prior to flight. This Site Survey was created using RPAS Wilco. The user accepts all responsibility for the accuracy of the information.

Terms & Conditions: [rpaswilco.com/#tnc](https://rpaswilco.com/#tnc)

# Mission Information

DEVONSHIRE MALL 3100 HOWARD AVE. WINDSOR

## FLIGHT DETAILS

|                    |                        |
|--------------------|------------------------|
| Reference No:      | MAAC-149-4124          |
| Project Name:      | SUN PARLOR R/C INC.    |
| Pilot Name:        | MAAC                   |
| Pilot Certificate: |                        |
| Mission Type:      | VLOS                   |
| Flight Start:      | July 29, 2026 10:55 PM |
| Flight End:        | July 29, 2026 11:55 PM |

## LOCATION DETAILS

|                    |                                          |
|--------------------|------------------------------------------|
| Flight Address:    | DEVONSHIRE MALL 3100 HOWARD AVE. WINDSOR |
| Latitude:          | 42° 16' 28.81" N ( 42.275 )              |
| Longitude:         | 83° 0' 12.82" W ( -83.004 )              |
| Field Elevation:   | 614 ft MSL                               |
| Altitude / Radius: | 400.0 ft / 926.0 m ( 0.5 nm )            |
| Classification:    | CONTROLLED                               |
| FIR / Contact:     | CZYZ / 905-676-4509                      |

### NOTES

Your flight is in controlled airspace.  
If your RPAS is > 250g, please obtain RPAS Flight Authorization using the NavDrone app or by contacting NavCanada. (CARs 901.71)


## REPORT CONTENTS

Site Survey • Obstacles (if available) • Nearby Aerodromes • Canadian Aviation Regulations • GFA • Aerodrome Supplements • METAR & TAF • NOTAMs • CFS

# Flight Map & MODEL Details

MISSION LOCATION SURVEY

## FLIGHT AREA MAP



## MISSION LOCATION DETAILS

| ROLE                                                                                          | LATITUDE                   | LONGITUDE                  |
|-----------------------------------------------------------------------------------------------|----------------------------|----------------------------|
|  MODEL        | 42° 16' 28.81" N<br>42.275 | 83° 0' 12.82" W<br>-83.004 |
|  Pilot        |                            |                            |
|  Payload Op. |                            |                            |
|  Observer   |                            |                            |

# Airspace Classification

MISSION LOCATION SURVEY

## AIRSPACE MAP



## OVERLYING AIRSPACES

| Class | Name                | Floor  | Ceiling |
|-------|---------------------|--------|---------|
| D     | Windsor, ON a) [CZ] | SFC    | 700GND  |
| D     | Windsor, ON b) [CZ] | 700AGL | 3000MSL |

## NEAREST AERODROMES & DISTANCE FROM OPERATION

|                                                                                                                    |             |               |          |          |    |
|--------------------------------------------------------------------------------------------------------------------|-------------|---------------|----------|----------|----|
| WINDSOR (CYQG - AERODROME - Cert)                                                                                  | Lat: 42.276 | Long: -82.955 | 3.975KM  | 2.146NM  | E  |
| Operator: YOUR QUICK GATEWAY (WINDSOR) INCORPORATED.: PHONE: 519-969-2430, POST: UNKNOWN FIR Contact: 905-676-4509 |             |               |          |          |    |
| BILLING AIRSTRIP (CEB8 - AERODROME - Reg)                                                                          | Lat: 42.187 | Long: -82.782 | 20.685KM | 11.169NM | SE |
| Operator: PAM/ERIK BILLING: PHONE: 519-723-4479, POST: UNKNOWN FIR Contact: 905-676-4509                           |             |               |          |          |    |
| ESSEX (CNE9 - AERODROME - Reg)                                                                                     | Lat: 42.096 | Long: -82.879 | 22.361KM | 12.074NM | SE |
| Operator: P. & A. HARRINGTON: PHONE: 519-776-7441, POST: UNKNOWN FIR Contact: 905-676-4509                         |             |               |          |          |    |
| HARROW (CGL2 - AERODROME - Reg)                                                                                    | Lat: 42.059 | Long: -82.841 | 27.434KM | 14.813NM | SE |
| Operator: LOUIS & THERESE LEVESQUE: PHONE: 519-733-2935, POST: UNKNOWN FIR Contact: 905-676-4509                   |             |               |          |          |    |
| COTTAM (CRB2 - AERODROME - Reg)                                                                                    | Lat: 42.14  | Long: -82.653 | 32.542KM | 17.571NM | SE |
| Operator: R.I. BELL: PHONE: 519-839-4369, POST: UNKNOWN FIR Contact: 905-676-4509                                  |             |               |          |          |    |



## ONTARIO

## AERODROME/FACILITY DIRECTORY

## WINDSOR ON (Cont'd)

CYQG

|                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>RWY DATA</b> | Rwy 07(070°)/25(250°) 9000x200 ASPH Thld 07 displ 902'. Thld 25 displ 1143'<br>Rwy 12(123°)/30(303°) 5150x150 ASPH Thld 12 displ 570'. Thld 30 displ 321'                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>RWY CERT</b> | Rwy 07 RVR 1200(1/4sm)/Rwy 25 RVR 1200(1/4sm) AGN IV<br>Rwy 12/30 AGN IIIB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>TWY CERT</b> | Twy: E AGN II<br>Twy: I AGN IIIA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>TWY RCR</b>  | Twy E uncontrolled. Twy I width 50'.<br>519-791-1663 10-05Z† CRFI Hrs extended as conds or usage warrant. PCN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>LIGHTING</b> | 07-AD AS(TE HI) P2, 25-AN(TE HI) P2, 12-AD(TE ME) P2, 30-(TE ME) P2<br>ARCAL-124.7 type K when TWR clsd                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>COMM</b>     | <b>RCO</b> London rdo 123.375 (FISE) 126.7(bcast)<br><b>ATIS</b> 134.5 12-03Z†<br><b>GND</b> 121.7 12-03Z†<br><b>TWR</b> 124.7 (E) 12-03Z† (emerg only 519-969-3751)<br><b>MF</b> tfc 124.7 03-12Z† 6NM shape irregular to below 3000 ASL (CAR 602.98)<br><b>ARR/DEP</b> Detroit 118.95 132.35 134.3 284.0 (E)<br><b>VFR ADV</b> Windsor Area-Detroit Apch Ctl 134.3<br><b>AWOS</b> 134.5 03-12Z†                                                                                                                                                                                                                                                                                                             |
| <b>NAV</b>      | <b>DME</b> IQG 110.3 Ch 40 N42 16 52 W82 56 49 (633')<br><b>ILS</b> IQG 110.3 (Rwy 25)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>PRO</b>      | When oprg VFR over Canadian Territory within the Detroit TCA (see VTPC) ctc Detroit apch ctl 134.3. Avoid Riverside descent area unless authorized by ATC. (Acft departing the Windsor area northbound or enroute to Detroit should remain W of Belle Isle or E of the Windsor class E airspace.) IFR tfc inbound Detroit City Airport Rwy 33 descending within the Riverside Descent Area from 3000 ASL. To file, close & rcv IFR Flt Pln/clnc when oprg in the Detroit TCA, ctc London FIC on 123.375 or by phone 1-866-541-4104. Pilots are requested to avoid flight below 2000 ASL when flying over the Jack Miner Bird Sanctuary (Kingsville ON, N42 04 00 W82 45 00) & over Point Pelee National Park. |
| <b>CAUTION</b>  | Blasting areas may be active Mon-Fri 13-22Z† 1NM radius of N42 09 19 W83 00 21 and N42 05 21 W83 05 06 to 500 AGL.<br>Migratory birds in vic of aprt Mar - May & Oct - Nov.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |


ONTARIO

AERODROME / FACILITY DIRECTORY

ESSEX / BILLING AIRSTRIP ON

CEB8

|          |                                                                                                                                                                                                           |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| REF      | N42 11 12 W82 46 56 1.9E 7°W<br>UTC-5(4) Elev 630' A5000                                                                                                                                                  |
| OPR      | Pam/Erik Billing 519-723-4479 Reg<br>PN                                                                                                                                                                   |
| PF       | B-1,2 C-3 D-4,6                                                                                                                                                                                           |
| FLT PLN  | FIC London 866-WXBRIEF (Toll free within<br>Canada) or 866-541-4104 (Toll free<br>within Canada & USA)                                                                                                    |
| SERVICES |                                                                                                                                                                                                           |
| FUEL     | 100LL (D) Emerg only                                                                                                                                                                                      |
| OIL      | 100 Emerg only                                                                                                                                                                                            |
| S        | 5                                                                                                                                                                                                         |
| RWY DATA | Rwy 10(099°)/28(279°) 2025x100 GRASS                                                                                                                                                                      |
| RCR      | Opr Ltd win maint. Rwy may be soft when wet.                                                                                                                                                              |
| CAUTION  | Water lagoons 1500' SW of Thld 10, possible bird hazard. Ditch at Thld 28. Hydro<br>wires along road near Thld 10. Wind turbine 0.5NM SW of Thld 10 1017 ASL (394<br>AGL). Numerous wind turbines in vic. |




ONTARIO

AERODROME / FACILITY DIRECTORY

ESSEX ON

CNE9

|          |                                                                                                                                                                                                  |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| REF      | N42 05 45 W82 52 46 4SW 7°W<br>UTC-5(4) Elev 620' A5000                                                                                                                                          |
| OPR      | P. & A. Harrington 519-776-7441 Reg                                                                                                                                                              |
| PF       | C-1,2,3,5 D-4,6                                                                                                                                                                                  |
| FLT PLN  | <div>FIC</div> London 866-WXBRIEF (Toll free within<br>Canada) or 866-541-4104 (Toll free<br>within Canada & USA)                                                                                |
| SERVICES | <div>S</div> 2,3,5                                                                                                                                                                               |
| RWY DATA | <div>TWY</div> Rwy 09/27 1935x70 GRASS<br><div>RCR</div> Twy at hg entrance only.<br>No win maint. A/D clsd in hvy rain<br>periods. Call ahead to confirm rwy has<br>dried up enough to land on. |
| COMM     | <div>ATF</div> tfc 122.8 5NM 3600 ASL                                                                                                                                                            |
| PRO      | Pilots are requested to avoid flight below 2000 ASL when flying over the Jack Miner<br>Bird Sanctuary (Kingsville, Ont N42 04 00 W82 45 00) & over Point Pelee National<br>Park.                 |
| CAUTION  | Ditches at Thlds 09 & 27 and along rwy sides. Wind shear fr hg with N/NE/NW winds.<br>Trees on apch to Rwy 27. Bldg at edge of Rwy 09/27.                                                        |




ONTARIO

AERODROME / FACILITY DIRECTORY

HARROW ON

CGL2

|          |                                                                                                                     |
|----------|---------------------------------------------------------------------------------------------------------------------|
| REF      | N42 03 34 W82 50 27 3.8ENE 7°W<br>UTC-5(4) Elev 610' A5000                                                          |
| OPR      | Louis & Thérèse Levesque<br>519-733-2935 Reg PN                                                                     |
| PF       | C-1,2 E-3,4,5,6                                                                                                     |
| FLT PLN  | FIC London 866-WXBRIEF (Toll free within<br>Canada) or 866-541-4104 (Toll free<br>within Canada & USA)              |
| RWY DATA |                                                                                                                     |
| RCR      | Rwy 01/19 3000x100 GRASS Thlds<br>01 & 19 displ 400'. Rwy soft when wet.<br>Opr Ltd win maint                       |
| COMM     | ATF tfc 122.9 5NM 3600 ASL                                                                                          |
| PRO      |                                                                                                                     |
| CAUTION  | Trees 500' fr Thld Rwy 01, 60 AGL. Marked hydro poles 400' fr Thld Rwy 19 (buried<br>hydro line). Essex A/D 3NM NW. |




ONTARIO

AERODROME/FACILITY DIRECTORY

COTTAM ON

CRB2

|          |                                                                                                    |
|----------|----------------------------------------------------------------------------------------------------|
| REF      | N42 08 24 W82 39 10 4E 7°W<br>UTC-5(4) Elev 635' A5000                                             |
| OPR      | R. I. Bell 519-839-4369 Reg PPR                                                                    |
| PF       | C-1,2 D-3,4,5,6                                                                                    |
| FLT PLN  |                                                                                                    |
| FIC      | London 866-WXBRIEF (Toll free within<br>Canada) or 866-541-4104 (Toll free<br>within Canada & USA) |
| RWY DATA | Rwy 01/19 2000x60 GRASS<br>Thld 01 displ 400'.                                                     |
| RCR      | Opr Ltd win maint                                                                                  |
| COMM     |                                                                                                    |
| ATF      | tfc 122.9 5NM 3600 ASL                                                                             |



|         |                                                                                                                                                                   |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PRO     | Pilots are requested to avoid flt below 2000 ASL when flying over the Jack Miner Bird Sanctuary (Kingsville, Ont N42 04 W82 45) & over Point Pelee National Park. |
| CAUTION | Bldgs & unmarked poles aprx 400' fr Thld 01. Ditch adj E Thld 01 & 19. Trees on apch to Rwy 01. Cultivated fields at both edges of Rwy 01/19.                     |