

FLIGHT PLAN & SITE SURVEY

FIELD - 520 MIDDLE DYKE ROAD KINGS CO. NS

July 30, 2026



IMPORTANT NOTICE

Please ensure you have received all required authorizations prior to flight. This Site Survey was created using RPAS Wilco. The user accepts all responsibility for the accuracy of the information.

Terms & Conditions: rpaswilco.com/#tnc

Mission Information

FIELD - 520 MIDDLE DYKE ROAD KINGS CO. NS

FLIGHT DETAILS

Reference No:	MAAC-416-4386
Project Name:	WINGS OF WELLINGTON
Pilot Name:	MAAC
Pilot Certificate:	
Mission Type:	VLOS
Flight Start:	July 30, 2026 12:03 AM
Flight End:	July 30, 2026 01:03 AM

LOCATION DETAILS

Flight Address:	FIELD - 520 MIDDLE DYKE ROAD KINGS CO. NS
Latitude:	45° 6' 34.70" N (45.11)
Longitude:	64° 28' 17.80" W (-64.472)
Field Elevation:	16 ft MSL
Altitude / Radius:	400.0 ft / 926.0 m (0.5 nm)
Classification:	UNCONTROLLED
FIR / Contact:	CZQM / 506-867-7173


REPORT CONTENTS

Site Survey • Obstacles (if available) • Nearby Aerodromes • Canadian Aviation Regulations • GFA • Aerodrome Supplements • METAR & TAF • NOTAMs • CFS

Flight Map & MODEL Details

MISSION LOCATION SURVEY

FLIGHT AREA MAP



MISSION LOCATION DETAILS

ROLE	LATITUDE	LONGITUDE
 MODEL	45° 6' 34.70" N 45.11	64° 28' 17.80" W -64.472
 Pilot		
 Payload Op.		
 Observer		

Airspace Classification

MISSION LOCATION SURVEY

AIRSPACE MAP



OVERLYING AIRSPACES

Class	Name	Floor	Ceiling
E	Greenwood, NS [TCA]	700AGL	9000MSL
E	MARITIME CAE [CAE]	2200AGL	18000MSL

Planned flight altitude is below the lowest documented airspace layer

NEAREST AERODROMES & DISTANCE FROM OPERATION


KINGS AERODROME (CHL2 - AERODROME - Reg)	Lat: 45.142	Long: -64.422	5.31KM	2.867NM	NE
Operator: CHL2 AVIATION INC: PHONE: 902-365-7000, POST: UNKNOWN , URL: www.KingsAero.com FIR Contact: 506-867-7173					
KENTVILLE (CAMP ALDERSHOT) (CKM9 - HELIPORT - DND)	Lat: 45.094	Long: -64.509	3.394KM	1.833NM	SW
Operator: DEPARTMENT OF NATIONAL DEFENCE: PHONE: 319-568-2224 , PHONE: 902-678-7930 +2224, POST: UNKNOWN FIR Contact: 506-867-7173					
KENTVILLE (VALLEY REGIONAL HOSPITAL) (CKV8 - HELIPORT - Cert)	Lat: 45.082	Long: -64.5	3.826KM	2.066NM	SW
Operator: VALLEY REGIONAL HOSPITAL: PHONE: 902-678-7381, POST: UNKNOWN FIR Contact: 506-867-7173					
GREENWOOD (CYZX - AERODROME/HELIPORT - DND)	Lat: 44.984	Long: -64.918	37.706KM	20.36NM	W
Operator: DEPARTMENT OF NATIONAL DEFENCE: FAX: 319-568-5492, FAX: 902-765-5492, PHONE: 319-568-5457, PHONE: 902-765-1494 +5457, POST: UNKNOWN FIR Contact: 506-867-7173					

NOVA SCOTIA

AERODROME / FACILITY DIRECTORY


HILLATON / KINGS AERODROME NS

CHL2

REF	N45 08 34 W64 25 22 Adj SE 18°W (2015) UTC-4(3) Elev 98' A5003 LO8	
OPR	CHL2 Aviation Inc 902-365-7000 ext 390 www.KingsAero.com Reg PPR	
FLT PLN	FIC London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
RWY DATA	Rwy 11(106°)/29(286°) 3070x75 ASPH centre 1670x45, edges uneven ASPH/GRASS Thld 11 displ 900' night only Thld 29 displ 500' night only Rwy 18(178°)/36(358°) 2100x75 GRASS	
RCR	Opr Ltd win maint. Rwy 18/36 sfc ruf.	
LIGHTING	11-(TE LO), 29-(TE LO) ARCAL-123.2 type J Lgt'd windsock avbl O/R.	
COMM	ATF tfc 123.2 5NM 3100 ASL	
CAUTION	Marked p-lines on apch to Rwy 29. Lgt'd tower 272 ASL aprx 0.5NM NE of A/D. Migratory bird activity dur spring and fall.	

KENTVILLE (CAMP ALDERSHOT) NS (Heli)

CKM9

REF	N45 05 39 W64 30 32 0.5NW 18°W (2013) UTC-4(3) Elev 100’ A5003	
OPR	DND 902-678-7930 Ext 2224 CSN 319-568-2224 Mil PPR	
FLT PLN	PPR 24 hrs ntc. Ctc 902-678-7930 Ext 2224 or CSN 319-568-2224 12-20Z± Mon-Fri exc stat hols O/T ctc main gate Ext 2139	
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
ACC	(IFR only) Moncton 506-867-7177 or 866-480-8200.	
HELI DATA	500’ x 500’ GRASS/GRVL. No win maint.	
COMM		
ATF	tfc 123.2 5NM 3100 ASL	
PRO	Arr/dep 075° fr heli	
CAUTION	CYR 706 (Aldershot) SFC-1000 0.8NM WNW. Valley Regional Hosp Heli (CKV8) 0.8NM SSE.	

KENTVILLE (VALLEY REGIONAL HOSP) NS (Heli)


CKV8



REF	N45 04 54 W64 30 00 Adj 18°W (2014) UTC-4(3) Elev 80' A5003
OPR	Valley Regional Hosp 902-678-7381 Cert PPR
FLT PLN	
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
ACC	(IFR only) Moncton 506-867-7177 or 866-480-8200.
HELI DATA	82' dia ASPH (rstd to heli with max overall length of 52.5')
LIGHTING	RY(LO) ARCAL-123.0 type J
COMM	
ATF	tfc 123.2 5NM 3100 ASL
PRO	Arr/dep 198° fr heli, slope 12% (H2), day/night use.
CAUTION	CYR 706 (Aldershot) SFC-1000 1.4NM NW. Obstruction 556 ASL under arr/dep track - see sketch.

GREENWOOD NS

CYZX



REF	N44 59 03 W64 55 03 1.5E 17°W (2022) UTC-4(3) Elev 92' A5003 LO8 HI6 CAP
OPR	DND PPR rqrd for non CF acft, 24 hrs PN thru Wg Ops, 902-765-1494 Ext 5457 CSN 319-568-5457/5469 Mil Fax DND 902-765-5492, CSN 319-568-5492 Ldg & hdlg Fees
PF	B-1 D-2,3,4,5,6
CUST	AOE/M Ctc Wg Ops for forms & further info rqrd duty-ops-officer@forces.gc.ca PN Mandatory. Completed cust forms must be rcvd by Wg Ops min 4 hrs prior to arr.
FLT PLN	FIC ACC MIL WX London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA) (IFR only) Moncton 506-867-7177 or 866-480-8200. 902-765-1494 Ext 5457 Met brief for mil only. Lcl Met Section CSN 568-3249 ltd hrs. O/T JMC 1-800-WXMETEO (996-3836) or CSN 432-2613. (See COMM). METAR H24. TAF dur mil flt ops, issue times depending on mil requirements.

NOVA SCOTIA

AERODROME / FACILITY DIRECTORY

GREENWOOD NS (Cont'd)

CYZX

SERVICES	PPR rqrd for non CF acft, 24 hr PN for all acft thru Wg Ops. 902-765-1494 Ext 5457 or CSN 319-568-5457/5469. Tran svcg very ltd (mil acft only). F-34
FUEL	All 128, 148, 156 ltd supply
OIL	CAT 6
ARFF	LHOX, LOX, D-Ice PRESAIR, D-Ice Type I & IV avail 0900-0200Z if prior arng thru Wg Ops duty-ops-officer@forces.gc.ca Min 2 hrs notice rqrd.
SUP FL	CE12, 13, 16 MA-1A
JASU	Greenwood Wg Ops 308.6 all mil acft advs ramp time, requirements 20 min prior ldg. Acft requiring gnd wash fac advise line servicing freq 308.6 dur taxi. Tusker Ops 129.775 1130-20Z± Mon-Fri exc hol. Eagle ops 308.6 11-20Z± Mon-Fri exc hol.
MIL ADV	
RWY DATA	Rwy 08(081°)/26(261°) 7999x200 grooved ASPH Rwy 12(122°)/30(302°) 7999x200 ASPH RAG: Rwy 08 BAK 12/14 smart arrest retractable arrestor system (2739'); Rwy 26 BAK 12/14 smart arrest retractable arrestor system (1473'). All acft requiring cable 1 hr PN CSN 319-568-5457, 902-765-1494 Ext 5457. ABV 15°C, no acft with more than 100 pax or over 85,000 lbs is auth to perform 180° turn on asphalt portions of Rwy 08/26 without perms 902-765-1494 ext 3205.
RCR	Opr CRFI Expect water on E half of Rwy 08/26 dur rain or melting snow. S100, T200, ST248, TT325. Rwy 08/26 PCN 120/F/A/X/T. Rwy 12/30 PCN 120/F/A/X/T.
HELI DATA	Lima West: 98' x 98' ASPH 100,000 lbs. Lima East: 98' x 98' ASPH 100,000 lbs
LIGHTING	08-AN (non-std 3000' (1600' SF)) (TE HI) P2 rgt side only GPI 954' TCH 50', 12-(TE HI) P2 left side only GPI 954' TCH 50', 26-AN (non-std 3000' (1600' SF)) (TE HI) P2 GPI 1000' TCH 52', 30-AN (non-std 3000' (1600' SF)) (TE HI) P2 3.5° GPI 895' TCH 55'
COMM	Flight Advisory hrs of operation dates & hrs may vary and will be broadcasted on ATIS.
ATIS	128.85 244.3 11-24Z±
CLNC DEL	128.025 283.9
GND	133.75 289.4
TWR	119.5 236.6 324.3 (E)
TML	120.6 335.9 (E)
PMSV	344.6 ltd hrs
NAV	
NDB	YZX 266 (M) N44 55 22 W65 06 07 AYLESFORD GF 341 (L) N45 01 26 W64 48 37
TACAN	UZX 117.6 Ch 123 N44 59 00 W64 55 11 (117') Preventive maint first Wed every month 12-20Z±.
ILS	IZX 110.7 (Rwy 26) (LOC back course Rwy 08 avail mil use only) RVR. Preventive maint second Wed every month 12-20Z±.
PAR	118.1 258.6 283.9 378.5 (E) 12-24Z± Radar svcs only avbl to transponder equipped acft. Preventive maint third Wed every month 12-20Z±.

NOVA SCOTIA

AERODROME / FACILITY DIRECTORY

GREENWOOD NS (Cont'd)

CYZX

PRO	Tfc Ptns; convl 1500 ASL exc lgt acft 1100 ASL (Daylight hrs only), Jet 2000 ASL overhead breaks-away fr the TWR for all rwys, max 300 kt at initial. Glider activity to 3000 A/D north to Hwy 101. Moderate to severe turbulence & wind shear may be experienced to apch to Rwy 12 & 30 dur cond of high sfc winds. Unmarked fur farm lctd N44 51 24 W65 10 18 (UZX 252R/13.1 DME), elev 580 ASL. Acft requested to remain outside 2NM and/or overfly min 2000 ASL. CYZX Radar Square Pro (issued by ATC as a dep or missed apch clnc) Square 08 - Climb 3000, clnc limit XESOX, after completion of the dep or published missed apch RWY 08, LEFT Turn Hdg 360° expect vectors. Square 26 - Climb 3000, clnc limit GOXID, after completion of the dep or published missed apch RWY 26, RIGHT Turn Hdg 360° expect vectors. Square 12 - Climb 3000, clnc limit KEPKA, after completion of the dep or published missed apch RWY 12, RIGHT turn Hdg 180° expect vectors. Square 30 - Climb 3000, clnc limit ILEVU, after completion of the dep or published missed apch RWY 30, LEFT turn Hdg 180° expect vectors. Pilots are advised to listen to CYZX ATIS prior to contacting CYZX Twr for status of Twr / Advsy svcs. Pilots should refer to Canadian Airport Charts (CAC) to obtain details on established hot spots, prior to operating on maneuvering areas. CAC are available for free on the NAV CANADA website. 1500 AGL min overflight over explosive storage area E of A/D.
NOISE ABATEMENT	Arr Rwy 12 rstd unless operationally necessary. Dep/low apch Rwy 30 rstd for high performance acft unless operationally necessary. Pilots must obtain start clnc from twr/gnd ctl before commencing engine start.
CAUTION	Painted & lgtd twr 895 ASL (325 AGL) 2.7NM S; loc in VFR tfc ptn of Rwy 30. During periods of hvy rain, Twy Foxtrot west of Kilo south of centerline and Rwy 08/26 on both side of centerline experience excessive pooling. Pooling areas are as deep as 1/4 inch. Extensive bird activity direction S to N dawn / N to S dusk, on western half of A/D, Oct-Mar.

GREENWOOD VFR TERMINAL PROCEDURES CHART - TRAINING AREAS

