

FLIGHT PLAN & SITE SURVEY

CLUB AÉROMODÉSME MASKOUTAIN

July 29, 2026



IMPORTANT NOTICE

Please ensure you have received all required authorizations prior to flight. This Site Survey was created using RPAS Wilco. The user accepts all responsibility for the accuracy of the information.

Terms & Conditions: rpaswilco.com/#tnc

Mission Information

CLUB AÉROMODÉSME MASKOUTAIN

FLIGHT DETAILS

Reference No:	MAAC-491-5442
Project Name:	CLUB AEROMODELISTE MASKOUTAIN
Pilot Name:	MAAC
Pilot Certificate:	
Mission Type:	VLOS
Flight Start:	July 29, 2026 11:05 PM
Flight End:	July 30, 2026 12:05 AM

LOCATION DETAILS

Flight Address:	CLUB AÉROMODÉSME MASKOUTAIN
Latitude:	45° 32' 9.30" N (45.536)
Longitude:	72° 48' 20.30" W (-72.806)
Field Elevation:	157 ft MSL
Altitude / Radius:	400.0 ft / 926.0 m (0.5 nm)
Classification:	UNCONTROLLED
FIR / Contact:	CZUL / 514-633-3365


REPORT CONTENTS

Site Survey • Obstacles (if available) • Nearby Aerodromes • Canadian Aviation Regulations • GFA • Aerodrome Supplements • METAR & TAF • NOTAMs • CFS

Flight Map & MODEL Details

MISSION LOCATION SURVEY

FLIGHT AREA MAP



MISSION LOCATION DETAILS

ROLE	LATITUDE	LONGITUDE
 MODEL	45° 32' 9.30" N 45.536	72° 48' 20.30" W -72.806
 Pilot		
 Payload Op.		
 Observer		

Airspace Classification

MISSION LOCATION SURVEY

AIRSPACE MAP



OVERLYING AIRSPACES

Class	Name	Floor	Ceiling
E	Bromont, QC [TA]	700AGL	18000MSL
E	T614 Fixed RNAV Route	2200AGL	18000MSL

Planned flight altitude is below the lowest documented airspace layer

NEAREST AERODROMES & DISTANCE FROM OPERATION

ST-DOMINIQUE (CSS4 - AERODROME - Reg)	Lat: 45.633	Long: -72.819	10.789KM	5.826NM	N
Operator: ASSOCIATION VOL A VOILE CHAMPLAIN INCORPORATED: PHONE: 450-771-0500, POST: UNKNOWN FIR Contact: 514-633-3365					
ST-HYACINTHE (CSU3 - AERODROME - Reg)	Lat: 45.607	Long: -73.015	18.096KM	9.771NM	NW
Operator: AEROPORT DE ST-HYACINTHE: PHONE: 450-252-1000, POST: UNKNOWN FIR Contact: 514-633-3365					
ARTOPEX PLUS (CTR4 - HELIPORT - Cert)	Lat: 45.391	Long: -72.766	16.424KM	8.868NM	S
Operator: GROUPE PRO-PLUS INC.: FAX: 450-378-4003, PHONE: 450-378-0189, POST: UNKNOWN FIR Contact: 514-633-3365					
ROUGEMONT (CTY5 - AERODROME - Reg)	Lat: 45.439	Long: -73.037	21.013KM	11.346NM	SW
Operator: BENOIT TETREULT: PHONE: 450-777-2074, POST: UNKNOWN FIR Contact: 514-633-3365					
BROMONT (ROLAND DESOURDY) (CZBM - AERODROME/HELIPORT - Reg)	Lat: 45.291	Long: -72.742	27.702KM	14.958NM	S
Operator: REGIE AEROPORTUAIRE REGIONALE DES CANTONS DE L'EST: PHONE: 450-534-2325, POST: UNKNOWN FIR Contact: 514-633-3365					


QUEBEC

AERODROME / FACILITY DIRECTORY

ST-DOMINIQUE QC

CSS4

REF	N45 37 57 W72 49 08 16°W UTC-5(4) Elev 250' VTA A5002
OPR	Association Vol à voile Champlain Inc 450-771-0500 Reg PPR
PF	B-7 C-1,2,3 D-4,5,6,8
FLT PLN	(bil)
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
RWY DATA	Rwy 15/33 2200x100 ASPH/GRASS Thld 33 displ 500'
RCR	Opr No win maint
COMM	
ATF	UNICOM 122.475 5NM 3300 ASL
PRO	Glider circuits may be rgt hand circuits depends on wind direction. Tow plane: tkof Rwy 33 only, ldg Rwy 15 only, at all times circuits opposite of glider circuits.
CAUTION	A/D within CYA 627(S) up to 3000 ASL cont daylight. Glider ops. Ocs! Glider aerobatics ops Apr-Nov within 2NM of rwy btwn 2300 and 7000 ASL. P-line and large trees aprx 600' fr displ thld Rwy 33.



QUEBEC

AERODROME / FACILITY DIRECTORY

ST-HYACINTHE QC

CSU3

REF	N45 36 25 W73 00 54 3W 14°W (2026) UTC-5(4) Elev 118' A1903 A5002 LO6 LO7 LO8 CAP	
OPR	Aéroport de St-Hyacinthe 450-252-1000 Reg PPR exc MEDEVAC (see PRO)	
PF	A-1,2 (11-23Z†) C-3,4,5,6	
FLT PLN	(bil)	
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
ACC	Montréal 514-633-3211 or 800-633-1353, all Flt Plns, IFR tng PPR. Flt Plns by Fax at 514-633-2877 & include phone numbers where pilot can be reached prior to dep. IFR clearance or activation 514-633-3211.	
WX	AUTO H24 (see COMM)	
SERVICES		
FUEL	100LL, JA-1 Visa/Mastercard self-serve H24	
S	1,2,3,4,5,6,7	
RWY DATA	Rwy 02(019°)/20(199°) 3888x60 CONC Thld 02 displ 254' Thld 20 displ 302' AGN I	
TWY	Twy A: Run up area for Rwy 20	
RCR	Twy B1: Exit only Opr Ltd win maint	
LIGHTING	02-AS(TE ME) P1 4°, 20-AS(TE ME) P1 4° ARCAL-123.225 type K	
COMM	(bil)	
MF	tfc 123.225 5NM 3200 ASL (CAR 602.98)	
AUTO	122.175	
PRO	Rgt hand circuits Rwy 20 (CAR 602.96). CYA 627(S) aprx 2NM E of A/D up to 3000 ASL cont daylight. Floatplanes: Immediately after ldg, book a tow in advance to exit the basin; Ray Air Maintenance Mon-Fri 450-778-2578. Pilots are requested to avoid flight below 2000 AGL when flying over the Mont-Saint- Hilaire Migratory Bird Sanctuary (Saint-Hilaire, QC N45 33 00 W73 09 00). PPR for all tng, commercial and RPAS ops. No PPR for acct arr for fuel.	
CAUTION	240 AGL tower 1.2NM NE of Rwy 20. Both Rwy have 4° glide slopes to clear obstacles. Large body of water aprx 1766' long x 130' wide and 4' deep btwn Rwy 02/20 and Twy B. Extv flt tng act in circuit Apr-Oct. RWY20 Instrument approach advisory (GS not matching) the slope of the next procedure will be identical to the PAPI (4°).	


QUEBEC

AERODROME / FACILITY DIRECTORY

GRANBY / ARTOPEX PLUS QC (Heli)

CTR4

REF	N45 23 27 W72 45 58 16°W UTC-5(4) Elev 293' VTA A5002
OPR	Groupe Pro-Plus Inc. 450-378-0189 Fax 450-378-4003 Cert PPR
PF	B-1 C-2,3,4,5,6
FLT PLN	(bil)
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
HELI DATA	FATO/TLOF 62' dia ASPH/compacted SNOW Safety Area 82' dia Max heli overall length 41.5' Opr Ltd win maint
RCR	
COMM	
ATF	tfc 123.2 5NM 3300 ASL outside Bromont MF/ATF zone
PRO	Arr/dep curved 267° thru 218° fr heli (CAR 602.96), slope 6% (H3), day use only.




QUEBEC

AERODROME / FACILITY DIRECTORY

ROUGEMONT QC

CTY5

REF	N45 26 20 W73 02 14 15°W (2012) UTC-5(4) Elev 80' VTA A5002	
OPR	Benoit Tétreault 450-777-2074 Reg PPR	
PF	A-1 C-2,3,4,5,6	
FLT PLN	(bil)	
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)	
ACC	Montréal 514-633-3211 or 800-633-1353, all Flt Plns, IFR tng PPR. Flt Plns by Fax at 514-633-2877 & include phone numbers where pilot can be reached prior to dep. IFR clearance or activation 514-633-3271.	
SERVICES	S 1,2,4,5,6	
RWY DATA	Rwy 06(063°)/24(243°) 3250x65 GRVL/GRASS Centre 20' GRVL	
RCR	Opr No win maint	
LIGHTING	LO non-std O/R	
COMM	ATF tfc 123.2 5NM 3100 ASL	
PRO	Rgt hand circuits Rwy 06 (CAR 602.96)	
CAUTION	Wildlife: Possibility of animals on rwy. Traffic: Possibility of heli movements near rwy. Airspace: A/D within CYA 623(H), sfc to 3000 ASL, cont daylight.	


QUEBEC

AERODROME / FACILITY DIRECTORY

BROMONT (ROLAND DÉSOURDY) QC

CZBM

REF	N45 17 27 W72 44 31 3.4WSW 15°W (2012) UTC-5(4) Elev 375' VTA A5002 LO6 LO8 HI5 CAP
OPR	Régie Aéroportuaire Régionale des Cantons de l'Est 450-534-2325 Reg
PF	A-1,2,6 (aprt ops hrs) C-3,4,5
CUST	AOE/15 888-226-7277 1330-0500Z‡ Mon-Sun exc hols
FLT PLN	(bil)
FIC	Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
ACC	Montréal 514-633-3211 or 800-633-1353, all Flt Plns, IFR tng flts PPR. Flt Plns by Fax at 514-633-2877 & include phone numbers where pilot can be reached prior to dep.
WX	AUTO 450-919-0840 H24 (see COMM) ALTIMETER/WIND 450-534-2325 12-22Z‡ (see COMM) Webcam



SERVICES	Chg may be levied for some svcs
FUEL	100LL, JA-1, SP, HPR
OIL	All
S	1,2,3,4,5,6 12-22Z‡
JASU	CE14
PVT ADV	122.15

RWY DATA	Rwy 05(053°)/23(233°) 5004x100 ASPH Rwy 23 down 0.6% AGN IIIA
TWY	Twy U Pvt
APRON	Access code 2305
RCR	Opr 12-22Z‡ O/T 1 hr PN (Fees) 450-535-2325 or 450-531-7288 / 450-525-0861 PCN

HELI DATA	Parking Pad: 49' dia ASPH
-----------	---------------------------

LIGHTING	05-AS(TE ME) P2, 23-(TE ME) P2 ARCAL-122.15 type K
----------	--

COMM	(bil)
CLNC DEL	Prior dep pilots must ctc Québec FIC for IFR clnc at 866-GOMÉTÉO or 866-WXBRIEF
MF/ATF	UNICOM (AU) 12-22Z‡ O/T tfc 122.15 5NM 3400 ASL (CAR 602.98)
AUTO	122.975

PRO	Circuits: Rgt hand circuits Rwy 23 (CAR 602.96). Do not overfly airport during glider ops. Mil Glider Ops (yellow): Left hand circuits Rwy 23, Rgt hand circuits Rwy 05 (CAR 602.96). All glider ops and tow acft ops conducted parallel to and 300' E of rwy. Give way to gliders on apch (CAR 602.19). Civil Glider Ops (high performance): Civil gliders are white, high performance, join normal circuit and ldg/tkof asphalt rwy. P-line lgt must be activated upon entering MF/ATF zone at night by ARCAL (see LIGHTING). Training: VFR and IFR training not auth 03-12Z‡ Nov-Apr, 02-12Z‡ May-Oct. Touch and go not auth 03-12Z‡ Nov-Apr, 02-12Z‡ May-Oct.
-----	--

CAUTION	Paradrop: Paradrop activities aprx 10NM W. Lgtd P-lines up to 187 AGL aprx 2NM NE A/D
---------	---