

FLIGHT PLAN & SITE SURVEY

RED DEER PROPBUSTERS

July 29, 2026



IMPORTANT NOTICE

Please ensure you have received all required authorizations prior to flight. This Site Survey was created using RPAS Wilco. The user accepts all responsibility for the accuracy of the information.

Terms & Conditions: rpaswilco.com/#tnc

Mission Information

RED DEER PROPBUSTERS

FLIGHT DETAILS

Reference No:	MAAC-623-4646
Project Name:	RED DEER PROP BUSTERS R.C. CLUB
Pilot Name:	MAAC
Pilot Certificate:	
Mission Type:	VLOS
Flight Start:	July 29, 2026 09:08 PM
Flight End:	July 29, 2026 10:08 PM

LOCATION DETAILS

Flight Address:	RED DEER PROPBUSTERS
Latitude:	52° 18' 59.30" N (52.316)
Longitude:	114° 1' 7.30" W (-114.019)
Field Elevation:	3068 ft MSL
Altitude / Radius:	400.0 ft / 926.0 m (0.5 nm)
Classification:	UNCONTROLLED
FIR / Contact:	CZEG / 780-890-8397


REPORT CONTENTS

Site Survey • Obstacles (if available) • Nearby Aerodromes • Canadian Aviation Regulations • GFA • Aerodrome Supplements • METAR & TAF • NOTAMs • CFS

Flight Map & MODEL Details

MISSION LOCATION SURVEY

FLIGHT AREA MAP



MISSION LOCATION DETAILS

ROLE	LATITUDE	LONGITUDE
 MODEL	52° 18' 59.30" N 52.316	114° 1' 7.30" W -114.019
 Pilot		
 Payload Op.		
 Observer		

Airspace Classification

MISSION LOCATION SURVEY

AIRSPACE MAP



OVERLYING AIRSPACES

Class	Name	Floor	Ceiling
E	T727 Fixed RNAV Route	2200AGL	18000MSL
E	Red Deer, AB [TA]	4000MSL	18000MSL

Planned flight altitude is below the lowest documented airspace layer

NEAREST AERODROMES & DISTANCE FROM OPERATION

TRUANT (CRD5 - AERODROME - Reg)	Lat: 52.288	Long: -113.912	7.921KM	4.277NM	SE
Operator: MARIO TRUANT: PHONE: 403-358-2333, POST: UNKNOWN FIR Contact: 780-890-8397					
TRUANT SOUTH (CRD6 - AERODROME - Reg)	Lat: 52.278	Long: -113.915	8.261KM	4.461NM	SE
Operator: MIKE TRUANT: PHONE: 403-346-6143, POST: P.O. Box 280 Red Deer T4N5E6 FIR Contact: 780-890-8397					
CHONG RESIDENCE (CRE5 - HELIPORT - Reg)	Lat: 52.35	Long: -113.933	6.895KM	3.723NM	NE
Operator: GLENN CHONG: PHONE: 403-314-1377, POST: UNKNOWN FIR Contact: 780-890-8397					
ALLAN DALE TRAILERS AND RV (CAD3 - HELIPORT - Reg)	Lat: 52.309	Long: -113.863	10.616KM	5.732NM	E
Operator: ALLAN DALE: PHONE: 403-346-3148, POST: 3 Queens Drive Red Deer, T4P0K1 FIR Contact: 780-890-8397					
RED DEER REGIONAL (CYQF - AERODROME - Cert)	Lat: 52.185	Long: -113.894	16.916KM	9.134NM	SE
Operator: RED DEER REGIONAL AIRPORT AUTHORITY: PHONE: 403-886-4388, POST: UNKNOWN FIR Contact: 780-890-8397					

ALBERTA

AERODROME / FACILITY DIRECTORY

RED DEER / TRUANT AB

CRD5

REF	N52 17 19 W113 54 42 4.2WNW 15°E (2011) UTC-7(6) Elev 3100' A5005 A5015	
OPR	Mario Truant 403-358-2333 Reg PPR	
FLT PLN		
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
RWY DATA	Rwy 16(163°)/34(343°) 2000x150 GRASS	
RCR	Opr No win maint	
COMM		
TWR	Red Deer 118.5 (V) 13-05Z† (emerg only 403-886-4547)	
ATF	tfc 118.5 2NM 6000 ASL excluding airspace within CYQF CZ	
PRO	Red Deer Common Frequency Area 122.875 outside of A/D ATF. See SECTION C PLANNING.	
CAUTION	High tension wires N end of rwy (balls att). Ditch ¼ way down N end with markers. A/D underlies arr/dep path for CYQF Rwy16/34 aprx 6.2NM S.	

ALBERTA

AERODROME/FACILITY DIRECTORY

RED DEER / TRUANT SOUTH AB

CRD6

REF	N52 16 40 W113 54 55 3.9W 15°E (2012) UTC-7(6) Elev 3100' A5005 A5015	
OPR	Mike Truant 403-346-6143 Reg PPR	
FLT PLN	FIC Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
RWY DATA	Rwy 17(172°)/35(352°) 2141x50 GRASS	
RCR	Opr No win maint	
COMM	TWR Red Deer 118.5 (V) 13-05Z† (emerg only 403-886-4547) ATF tfc 118.5 2NM 6000 ASL excluding airspace within CYQF CZ	
PRO	Red Deer Common Frequency Area 122.875 outside of A/D ATF. See SECTION C PLANNING.	
CAUTION	Hwy 11 at N end treat as 50 AGL obst. Driveway mid field running E/W. P-lines 328' E/W of strip. Markers each side of rwy every 200'. A/D underlies arr/dep path for CYQF Rwy16/34 aprx 5.5NM S.	


ALBERTA

AERODROME / FACILITY DIRECTORY

RED DEER / CHONG RESIDENCE AB (Heli)

CRE5

REF	N52 21 00 W113 56 01 6.7WNW 14°E (2017) UTC-7(6) Elev 2856' A5005 A5015
OPR	Glenn Chong 403-314-1377 Reg PPR
FLT PLN	
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
HELI DATA	FATO 25' x 25' ASPH/GRASS TLOF 20' x 20' ASPH Safety Area 90' dia
RCR	Opr Ltd win maint
COMM	
ATF	tfc 122.8 2NM 4100 ASL
PRO	Arr/dep 060° fr heli. Red Deer Common Frequency Area 122.875 outside of A/D ATF. See SECTION C PLANNING.
CAUTION	Terrain rises rapidly to S. Irregular terrain N of safety area. Lgt'd twr 3500 ASL (300 AGL) aprx 2.8NM S. Lgt'd twr 3799 ASL (600 AGL) aprx 2.5NM S. A/D underlies arr/dep path for CYQF Rwy 17/35 aprx 10NM S, monitor CYQF TWR whenever possible.





ALBERTA

AERODROME / FACILITY DIRECTORY

RED DEER / ALLAN DALE TRAILERS & RV AB (Heli)


CAD3



REF	N52 18 32 W113 51 48 3.1NW 15°E (2015) UTC-7(6) Elev 2936' A5005 A5015
OPR	Allan Dale 403-346-3148 Reg PPR
PF	C-1,2,3,4,5,6
FLT PLN	
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
HELI DATA	FATO/TLOF 58' dia GRVL Safety Area 77' dia Max heli overall length 42.7'
COMM	
RCO	Edmonton rdo 123.475 (FISE) 126.7 (bcst)
ATF	tfc 118.5 2NM 6000 ASL
PRO	Arr/dep 220° to 262° fr heli, slope 8% (H3), day use only
CAUTION	Lgt poles S of heli. Large traffic W of heli.

RED DEER REGIONAL AB

CYQF



REF	N52 11 06 W113 53 40 6SSW 14°E (2016) UTC-7(6) Elev 2968' A5005 A5015 LO2 HI3 CAP
OPR	Red Deer Regional Aprt Authority 403-886-4388 Cert Ldg fees
PF	A-1,2,3,7 C-2,3,4,5,6
FLT PLN	
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
ACC	Edmonton IFR 888-358-7526
WX	METAR AUTO H24 (see COMM) WxCam TAF H24, issue times: 00, 06, 12, 18Z.
SERVICES	Call out chg may be levied for one or more svcs
FUEL	100LL, JA, JA-1 (FSII avbl) Hillman Air (100LL only, self serve); Sky Wings Avn (Executive Flt Centre) 15-04Z±; Tucana Avn
OIL	All
S	1,2,3,5 Tucana Avn
SUP FL	D & A-ice 2 hr PN Tucana Avn, LPOX
JASU	10/15
PVT ADV	Hillman Air 403-886-4187; Sky Wings Avn (Executive Flt Centre) 123.4 403-886-5191 15-04Z±; Tucana Avn 403-596-6320.
MIL CON	Flight Fuels Limited Partnership 403-596-6320
RWY DATA	Rwy 17(165°)/35(345°) 7500x150 ASPH Rwy 12(115°)/30(295°) 3454x100 ASPH Thld 12 displ 200' Rwy 30 up 0.52% RESA: 17/35 492'
RWY CERT	Rwy 17/35 AGN IIIB Rwy 12/30 AGN II
TWY CERT	Twy D AGN II
RCR	Opr CRFI & Win maint 1330-2200Z± Mon-Fri exc hols, O/T 2 hrs PN ctc 403-318-7842. Call out charge may be levied.

ALBERTA


AERODROME / FACILITY DIRECTORY

RED DEER REGIONAL AB (Cont'd)

CYQF


LIGHTING	12-(TE ME), 30-(TE ME), 17-AS(TE HI) P2, 35-AS(TE HI) P2 ARCAL-118.5 type K when TWR clsd
COMM	RCOEdmonton rdo 123.475 (FISE) 126.7 (bcst) ATIS124.0 13-05Z‡ GND121.9 13-05Z‡ TWR118.5 (V) 13-05Z‡ (emerg only 403-886-4547) MFtfc 118.5 05-13Z‡ 5NM 6000 ASL (CAR 602.98) PALEdmonton Ctr 132.85 AWOS124.0 05-13Z‡
NAV	NDBRed Deer YQF 320 (L) N52 07 42 W113 53 58 DMERed Deer 6G 113.8 Ch 85 N52 10 52 W113 52 58 (2974') Pvt
PRO	Rgt hand circuits Rwys 12 & 17 (CAR 602.96). Use Heli Training Area "NORTH" sfc to 500 AGL.
CAUTION	Wildlife in vic of rwys. Acft at opposite ends of Rwy 17/35 may not be vis to each other. Twy D sfc ruf. Practice IFR approaches in vic Rwy 17/35 extended ctr lines beyond CZ. Extv flt tng within 20NM of A/D, all quadrants to 6500 ASL. Parajumps activity in vic Innisfail A/D 8NM SSW check for NOTAM. Intsv gliding activity to 6400 ASL in vic Olds (Netook) A/D 21NM S by NOTAM. Winch cable may extend from sfc to 5800 ASL (2500 AGL).

RED DEER VFR TERMINAL PROCEDURES CHART



[illegible]

RED DEER VFR TERMINAL PROCEDURES CHART (Cont'd)



ALBERTA

AERODROME / FACILITY DIRECTORY

RED DEER VFR TERMINAL PROCEDURES CHART (Cont'd)

NAME	IDENT	LAT/LONG
BLACKFALDS	VCBFD	N52° 22' 29" W113° 49' 18"
BRIDGE	VCBDG	N52° 08' 39" W113° 58' 05"
CANYON SKI HILL	VCCSH	N52° 18' 14" W113° 41' 00"
COLONY	VCCLY	N52° 08' 40" W114° 05' 49"
COULEE	VCCOU	N51° 57' 44" W113° 51' 32"
DICKSON DAM	VCDSO	N52° 03' 16" W114° 12' 47"
JOFFRE	VCJFF	N52° 19' 59" W113° 31' 54"
PINE LAKE	VCPKE	N52° 07' 08" W113° 28' 50"
SYLVAN JUNCTION	VCSJT	N52° 16' 58" W114° 04' 24"
THE BEND	VCBND	N52° 08' 05" W113° 43' 04"
TRUCK STOP	VCTRS	N52° 08' 41" W113° 49' 22"
TWIN PONDS	VCTWP	N52° 13' 14" W113° 57' 19"
WESTERNER	VCWES	N52° 13' 27" W113° 48' 29"

COMMON FREQUENCY AREA:

Within 25NM of CYQF, and outside of the CZ/MF, pilots should familiarize themselves with the use of the Alberta - Red Deer Common Frequency Area (see CFS Planning Section) and use the common frequency 122.875.

ARRIVAL PROCEDURES

Obtain the ATIS message on 124.0 prior to establishing contact on 118.5.

If able, pilots are required to turn on navigation, anti-collision, and landing lights while operating within the CZ/MF.

During Class D operations (13-05Z+), pilots are expected to follow the instructions assigned by CYQF Tower.