

FLIGHT PLAN & SITE SURVEY

Hunt's Field

July 29, 2026



IMPORTANT NOTICE

Please ensure you have received all required authorizations prior to flight. This Site Survey was created using RPAS Wilco. The user accepts all responsibility for the accuracy of the information.

Terms & Conditions: rpaswilco.com/#tnc

Mission Information

HUNT'S FIELD

FLIGHT DETAILS

Reference No:	MAAC-576-4821
Project Name:	SAINTS R/C FLYING CLUB
Pilot Name:	MAAC
Pilot Certificate:	
Mission Type:	VLOS
Flight Start:	July 29, 2026 10:12 PM
Flight End:	July 29, 2026 11:12 PM

LOCATION DETAILS

Flight Address:	Hunt's Field
Latitude:	50° 16' 57.60" N (50.283)
Longitude:	96° 59' 18.70" W (-96.989)
Field Elevation:	732 ft MSL
Altitude / Radius:	400.0 ft / 926.0 m (0.5 nm)
Classification:	UNCONTROLLED
FIR / Contact:	CZWG / 204-983-8338


REPORT CONTENTS

Site Survey • Obstacles (if available) • Nearby Aerodromes • Canadian Aviation Regulations • GFA • Aerodrome Supplements • METAR & TAF • NOTAMs • CFS

Flight Map & MODEL Details

MISSION LOCATION SURVEY

FLIGHT AREA MAP



MISSION LOCATION DETAILS

ROLE	LATITUDE	LONGITUDE
 MODEL	50° 16' 57.60" N 50.283	96° 59' 18.70" W -96.989
 Pilot		
 Payload Op.		
 Observer		

Airspace Classification

MISSION LOCATION SURVEY

AIRSPACE MAP



OVERLYING AIRSPACES

Class	Name	Floor	Ceiling
C	Winnipeg, MB c) [TCA]	3000MSL	4000MSL
C	Winnipeg, MB d) [TCA]	4000MSL	12500MSL

Planned flight altitude is below the lowest documented airspace layer

NEAREST AERODROMES & DISTANCE FROM OPERATION

SELKIRK (CKL2 - AERODROME - Reg)	Lat: 50.172	Long: -96.872	14.808KM	7.996NM	SE
Operator: RIVERSIDE AIRCRAFT MAINTENANCE LTD.: FAX: 204-482-3438, PHONE: 204-482-3270, POST: UNKNOWN FIR Contact: 204-983-8338					
SELKIRK (CKC5 - WATERDROME - Reg)	Lat: 50.167	Long: -96.867	15.541KM	8.391NM	SE
Operator: RIVERSIDE AIRCRAFT MAINTENANCE LTD: PHONE: 204-482-3270, POST: UNKNOWN FIR Contact: 204-983-8338					
OAK HAMMOCK AIR PARK (CAV9 - AERODROME - Reg)	Lat: 50.138	Long: -97.061	16.925KM	9.139NM	S
Operator: MR. TERRY MALLEY: PHONE: 204-482-8757, PHONE: 204-770-4858, POST: UNKNOWN FIR Contact: 204-983-8338					
ST. ANDREWS (CYAV - AERODROME/HELIPORT - Cert)	Lat: 50.056	Long: -97.032	25.386KM	13.707NM	S
Operator: ST. ANDREWS AIRPORT INCORPORATED: PHONE: 204-336-3250, POST: UNKNOWN FIR Contact: 204-983-8338					
OUTBACK 40 FARM (CTO4 - AERODROME - Reg)	Lat: 50.105	Long: -96.672	29.96KM	16.177NM	SE
Operator: MARTIN BOTINCAN: PHONE: 204-226-0858, POST: UNKNOWN FIR Contact: 204-983-8338					


MANITOBA

AERODROME / FACILITY DIRECTORY

SELKIRK MB

CKL2

REF	N50 10 20 W96 52 20 1N 3°E (2015) UTC-6(5) Elev 747' VTA A5007
OPR	Riverside Aircraft Maintenance Ltd. 204-482-3270 Fax 204-482-3438 Reg PPR
PF	B-1 C-2,3,4,5,6
FLT PLN	Pilots to open/close VFR flt plan with Edmonton rdo, FISE or by phone. Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
SERVICES	
FUEL	100LL
OIL	All
S	2
RWY DATA	Rwy 11(117°)/29(297°) 3000x90 GRVL
RCR	Opr Ltd win maint
COMM	
ATF	UNICOM ltd hrs O/T tfc 122.8 3NM 1800 ASL
PRO	Mode C Transponder Mandatory - Acft operating in Winnipeg Class C CZ or TCA require a discrete transponder code which must be obtained by filing a flt plan, flt itinerary or by ctc Winnipeg ACC 204-984-5979 at least 15 min prior to entering.
CAUTION	33 AGL hydro lines apch Rwy 29. Blasting 0.2 NM radius N50 11 27 W96 46 47 aprx 4NM ENE A/D SFC to 2028 ASL (1280 AGL) dly 15-22Z±.




CANADA WATER AERODROME SUPPLEMENT

Effective 0901Z 19 March 2026 to 0901Z 18 February 2027

SELKIRK MB

CKC5


REF	N50 10 W96 52 1N 3°E (2014) UTC-6(5) Elev 735' VTA A5007
OPR	Riverside Aircraft Maintenance Ltd 204-482-3270 Reg
PF	B-1 C-2,3,4,5,6
FLT PLN	Pilots to open/close VFR flt plan with Edmonton rdo, FISE or by phone. Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
FIC	
SERVICES	
FUEL	100LL
OIL	All
S	2,3,5
A/D DATA	Open water mid May-mid Nov. Gravel & sand bottom. Beach. Main channel clear on W side of river.
COMM	
ATF	UNICOM ltd hrs O/T tfc 122.8 3NM 1800 ASL
PRO	All VFR acft intending flt within Winnipeg Class C airspace (Winnipeg CZ & TCA) ctc Winnipeg FIC 866-541-4103 or applicable FISE freq at least 15 min prior to entering Class C airspace for transponder code. Set transponder to discrete code prior to contacting ATC. Refer to Winnipeg/St. Andrews VTPC in CFS.
CAUTION	Shoals near shoreline. Land A/D adj W.



SEPT-ÎLES / LAC DES RAPIDES QC

CSM8

REF	N50 17 56 W66 24 56 19°W (2014) UTC-5(4) Elev 255' A5010
OPR	Air Tunilik 418-962-4639/589-9511 Bruno Rioux 418-961-9718 PPR Daniel Desbiens 418-965-6888 Reg
PF	B-1 D-2,3,4,5,6
CUST	AOE/15/SEAPL 888-226-7277 1300- 2130Z† Mon-Fri exc hols
FLT PLN	(bil) Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)
FIC	
SERVICES	
FUEL	100LL, JA Air Tunilik
OIL	W100 Air Tunilik
S	5 Air Tunilik, 7 Bruno Rioux
A/D DATA	Open water Jun-Oct.
DOCKS	Bruno Rioux, Daniel Desbiens: Mooring fees; ctc opr.
COMM	
RADIO	Sept-Îles 118.1 (E)
RCO	(bil) Québec rdo 123.275 (FISE) 126.7 (bcst) may not be receivable on the ground.
ATF	tfc 123.2 5NM 3300 ASL, outside Sept-Îles CZ, for tfc info ctc Sept-Îles rdo 118.1




MANITOBA

AERODROME / FACILITY DIRECTORY

OAK HAMMOCK AIR PARK MB

CAV9

REF	N50 08 16 W97 03 41 3°E (2015) UTC-6(5) Elev 755' aprx VTA A5007
OPR	Mr. Terry Malley 204-770-4858 or 204-482-8757 Reg
PF	B-1,3
FLT PLN	Pilots to open/close VFR flt plan with Edmonton rdo, FISE or by phone. Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA) IFR, 204-983-8337 or 888-834-3344 or flt pln by Fax at 204-983-2823 & include phone number where pilot can be reached prior to dep.
SERVICES	
FUEL	100LL
OIL	20W50
S	1,2,4,5,6
RWY DATA	Rwy 18(177°)/36(357°) 2600x70 grass
RCR	Opr Ltd win maint
COMM	
ATF	tfc 122.8 3NM 1800 ASL excluding that area within St. Andrews CZ.
PRO	Dep Rwy 18, turn when safely able to avoid St. Andrews CZ. Rgt hand circuit Rwy 18 (CAR 602.96). Circuit hgt 1300 ASL. Apt in close proximity to St. Andrews CZ see Winnipeg VTA. For flt info ctc St. Andrews TWR & ATC workload permitting. Mode C Transponder Mandatory - Acft operating in Winnipeg Class C CZ or TCA require a discrete transponder code which must be obtained by filing a flt plan, flt itinerary or by ctc Winnipeg ACC 204-984-5979 at least 15 min prior to entering.
CAUTION	P-lines & trees apch to Rwy 36. St. Andrews CZ 1NM S. Acft may encounter tfc from private strip aprx 500' W Thld 18.




MANITOBA

AERODROME / FACILITY DIRECTORY

WINNIPEG / ST. ANDREWS MB

CYAV



REF	N50 03 23 W97 01 57 10NNE 4°E UTC-6(5) Elev 759' VTA A5007 LO4 T1 CAP
OPR	St. Andrews Apt Inc 204-336-3250 1300-2130Z† Nov-Mar exc hols, 1300-2130Z† Mon-Fri Apr-Oct exc hols Cert
PF	B-1,2,5 D-3,4,6
FLT PLN	Pilots to open/close VFR flt plan with Edmonton rdo, FISE or by phone.
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA) (file 30 min prior ETD, see PRO)
ACC	IFR, 204-983-8337 or 888-834-3344 or flt pln by Fax at 204-983-2823 & include phone numbers where pilot can be reached prior to dep.
WX	LWIS H24 LAWO 13-04Z†
SERVICES	
FUEL	100LL, JA-1
OIL	All
S	1,2,3,4,5,6
PVT ADV	Winnipeg Aviation 204-338-7923 13-01Z Mon-Thu, 13-22Z Fri-Sat, 16-22Z Sun, Apr-Oct exc hols; 14-24Z Mon-Thu, 14-23Z Fri-Sat, 17-23Z Sun, Nov-Mar exc hols; O/T call out chg will apply. Harv's Air Service 204-339-6186 14-01Z† Mon-Sat, 17-01Z† Sun. Centric Aviation 129.075 FBO 431-844-6677, 431-337-8085

WINNIPEG / ST. ANDREWS MB (Cont'd)

CYAV



RWY DATA	Rwy 13(129°)/31(309°) 3002x75 ASPH Rwy 18(184°)/36(004°) 3000x75 ASPH Rwy 04(041°)/22(221°) 2852x75 ASPH
RWY CERT	Rwy 13/31 AGN II Rwy 18/36 AGN II Rwy 04/22 AGN II
TWY CERT	Twy: A, C, D, E, F, G, H AGN I Twy B: AGN II S of Aprn I & AGN I fr Aprn IV to Aprn I Twy F, H: Day use only.
RCR	Opr 1300-2130Z± Nov-Mar exc hols, 1300-2130Z± Mon-Fri Apr-Oct exc hols O/T call out chg. PCN
HELI DATA	FATO 82' dia ASPH TLOF 82' x 82' ASPH Safety Area 109' dia Max heli overall length 54.7'
LIGHTING	04-(TE ME), 22-(TE ME), 13-AO(TE ME) P2, 31-AO(TE ME) P2, 18-AO(TE ME) P2, 36-AO(TE ME) P2 ARCAL-118.5 type K Opr when TWR clsd. RY(ME) RF(FL) Helipad lgts not avbl on ARCAL.
COMM	ATIS 125.8 13-04Z± GND 121.8 13-04Z± TWR 118.5 (V) 13-04Z± (emerg only 204-983-0660) ATF tfc 118.5 04-13Z± 4NM below 3000 ASL ARR Winnipeg Tml 119.9 (East) 121.0 (West) DEP Winnipeg Tml 119.9 VFR ADV Winnipeg Tml 119.9 (East) 121.0 (West)
PRO	AIRPORT: Rgt hand circuits Rwy 04, 13, 18 (CAR 602.96). Circuit hgt 1600 ASL. Special VFR not avbl when TWR clsd. ATS REQUIREMENTS (All Acft): PPR for block airwork, photo flt or tng flt oprg in Winnipeg TCA, ctc Winnipeg ACC 204-984-5979 or fax 204-983-2823. When TWR clsd, clnc may be obtained from Winnipeg Tml at 204-983-4121. Mode C Transponder Mandatory - Acft operating in Winnipeg Class C CZ or TCA require a discrete transponder code which must be obtained by filing a flt plan, flt itinerary or by ctc Winnipeg ACC 204-984-5979 at least 15 min prior to entering. Acft departing CYAV may ctc CYAV Tower to obtain a discrete transponder code. Set transponder to discrete code prior to ctc ATC. AIRSPACE: Refer to Winnipeg / St. Andrews VTPC for VFR arr/dep rtes & VFR corridor info to Winnipeg/James Armstrong Richardson Intl. Refer to VTA A1902 for greater chart detail. Transponder preferred but not required for flt within St. Andrews ctl zone. PREFERENTIAL RUNWAYS: ATC will designate rwys to align IFR arr and dep paths with those in use at Winnipeg/James Armstrong Richardson Intl (CYWG) based on the following conds: - Physical cond of sfc - Effective crosswind component not to exceed 15 kt - Effective tailwind component not to exceed 5 kt - Other safety considerations declared by the Captain of the acft. Use of other-than-designated rwys should only be requested to meet operational necessity. HELI PPR for balloon ops on aprt, ctc opr for details. Concurrent with safety & twr instructions helicopters are to hover taxi via rwys/twys to other posns on airport at slow speeds. Arr/dep 004° to 024° & 162° to 184° fr heli, slope 8% (H3), day/night use.
CAUTION	Extv bird & wildlife activity in vic of rwys.

MANITOBA

AERODROME / FACILITY DIRECTORY

TYNDALL / OUTBACK 40 FARM MB

CTO4

REF	N50 06 17 W96 40 21 1.4NNW 2°E (2026) UTC-6(5) Elev 809' A1902 A5007	
OPR	Martin Botincan 204-226-0858 Reg PPR	
PF	C-1,2 D-3,5,6	
FLT PLN	Pilots to open/close VFR fit plan with Edmonton rdo, FISE or by phone.	
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
SERVICES	S 4 (O/R), 5	
RWY DATA	Rwy 13(133°)/31(313°) 1744x50 GRASS	
RCR	Opr Ltd win maint	
COMM	ATF tfc 123.2 5NM blw 3000 ASL	
PRO	Mode C Transponder Mandatory - Acft operating in Winnipeg Class C CZ or TCA require a discrete transponder code which must be obtained by filing a fit plan, fit itinerary or by ctc Winnipeg ACC 204-984-5979 at least 15 min prior to entering.	
CAUTION	Twr aprx 150 AGL 0.9NM SSW. Lgtd twr 1122 ASL (344 AGL) 1.5NM SSW. A/D located within CYA404(T) - see WINNIPEG / ST. ANDREWS VTPC.	