

FLIGHT PLAN & SITE SURVEY

MIDDLEPORT FLYING FIELD

July 29, 2026



IMPORTANT NOTICE

Please ensure you have received all required authorizations prior to flight. This Site Survey was created using RPAS Wilco. The user accepts all responsibility for the accuracy of the information.

Terms & Conditions: rpaswilco.com/#tnc

Mission Information

MIDDLEPORT FLYING FIELD

FLIGHT DETAILS

Reference No:	MAAC-70-5108
Project Name:	BRANT FLYERS RC
Pilot Name:	MAAC
Pilot Certificate:	
Mission Type:	VLOS
Flight Start:	July 29, 2026 11:20 PM
Flight End:	July 30, 2026 12:20 AM

LOCATION DETAILS

Flight Address:	MIDDLEPORT FLYING FIELD
Latitude:	43° 6' 16.65" N (43.105)
Longitude:	80° 3' 41.33" W (-80.061)
Field Elevation:	676 ft MSL
Altitude / Radius:	400.0 ft / 926.0 m (0.5 nm)
Classification:	UNCONTROLLED
FIR / Contact:	CZYZ / 905-676-4509

REPORT CONTENTS

Site Survey • Obstacles (if available) • Nearby Aerodromes • Canadian Aviation Regulations • GFA • Aerodrome Supplements • METAR & TAF • NOTAMs • CFS

Flight Map & MODEL Details

MISSION LOCATION SURVEY

FLIGHT AREA MAP




MISSION LOCATION DETAILS

ROLE	LATITUDE	LONGITUDE
 MODEL	43° 6' 16.65" N 43.105	80° 3' 41.33" W -80.061
 Pilot		
 Payload Op.		
 Observer		

Airspace Classification

MISSION LOCATION SURVEY

AIRSPACE MAP



OVERLYING AIRSPACES

Class	Name	Floor	Ceiling
E	3.4.1-43 [TA]	700AGL	18000MSL
E	Southern Ontario Low Level Control Area a) [CAE]	2500MSL	6500MSL

Planned flight altitude is below the lowest documented airspace layer

NEAREST AERODROMES & DISTANCE FROM OPERATION


HAMILTON (CYHM - AERODROME - Cert)	Lat: 43.174	Long: -79.935	12.812KM	6.918NM	NE
Operator: TRADEPORT INTL CORPORATION: PHONE: 905-679-1999, PHONE: 905-679-4908, POST: UNKNOWN FIR Contact: 905-676-4509					
SPRINGVALE (CGV7 - AERODROME - Reg)	Lat: 42.97	Long: -80.159	16.955KM	9.155NM	SW
Operator: RALPH BENNETT: PHONE: 905-765-3134 , POST: 103 Concession 14, RR#1 Hagersville, ON N0A 1H0 FIR Contact: 905-676-4509					
GRAND RIVER EXECUTIVE AIRPORT (CPP6 - AERODROME - Reg)	Lat: 43.038	Long: -79.852	18.544KM	10.013NM	SE
Operator: NEAR NORTH AVIATION: PHONE: 905-679-5577, POST: UNKNOWN FIR Contact: 905-676-4509					
MOUNT HOPE (WILLOW VALLEY) (CMH8 - HELIPORT - Reg)	Lat: 43.165	Long: -79.897	14.91KM	8.051NM	NE
Operator: WILLOW VALLEY GOLF COURSE: PHONE: 905-389-1315, POST: UNKNOWN FIR Contact: 905-676-4509					
DUNDAS (CDU2 - HELIPORT - Reg)	Lat: 43.246	Long: -80.018	16.057KM	8.67NM	N
Operator: ROBERT D. SHEPPARD: PHONE: 832-452-7698, POST: UNKNOWN FIR Contact: 905-676-4509					

ONTARIO

AERODROME / FACILITY DIRECTORY

HAMILTON ON

CYHM




REF	N43 10 25 W79 56 06 6SW 10°W UTC-5(4) Elev 780' VTA A5000 LO6 HI5 CAP OC
OPR	Appt Ops Ctr 905-679-4908 / Tradeport Intl Corp 905-679-1999 H24 Cert Ldg fees
PF	A-1,2,3,6,7 C-4,5
CUST	AOE/220 (400 with staged off-loading) 888-226-7277 12-04Z± May 1-Oct 31; H24 Nov 1-Apr 30 svc chg PN
FLT PLN	FICLondon 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA) WXMETAR H24. TAF H24, issue times: 00, 06, 12, 18Z.
SERVICES	FUELJA-1 (FSII avbl) OILAll S1,2,3,4 ARRFDESIGNATED CAT 7 for sked pax flt (CAT 5 non-sked). CAT 7 for non-sked 30 min PN ctc 905-679-4908. PPR for acct 20 seats and abv, exc for diversions or as an altn. SUP FLA-ice, D-ice, HPOX JASUCE13, CE15, CA1 PVT ADVCargojet 131.575 905-679-3558; Onward Avn 130.5 905-679-4127; Hamilton Jetport 122.35 905-679-2400; Executive Aviation 289-440-1579 MIL CONOnward Aviation 905-679-4127

HAMILTON ON (Cont'd)

CYHM

RWY DATA	Rwy 06(059°)/24(239°) 6010x150 ASPH Rwy 12(117°)/30(297°) 10,006x197 ASPH Thld 12 displ 1608' RESA: 12/30 492'
RWY CERT	Rwy 06/24 AGN IV Rwy 12 RVR 600/Rwy 30 RVR 1200(1/4sm) AGN V
TWY CERT	Twy: D, W AGN IV Twy: F AGN IIIB Twy J: AGN IV & AGN IIIB fr Twy L to Twy W
TWY	Twy: D, J, L, W uncontrolled. Twy C: Right turn fm Rwy 06 to Twy C and left turn fm Twy C to Rwy 24 rstd to acft with wingspans of 52.1m/171' or less. Left turn fm Rwy 30 to Twy C and right turn fm Twy C to Rwy 12 requires a discretionary oversteer for acft with wingspans of 52.1m/171ft or greater. Twy F: Rstd to acft with wingspans of 35.9m/118' or less. Twy J: Btwn Twy L and Twy W rstd to acft with wingspans of 35.9m/118ft or less.
APRON	Aprons I, II & III rstd to power-in/pushback for fixed wing acft only unless otherwise auth by opr. Aprons I, II & III uncontrolled. Taxiing aircraft to remain on taxilane centre lines. Apron II North: Taxiing aircraft to remain on taxilane centre lines. Aircraft shall not taxi between the ATB, Onward or the ACLF and pushed back aircraft.
RCR	Appt Ops Ctr CRFI/RSC avbl H24 Nov 15 - Apr 15. PCN
LIGHTING	06(TE ME) P2, 24-AS(TE ME) P2, 12-AL(TE HI CL TDZL) P2, 30-AS(TE HI CL) P3
COMM	ATIS 128.1 GND 121.6 TWR 125.0 (E) (emerg only 905-679-3220) ARR Toronto Tml 119.7 DEP Toronto Tml 119.7 PAL Toronto Ctr 119.7
NAV	DME YHX 113.35 Ch 80(Y) N43 10 38 W79 56 39 (797') ILS IAB 110.9 (Rwy 12) RVR LOC IER 110.9 (Rwy 30)
PRO	IFR tng flts are to ctc National Traffic Management Unit (FLOW CTL) 800-268-4831 2 hrs prior to ETD for possible delays. VFR tfc outside CZ watch for IFR practice apch acft oprg in vic of all extended rwy ctr lines.
NOISE ABATEMENT	RESTRICTIONS Pursuant to CAR 602.105, the following restrictions are in effect. 1. Tng flts PPR fr APM btwn 23-07 hrs lcl. 2. Dep rwy 06 PPR fr APM btwn 23-07 hrs lcl. 3. Arr & apch rwy 24 PPR fr APM btwn 23-07 hrs lcl. PROCEDURES Pursuant to CAR 602.105, the following procedures are in effect. 1. Circuit alt 2500 ASL for turbo-prop & turbo-jet acft. 2. Rgt hand circuits rwy 12 btwn 23-07 hrs lcl (CAR 602.96). 3. The min alt for the ops of an acft 26,000 Kg & over (max cert gross tkof wt) is 3000 ASL over the Minimum Altitude Area (depicted on VTPC) exc on final apch to Rwy 24, after tkof fr Rwy 6, or circling to land after conducting an inst apch pro. 4. IFR Departures at all times (VFR acft between 04-12Z± wx permitting) Rwy 12-Climb on rwy hdg to 3000 ASL before proceeding on course, (wx permitting). Rwy 30-Climb on rwy hdg to 1300 ASL. Turn left hdg 260°. No rgt turn below 4000 ASL (wx permitting). Rwys 06, 24-Climb on rwy hdg to 3000 ASL (wx permitting) before proceeding on course.
CAUTION	Large ditch 131' fr edge of Twy D along the W side.

HAMILTON VFR TERMINAL PROCEDURES CHART



NAME	IDENT	LAT/LONG
SKYWAY BRIDGE	VCBBR	N43° 18' 00" W079° 47' 45"
WATERDOWN	VCWTD	N43° 19' 45" W079° 53' 15"


ONTARIO

AERODROME / FACILITY DIRECTORY

SPRINGVALE ON

CGV7


REF	N42 58 12 W80 09 34 1.6W 10°W (2016) UTC-5(4) Elev 720' A5000
OPR	Ralph Bennett 905-765-3134 Reg
FLT PLN	
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
PF	B-1 C-2,3,4,5,6
RWY DATA	Rwy 02(019°)/20(199°) 1679x100 GRASS Rwy 18(175°)/36(355°) 1654x100 GRASS
RCR	Opr No win maint
COMM	
ATF	tfc 123.2 4NM 3800 ASL
CAUTION	P-lines aprx 60 AGL S of Rwy 02 & 36.



GRAND RIVER EXECUTIVE AIRPORT ON


CPP6

REF	N43 02 15 W79 51 09 1.7ENE York 10°W UTC-5(4) Elev 670' VTA A5000
OPR	Near North Aviation 905-679-5577 Reg
PF	B-1,7,8 D-2,3,4,5,6
FLT PLN	FIC London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
RWY DATA	Rwy 16/34 2800x35 ASPH Rwy 07/25 1350x100 GRASS Opr Ltd win maint. Rwy 07/25 may be soft in spring.
SERVICES	
FUEL	100LL self-serve cardlock
OIL	15W50, W100 plus
S	3 (ltd hrs) Pitch Aviation 437-557-5050
COMM	
ATF	tfc 123.2 5NM 3700 ASL
CAUTION	P-line 35 AGL along road aprx 230' fr Thld 16. Scrub trees about 40' high aprx 75' fr Thld 07. Ditch at Thld 34. Possible wildlife on rwy.



MOUNT HOPE (WILLOW VALLEY) ON (Heli)

CMH8


REF	N43 09 53 W79 53 50 Adj ENE 10°W (2024) UTC-5(4) Elev 723' A1900 A5000	
OPR	Willow Valley Golf Course 905-389-1315 Reg PPR	
FLT PLN	FIC London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
HELI DATA	FATO 64' dia GRASS TLOF 17' dia ASPH Safety Area 85' dia Max heli overall length 43'	
RCR	Opr Ltd win maint PN	
COMM	TWR Hamilton 125.0	
PRO	Arr/dep 182° to 206° and 270° to 289° fr heli. Ctc Hamilton twr for specific instructions prior tkof & ldg.	
CAUTION	Hamilton apt adj W of heli. Unmarked p-lines 40 AGL 300' E and along adj road N of heli.	

ONTARIO

AERODROME / FACILITY DIRECTORY

DUNDAS ON (Heli)

CDU2

REF	N43 14 44 W80 01 06 3WSW 10°W (2018) UTC-5(4) Elev 680' VTA A5000	
OPR	Robert D. Sheppard 832-452-7698 Reg PPR	
PF	B-1 C-2 D-3,4,5,6	
FLT PLN		
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
HELI DATA	FATO/TLOF 60' dia GRASS Safety Area 160' dia	
RCR	Opr Ltd win maint	
COMM		
TWR	Hamilton 125.0	
PRO	Arr/dep 110° to 125° and 225° to 260° fr heli. Do not overfly surrounding residences and horse ranch NW of heli.	