

# FLIGHT PLAN & SITE SURVEY

## COLEBROOK ROAD FIELD

July 29, 2026



### IMPORTANT NOTICE

Please ensure you have received all required authorizations prior to flight. This Site Survey was created using RPAS Wilco. The user accepts all responsibility for the accuracy of the information.

Terms & Conditions: [rpaswilco.com/#tnc](https://rpaswilco.com/#tnc)

# Mission Information

COLEBROOK ROAD FIELD

## FLIGHT DETAILS

|                    |                        |
|--------------------|------------------------|
| Reference No:      | MAAC-792-5550          |
| Project Name:      | RENEGADE FLYERS        |
| Pilot Name:        | MAAC                   |
| Pilot Certificate: |                        |
| Mission Type:      | VLOS                   |
| Flight Start:      | July 29, 2026 08:31 PM |
| Flight End:        | July 29, 2026 09:31 PM |

## LOCATION DETAILS

|                    |                               |
|--------------------|-------------------------------|
| Flight Address:    | COLEBROOK ROAD FIELD          |
| Latitude:          | 49° 5' 43.51" N ( 49.095 )    |
| Longitude:         | 122° 51' 35.94" W ( -122.86 ) |
| Field Elevation:   | 3 ft MSL                      |
| Altitude / Radius: | 400.0 ft / 926.0 m ( 0.5 nm ) |
| Classification:    | UNCONTROLLED                  |
| FIR / Contact:     | CZVR / 604-586-4500           |


## REPORT CONTENTS

Site Survey • Obstacles (if available) • Nearby Aerodromes • Canadian Aviation Regulations • GFA • Aerodrome Supplements • METAR & TAF • NOTAMs • CFS

# Flight Map & MODEL Details

MISSION LOCATION SURVEY

## FLIGHT AREA MAP



## MISSION LOCATION DETAILS

| ROLE                                                                                          | LATITUDE                  | LONGITUDE                    |
|-----------------------------------------------------------------------------------------------|---------------------------|------------------------------|
|  MODEL        | 49° 5' 43.51" N<br>49.095 | 122° 51' 35.94" W<br>-122.86 |
|  Pilot        |                           |                              |
|  Payload Op. |                           |                              |
|  Observer   |                           |                              |

# Airspace Classification

MISSION LOCATION SURVEY

## AIRSPACE MAP



## OVERLYING AIRSPACES

| Class | Name                     | Floor   | Ceiling  |
|-------|--------------------------|---------|----------|
| E     | 3.1.1-9 [TA]             | 700AGL  | 18000MSL |
| C     | Boundary Bay, BC b) [CZ] | 1000MSL | 2500MSL  |

Planned flight altitude is below the lowest documented airspace layer

## NEAREST AERODROMES & DISTANCE FROM OPERATION


|                                                                                                                                                                                     |             |                |          |         |    |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------------|----------|---------|----|
| DELTA HERITAGE AIR PARK (CAK3 - AERODROME - Reg)                                                                                                                                    | Lat: 49.079 | Long: -122.938 | 5.985KM  | 3.232NM | W  |
| <b>Operator:</b> RECREATIONAL AIRCRAFT ASSOCIATION, CHAP 85 (DAPCOM): PHONE: 604-543-8894, PHONE: 604-722-3791, PHONE: 604-878-9050, POST: UNKNOWN <b>FIR Contact:</b> 604-586-4500 |             |                |          |         |    |
| SURREY MEMORIAL HOSPITAL (CVS3 - HELIPORT - Cert)                                                                                                                                   | Lat: 49.176 | Long: -122.844 | 9.021KM  | 4.871NM | N  |
| <b>Operator:</b> FRASER HEALTH AUTHORITY: PHONE: 604-677-3672, POST: 13750 96 Avenue Surrey V3W1Z2 <b>FIR Contact:</b> 604-586-4500                                                 |             |                |          |         |    |
| BOUNDARY BAY (CZBB - AERODROME/HELIPORT - Cert)                                                                                                                                     | Lat: 49.073 | Long: -123.008 | 11.079KM | 5.982NM | W  |
| <b>Operator:</b> ALPHA AVIATION INCORPORATED: PHONE: 604-946-5361, POST: UNKNOWN <b>FIR Contact:</b> 604-586-4500                                                                   |             |                |          |         |    |
| PITT MEADOWS (CAJ8 - WATERDROME - Reg)                                                                                                                                              | Lat: 49.209 | Long: -122.709 | 16.752KM | 9.045NM | NE |
| <b>Operator:</b> PITT MEADOWS AIRPORT SOCIETY: PHONE: 604-465-8977, POST: UNKNOWN <b>FIR Contact:</b> 604-586-4500                                                                  |             |                |          |         |    |
| NEW WESTMINSTER (ROYAL COLUMBIAN HOSPITAL) (CNW9 - HELIPORT - Cert)                                                                                                                 | Lat: 49.226 | Long: -122.892 | 14.751KM | 7.965NM | N  |
| <b>Operator:</b> FRASER HEALTH AUTHORITY: PHONE: 604-677-3672, POST: UNKNOWN <b>FIR Contact:</b> 604-586-4500                                                                       |             |                |          |         |    |

BRITISH COLUMBIA

AERODROME / FACILITY DIRECTORY

DELTA / DELTA HERITAGE AIR PARK BC

CAK3



|          |                                                                                                                        |
|----------|------------------------------------------------------------------------------------------------------------------------|
| REF      | N49 04 43 W122 56 17 4.5E 17°E (2013) UTC-8(7) Elev 10' VTA A5004                                                      |
| OPR      | Recreational Aircraft Association, Chap 85 (DapCom) 604-543-8894, Caretaker 604-722-3791 Reg PPR by phone 604-878-9050 |
| PF       | B-1 C-2,3,6 D-4,5                                                                                                      |
| FLT PLN  |                                                                                                                        |
| FIC      | Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)                         |
| SERVICES |                                                                                                                        |
| FUEL     | 100LL                                                                                                                  |
| S        | 4,5                                                                                                                    |
| RWY DATA | Rwy 07/25 2600x75 GRASS Thld 25 displ 300'                                                                             |
| RCR      | Opr No win maint. Rwy soft when wet                                                                                    |
| COMM     |                                                                                                                        |
| ATIS     | Boundary Bay 125.5 15-07Z±                                                                                             |
| ATF      | tfc 123.3 2NM below 1000 ASL Excluding that portion which penetrates Boundary Bay class "C" airspace.                  |

BRITISH COLUMBIA

AERODROME / FACILITY DIRECTORY

DELTA / DELTA HERITAGE AIR PARK BC (Cont'd)

CAK3

PRO

HELI  
NOISE



Heli tng not auth.  
Circuit alt 600 ASL. Rgt hand circuits Rwy 25 (CAR 602.96).  
NOISE ABATEMENT PROCEDURES:  
Departures:  
Rwy 25 Dep: When safe hdg 280°, then further right turn to crosswind to avoid noise sensitive area.  
Downwind dep auth fr Rwy 25 at 600 ASL. No southbound dep until clear of circuit to E. Avoid flt over dike and adj water area below 600 ASL.  
Arrivals:  
All arr to air park fr seaside. Cross midfield at 600 ASL and join downwind (CAR 602.96).  
Rwy 07 Arr: Fr downwind, turn on base leg well bfr 96th Street to avoid noise-sensitive area. When S of railway tracks hdg 100° to intercept final apch E of row of trees.  
  
Boundary Bay A/D 2.5NM W, obtain clnc prior to entering Boundary Bay CZ. Refer to VTPC. Procedures for crossing the Southern Strait of Georgia within Tml Class C airspace refer to Vancouver Intl VTPC FOR CROSSING THE SOUTHERN STRAIT OF GEORGIA ABOVE 2500FT.

CAUTION

Extremely confined circuit. Trees 750' fr thld Rwy 07, trees and obst adj to thld Rwy 25. Acft unable to accommodate noise abatement procedures and obst avoidance should avoid the air park. Beware of Boundary Bay A/D tfc close to Delta Heritage Air Park.


VANCOUVER (SURREY MEMORIAL HOSP) BC (Heli)

CVS3



|           |                                                                                                                                     |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------|
| REF       | N49 10 33 W122 50 38 Adj 17°E (2014) UTC-8(7) Elev 367' VTA A5004                                                                   |
| OPR       | Fraser Health Authority 604-677-3672 Cert PPR                                                                                       |
| PF        | B-1,2,3,4 C-5,6                                                                                                                     |
| FLT PLN   |                                                                                                                                     |
| FIC       | Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)                                      |
| HELI DATA | FATO 86' x 86' non-supporting TLOF 57' x 57' CONC Safety Area 115' x 115' Max heli overall length 57.4' Elevated rooftop 14,690 lbs |
| RCR       | Opr                                                                                                                                 |
| LIGHTING  | RY(LO) green PN                                                                                                                     |
| COMM      |                                                                                                                                     |
| ATF       | tfc 123.2 1.5NM 1500 ASL                                                                                                            |
| A/G       | Hosp Security 158.76 FM 3 min PN                                                                                                    |
| PRO       | Arr/dep 043° to 283° fr heli (H1), (CAR 602.96).                                                                                    |
| CAUTION   | High velocity hosp exhaust vents adj, S heli. Elevator penthouse adj, N heli. LED obst lgt not vis through NVG.                     |

**CZBB**



## BRITISH COLUMBIA

## AERODROME / FACILITY DIRECTORY

## VANCOUVER / BOUNDARY BAY BC (Cont'd)

CZBB

|                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>RWY DATA</b>     | Rwy 07(073°)/25(253°) 6015x100 ASPH Thld 25 displ 1006'<br>Rwy 13(126°)/31(306°) 5605x100 ASPH Thld 13 displ 656'                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>RWY CERT</b>     | Rwy 07/25 AGN IIIB<br>Rwy 13/31 AGN IIIB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>TWY CERT</b>     | Twy B AGN II                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>TWY</b>          | Twy E1, E2, F1, F2: Simultaneous use of E1 and E2 taxiways restricted to a wing-span of 32 m (105 ft). Discretionary oversteer required for intersections of Twy E1, E2, F1, F2. Outer main gear wheel span 6m (20 ft) up to but not including 9m (30 ft).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>APRON</b>        | Apron 3 pvt prkg only. No itinerant acft.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>RCR</b>          | Opr CRFI/RSC avbl 15-04Z† No win maint btwn 04-15Z†                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>HELI DATA</b>    | Parking Pads 2 & 3: 68' dia CONC Max heli overall length 57'<br>Parking Pads 4 & 6: 60' dia CONC Max heli overall length 50'<br>Parking Pad 5: 65' dia CONC Max heli overall length 54'<br>Parking Pads 2 & 3 day use tkof/ldg, hover, taxi & prkg. Ngt use prkg only (CAR 602.96).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>LIGHTING</b>     | 07-AD (non-std 1400') (TE ME) P2, 25-(TE ME) P2 3.5°, 13-(TE ME), 31-AS(TE ME) P2 When TWR clsd ARCAL-118.1 type K.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>COMM</b>         | <p><b>ATIS</b> 125.5 15-07Z†</p> <p><b>GND</b> 124.3 15-07Z†</p> <p><b>TWR</b> 118.1 (inner) 127.6 (outer) (V) to 2000 ASL 15-07Z† (emerg only 604-946-0911)<br/>Vancouver TML 125.2 abv 2000 ASL</p> <p><b>MF</b> tfc 118.1 to 2000 ASL 07-15Z† Vancouver TML 125.2 abv 2000 ASL. CZ shape irregular to 2500 ASL. (CAR 602.98) Excluding that portion which penetrates Delta Heritage Air Park ATF dur daylight hrs.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>NAV</b>          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>VOR/DME</b>      | VANCOUVER YVR 115.9 Ch 106 N49 04 38 W123 08 57 (37')                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>PRO</b>          | <p>VFR acft with transponder squawk code assigned by ATC. All circuits 800 AGL. Rgt hand circuits Rwy 25 &amp; 31 (CAR 602.96). Rwy 13/31 preferred for ngt ops. Pilots to open/close Flt Plns with Kamloops FIC via phone or Kamloops FIC 123.15 when practicable. Procedures for crossing the southern Strait of Georgia within Tml Class C airspace refer to Vancouver Intl VTPC.</p> <p>No circuits Rwy 07/25 23-07 lcl. Avoid over-flying noise sensitive area unless unable due to crosswind limitations or other safety considerations or as directed by ATC. Arr/Dep: No turns BLW 400'. After dep Rwy 25 turn crosswind as rqrd to remain E of railway tracks. Arr Rwy 07 turn base E of noise sensitive area. No departures fr taxi B. Conform to published VTA routes and as directed by ATC.</p> <p>PPR for Jet acft and acft over 12500 lbs GTOW. Ctc OPR for advsy info.</p>                                                                                                                                 |
| <b>PRO (Cont'd)</b> | <p><b>ATS REQUIREMENTS:</b></p> <p>All VFR acft arriving, departing or transiting the Vancouver or Victoria Tower Class C or D airspace require a transponder code.</p> <p>- All acft departing Vancouver or Victoria Intl (including Water Aerodrome) call Kamloops FIC at 866-541-4101 or PAC RDO 123.15 or 122.375 for code assignment at least 30 min prior to flight or file a VFR Flight Plan/Flight Itinerary.</p> <p>- All acft arriving Vancouver, Victoria Intl (including Water Aerodrome) or transiting Vancouver or Victoria Control Zones obtain a code from one of the following ATS units: Vancouver Harbour, Nanaimo, Victoria Harbour, Boundary Bay, Langley, Abbotsford or Pitt Meadows, or call Kamloops FIC at 866-541-4101 or PAC RDO 123.15 or 122.375.</p> <p>- All acft arriving Victoria Intl from a non NAV CANADA site call Kamloops FIC at 866-541-4101 or PAC RDO 123.15 or 122.375 for code assignment at least 30 minutes prior to flight or file a VFR Flight Plan/ Flight Itinerary.</p> |

VANCOUVER / BOUNDARY BAY BC (Cont'd)

CZBB

**Delta Heritage Air Park 2.5NM E no overflights below 1000 ASL.** (See VTPC).

All arriving and transiting A/C Contact TWR 127.6 on initial contact.  
All Departures contact TWR 127.6 climbing through 800 ASL unless otherwise instructed.

Rwy 07 or 13:

Arrivals fr E - report COURTHOUSE not below 1500 expect COURTHOUSE ARRIVAL left downwind Rwy 07 or left base Rwy 13.  
Arrivals fr S or W - report WEST POINT expect WEST POINT ARRIVAL rgt base Rwy 07 or rgt downwind Rwy 13.  
Departures to E - expect AUTOMALL DEPARTURE.  
Departures to W or S - expect POINT ROBERTS DEPARTURE.

Rwy 25 or 31:

Arrivals fr E - report AUTOMALL expect AUTOMALL ARRIVAL straight in Rwy 25 or rgt base Rwy 31.  
Arrivals fr S - report POINT ROBERTS expect POINT ROBERTS ARRIVAL left downwind to Rwy 25 or Left base Rwy 31.  
Departures to E - expect COURTHOUSE DEPARTURE or FRASER BRIDGE DEPARTURE.  
Departures to the W or S - expect WEST POINT DEPARTURE.

HELI

All heli ctc gnd for departure instructions.  
GAS STATION DEPARTURE Track eastbound over Hwy 99. Not above 500 ASL til GAS STATION. Transmit intentions to Delta Air Park tfc on 123.3 prior to GAS STATION if BLW 1000 ASL. Ctc ZBB TWR on 127.6 after passing AK3 if climbing to 1000 ASL or abv.  
LANDFILL ARRIVAL Report approaching HWY 91 track 1 NM North of Hwy 99 to LANDFILL. Transmit intentions to Delta Air Park tfc on 123.3 prior to crossing Hwy 91. Overfly LANDFILL 500 ASL or below. Cross Hwy 99 abm LANDFILL to apron.  
  
ARR/DEP N or NW will be routed via LANDFILL. Cross LANDFILL 500 ASL or BLW.  
Heli in excess of 58' overall length PPR.  
  
Heli ops prohibited within 30' vertical & 90' horizontal fr all refueling eqpt.

CAUTION

Extensive bird activity. High density tfc area E of CZ. Extensive flt tng ops.


CANADA WATER AERODROME SUPPLEMENT

Effective 0901Z 19 March 2026 to 0901Z 18 February 2027

PITT MEADOWS BC

CAJ8

|          |                                                                                                                                                                                  |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| REF      | N49 12 34 W122 42 34 1SW<br>17°E (2013) UTC-8(7) Elev 06' VTA<br>A5004                                                                                                           |
| OPR      | Pitt Meadows Aprt Society<br>604-465-8977 15-01Z± Mon-Fri Reg                                                                                                                    |
| PF       | A-1,2,3,7 at adj land A/D C-4,5,6                                                                                                                                                |
| FLT PLN  | <div>FIC</div> <div>WX</div> <div>Kamloops 866-WXBRIEF (Toll free<br/>within Canada) or 866-541-4101 (Toll<br/>free within Canada &amp; USA)<br/>LWIS H24<br/>LAWO 15-07Z±</div> |
| SERVICES |                                                                                                                                                                                  |
| FUEL     | 100LL, JA-1 at adj land A/D                                                                                                                                                      |
| OIL      | All                                                                                                                                                                              |
| S        | 1,2,3,4,5 at adj land A/D                                                                                                                                                        |




|          |                                                                                                                                                                                                                                       |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| A/D DATA | Tidal range 4', current 3-8 kt.                                                                                                                                                                                                       |
| COMM     |                                                                                                                                                                                                                                       |
| ATIS     | 125.0 15-07Z±                                                                                                                                                                                                                         |
| GND      | 123.8 15-07Z±                                                                                                                                                                                                                         |
| TWR      | Pitt 126.3 (V) 15-07Z±                                                                                                                                                                                                                |
| MF       | tfc 126.3 07-15Z± 3NM 2500 ASL (CAR 602.98)                                                                                                                                                                                           |
| NAV      |                                                                                                                                                                                                                                       |
| VOR      | YPK 112.4 N49 12 57 W122 42 54                                                                                                                                                                                                        |
| PRO      | Circuit altitude for seaplanes 500 ASL, all circuits on S side of Fraser River. Arr/dep avoid low flt over built-up areas, or as directed by ATC. Eastbound dep on Fraser River initiate tkof W of float ramp, or as directed by ATC. |
| CAUTION  | Drifting logs. Lower end of seaplane launching ramp is less than 1' below zero tide level; caution at low tides.                                                                                                                      |


POINTE AU BARIL STATION ON

CPB6

|          |                                                                                                                                    |
|----------|------------------------------------------------------------------------------------------------------------------------------------|
| REF      | N45 32 24 W80 23 15 4SW 11°W<br>UTC-5(4) Elev 580' A5000                                                                           |
| OPR      | Jeremy and Ryan Edwards<br>647-202-9995 or 416-400-5244 Reg                                                                        |
| PF       | B-5                                                                                                                                |
| FLT PLN  | <div>FIC</div> <div>London 866-WXBRIEF (Toll free within<br/>Canada) or 866-541-4104 (Toll free<br/>within Canada &amp; USA)</div> |
| A/D DATA | Open water May-mid Nov, sandy<br>bottom. Dock depth 5'.                                                                            |
| COMM     |                                                                                                                                    |
| ATF      | tfc 123.2 5NM 3600 ASL                                                                                                             |
| CAUTION  | Rock shoal 82' NE of boathouse marked<br>with white buoy. Enter bay from N.<br>Remain E of island.                                 |



PITT MEADOWS VFR TERMINAL PROCEDURES CHART




PITT MEADOWS VFR TERMINAL PROCEDURES CHARTS

| NAME           | IDENT | LAT/LONG                   |
|----------------|-------|----------------------------|
| ABERNETHY      | VCANY | N49° 13' 54" W122° 39' 24" |
| ANTENNAS       | VCANS | N49° 09' 42" W122° 43' 54" |
| ALBION         | VCABN | N49° 11' 12" W122° 33' 36" |
| CLOVERDALE     | VCCLV | N49° 06' 42" W122° 43' 24" |
| COLLEGE        | VCOLG | N49° 12' 54" W122° 39' 06" |
| COLONY FARMS   | VCLFM | N49° 14' 12" W122° 48' 12" |
| DOUGLAS ISLAND | VCDGS | N49° 13' 12" W122° 46' 24" |
| FORT LANGLEY   | VCLNG | N49° 10' 00" W122° 33' 06" |
| GOLDEN EARS    | VCGER | N49° 11' 48" W122° 39' 54" |
| HAMMOND        | VCHMD | N49° 12' 18" W122° 38' 54" |
| MEADOW GARDENS | VCMGD | N49° 14' 00" W122° 40' 32" |
| PITT BRIDGE    | VCPTB | N49° 14' 48" W122° 43' 48" |
| PITT MEADOWS   | VCPIT | N49° 13' 00" W122° 42' 54" |
| PORT MANN      | VCPMN | N49° 13' 18" W122° 49' 00" |
| PORT MOODY     | VCPMD | N49° 17' 18" W122° 49' 42" |
| RAILYARD       | VCRRY | N49° 15' 42" W122° 46' 06" |
| SWANESET       | VCSWN | N49° 18' 30" W122° 39' 48" |
| TYNEHEAD       | VCTYN | N49° 11' 30" W122° 46' 42" |
| WALNUT         | VCWNT | N49° 10' 48" W122° 40' 00" |

## BRITISH COLUMBIA

## AERODROME/FACILITY DIRECTORY

PITT MEADOWS VFR TERMINAL PROCEDURES CHART - HELI ARR/DEP  
PROCEDURES, CIRCUIT PATTERNS & NOISE SENSITIVE AREA**DOUGLAS ROUTE**

DEP via Fraser River to Douglas Island, not abv 500 until Douglas Island.

APCH Douglas Island, not abv 500, then eastbound via Fraser River.

**PITT RIVER ROUTE**

DEP via Fraser River to Douglas Island, then northbound W of Pitt River, not abv 500 until Loughheed Hwy.

APCH W of Pitt River to Douglas Island, not abv 500, then eastbound via Fraser River.

**RWY 18/36 ROUTE**

DEP and overfly Rwy 36 to Loughheed Hwy, not abv 500 until Loughheed Hwy.


APCH straight-in Rwy 18, not abv 500. When authorized, overfly Rwy 18 to cross parallel Rws.

**GOLDEN EARS ROUTE**

DEP via Fraser River past Golden Ears Bridge, then northbound E of Golden Ears Way, not abv 500 until Loughheed Hwy.

APCH E of Golden Ears Way, not abv 500 to Golden Ears Bridge, then westbound via Fraser River.

PITT MEADOWS VFR TERMINAL PROCEDURES CHART - RWY 08L & 08R ARR/DEP



**DEPARTURES**

All departures not above 1000 until cleared higher. See map for routing.

**ARRIVALS**

All arrivals not below 1500 until cleared lower, except where stated otherwise.

**PITT BRIDGE ARR - RWY 08L ONLY**

Fly direct PITT BRIDGE, then join left base.

**RAILYARD ARR - RWY 08R ONLY**

Fly direct RAILYARD, then direct DOUGLAS ISLAND, then straight in.

**COLONY ARR - RWY 08L ONLY**

Fly direct COLONY FARMS, then straight in.

No altitude restriction.

**PORT MANN ARR - RWY 08R ONLY**

Proceed via PORT MANN, then direct DOUGLAS ISLAND, then straight in. No altitude restriction.

**TYNEHEAD ARR**

Fly direct TYNEHEAD, then join assigned right base.

**ANTENNAS ARR**

Fly direct ANTENNAS, then join assigned right downwind.


**WALNUT ARR**

Fly direct WALNUT, then join assigned right downwind.

**ABERNETHY ARR**

Fly direct 125 ABERNETHY, then join assigned left downwind.

## PITT MEADOWS VFR TERMINAL PROCEDURES CHART - RWY 18 ARR/DEP



## DEPARTURES

All departures not above 1000 until cleared higher. See map for routing.

## ARRIVALS

All arrivals not below 1500 until cleared lower.

**TYNEHEAD ARR**

Fly direct TYNEHEAD, then join right downwind.

## COLONY ARR

Fly direct COLONY FARMS, then join midfield right downwind.

## PITT BRIDGE ARR

Fly direct PITT BRIDGE, then join right base.

**ABERNETHY ARR**

Fly direct ABERNETHY, then join left base.


**HAMMOND ARR**

Fly direct HAMMOND, then join midfield left downwind.

## WALNUT ARR

Fly direct WALNUT, then join left downwind.

PITT MEADOWS VFR TERMINAL PROCEDURES CHART - RWY 26L & 26R ARR/DEP



DEPARTURES

All departures not above 1000 until cleared higher. See map for routing.

ARRIVALS

All arrivals not below 1500 until cleared lower, except where stated otherwise.

MEADOW GARDENS ARR - RWY 26R ONLY

Fly direct MEADOW GARDENS, then join right base.

ABERNETHY ARR - RWY 26L ONLY

Fly direct ABERNETHY, then join right base.

COLLEGE ARR - RWY 26R ONLY

Fly direct COLLEGE, then straight in.

No altitude restriction.

HAMMOND ARR - RWY 26L ONLY

Fly direct HAMMOND, then straight in.

No altitude restriction.

WALNUT ARR

Fly direct WALNUT, then join assigned left base.

ANTENNAS ARR

Fly direct ANTENNAS, then join assigned left downwind.


TYNEHEAD ARR

Fly direct TYNEHEAD, then join assigned left downwind.

PITT BRIDGE ARR

Fly direct PITT BRIDGE, then join assigned right downwind.

PITT MEADOWS VFR TERMINAL PROCEDURES CHART - RWY 36 ARR/DEP



**DEPARTURES**

All departures not above 1000 until cleared higher. See map for routing.

**ARRIVALS**

All arrivals not below 1500 until cleared lower.

**TYNEHEAD ARR**

Fly direct TYNEHEAD, then join left base.

**COLONY ARR**

Fly direct COLONY FARMS, then join midfield left downwind.

**PITT BRIDGE ARR**

Fly direct PITT BRIDGE, then join left downwind.

**MEADOW GARDENS ARR**

Fly direct MEADOW GARDENS, then join right downwind.

**HAMMOND ARR**

Fly direct HAMMOND, then join midfield right downwind.



**WALNUT ARR**

Fly direct WALNUT, then join right base.

BRITISH COLUMBIA

AERODROME / FACILITY DIRECTORY

VANCOUVER / NEW WESTMINSTER (ROYAL COLUMBIAN HOSP) BC (Heli) CNW9



|           |                                                                                                                                                                                                       |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| REF       | N49 13 36 W122 53 32 16°E (2017) UTC-8(7) Elev 238' VTA                                                                                                                                               |
| OPR       | Fraser Health Authority 604-677-3672 Cert PPR                                                                                                                                                         |
| PF        | B-1,2,4 C-3,5,6                                                                                                                                                                                       |
| FLT PLN   |                                                                                                                                                                                                       |
| FIC       | Kamloops 866-WXBRIEF (Toll free within Canada) or 866-541-4101 (Toll free within Canada & USA)                                                                                                        |
| HELI DATA | FATO 86' dia non-supporting TLOF 65' x 65' CONC Safety Area 115' dia 17,000 lbs Max heli overall length 57.4' (CAR 602.96)                                                                            |
| RCR       | Opr                                                                                                                                                                                                   |
| LIGHTING  | RY(ME) green RF(FH)                                                                                                                                                                                   |
| COMM      |                                                                                                                                                                                                       |
| ATIS      | Vancouver Airport 124.6                                                                                                                                                                               |
| TWR       | Vancouver Outer 124.02                                                                                                                                                                                |
| A/G       | Hosp Security 158.76 FM 3 min PN                                                                                                                                                                      |
| PRO       | Arr/Dep 054° to 067° fr heli, (H1), day/night use (CAR 602.96).<br>Arr/dep 187° to 207° fr heli, (H1), day/night use (CAR 602.96).<br>Arr/dep 309° to 343° fr heli, (H1), day/night use (CAR 602.96). |
| CAUTION   | Rooftop structures aprx 112' S of heli. Trees aprx 623' W fr heli. Bldgs aprx 289' NNE and 1148' SSE fr heli.                                                                                         |