

FLIGHT PLAN & SITE SURVEY

Beaver Bank Field

July 30, 2026



IMPORTANT NOTICE

Please ensure you have received all required authorizations prior to flight. This Site Survey was created using RPAS Wilco. The user accepts all responsibility for the accuracy of the information.

Terms & Conditions: rpaswilco.com/#tnc

Mission Information

BEAVER BANK FIELD

FLIGHT DETAILS

Reference No:	MAAC-3-5874
Project Name:	BEAVER BANK FLYERS ASSOCIATION
Pilot Name:	MAAC
Pilot Certificate:	
Mission Type:	VLOS
Flight Start:	July 30, 2026 12:32 AM
Flight End:	July 30, 2026 01:32 AM

LOCATION DETAILS

Flight Address:	Beaver Bank Field
Latitude:	44° 56' 50.67" N (44.947)
Longitude:	63° 43' 18.06" W (-63.722)
Field Elevation:	364 ft MSL
Altitude / Radius:	400.0 ft / 926.0 m (0.5 nm)
Classification:	UNCONTROLLED
FIR / Contact:	CZQM / 506-867-7173


REPORT CONTENTS

Site Survey • Obstacles (if available) • Nearby Aerodromes • Canadian Aviation Regulations • GFA • Aerodrome Supplements • METAR & TAF • NOTAMs • CFS

Flight Map & MODEL Details

MISSION LOCATION SURVEY

FLIGHT AREA MAP



MISSION LOCATION DETAILS

ROLE	LATITUDE	LONGITUDE
 MODEL	44° 56' 50.67" N 44.947	63° 43' 18.06" W -63.722
 Pilot		
 Payload Op.		
 Observer		

Airspace Classification

MISSION LOCATION SURVEY

AIRSPACE MAP



OVERLYING AIRSPACES

Class	Name	Floor	Ceiling
E	Halifax, NS [TA]	700AGL	1800MSL
D	Halifax, NS b) [TCA]	1700MSL	2900MSL


Planned flight altitude is below the lowest documented airspace layer

NEAREST AERODROMES & DISTANCE FROM OPERATION

STANFIELD INTL (CYHZ - AERODROME - Cert)	Lat: 44.879	Long: -63.51	18.302KM	9.882NM	SE
Operator: HALIFAX INTERNATIONAL AIRPORT AUTHORITY: PHONE: 902-873-2578, POST: UNKNOWN FIR Contact: 506-867-7173					
FALL RIVER (CFR3 - WATERDROME - Reg)	Lat: 44.784	Long: -63.642	19.187KM	10.36NM	S
Operator: DAVID COMEAU: PHONE: 902-861-3739, POST: UNKNOWN FIR Contact: 506-867-7173					
STANLEY (CCW4 - AERODROME - Reg)	Lat: 45.101	Long: -63.921	23.115KM	12.481NM	NW
Operator: STANLEY SPORT AVIATION: PHONE: 902-632-2251, POST: UNKNOWN FIR Contact: 506-867-7173					
SHUBENACADIE (CSU4 - HELIPORT - Reg)	Lat: 45.093	Long: -63.395	30.356KM	16.391NM	NE
Operator: NS DEPT OF NATURAL RESOURCES AND RENEWABLES: PHONE: 902-758-3438, POST: UNKNOWN FIR Contact: 506-867-7173					
HALIFAX (QE II HEALTH SCIENCES CENTRE) (CHQE - HELIPORT - Cert)	Lat: 44.646	Long: -63.586	35.192KM	19.002NM	S
Operator: QUEEN ELIZABETH II HEALTH SCIENCES CENTRE: PHONE: 902-473-1661, POST: UNKNOWN FIR Contact: 506-867-7173					

HALIFAX / STANFIELD INTL NS

CYHZ



REF	N44 52 47 W63 30 37 14NNE 18°W (2012) UTC-4(3) Elev 477' A5003 LO8 HI6 T2 CAP OC
OPR	Halifax International Airport Authority 902-873-2578 Cert
PF	A-1,2,3,5,6,7
CUST	AOE 888-226-7277
FLT PLN	
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
ACC	(IFR only) Moncton 506-867-7177 or 866-480-8200.
WX	METAR H24. TAF H24, issue times: 00, 03, 06, 09, 12, 15, 18, 21Z WxCam

NOVA SCOTIA

AERODROME / FACILITY DIRECTORY

HALIFAX / STANFIELD INTL NS (Cont'd) CYHZ

SERVICES	
FUEL	100LL, JA-1 (FSII avbl)
OIL	All
S	1,2,3
ARFF	DESIGNATED CAT 8
SUP FL	ADI, D & A-ice
JASU	Elect Start Stewart-Stevenson 2650 Air Start
PVT ADV	Shell Aerocentre 123.4; PAL Aviation Services 129.3; Gateway Fac ULC 129.1 902-873-1900
MIL CON	Innotech Aviation Services (Shell) 902-873-3737
RWY DATA	Rwy 05(053°)/23(233°) 10500x200 ASPH/CONC Thld 23 displ 361' Rwy 14(143°)/32(323°) 7700x200 ASPH Rwy 32 down 0.54% RESA: All Rwys 492'
RWY CERT	Rwy 05 RVR 1200(1/4sm)/Rwy 23 RVR 600 AGN V Rwy 14 RVR 1200(1/4sm)/Rwy 32 RVR 1200(1/4sm) AGN V
RCR	Opr CRFI, PCN
LIGHTING	05-AN(TE HI CL) P3, 14-AN(TE HI), 23-AL(TE HI CL TDZL), 32-AN(TE HI) P3
COMM	
RCO	London rdo 123.275 (FISE) 126.7 (bcst) (emerg only 519-452-4049)
ATIS	121.0
CLNC DEL	123.95
GND	121.9 275.8
TWR	118.4 236.6 (E) (emerg only 902-873-1364)
TML	119.2 118.7 128.55 363.8
PAL	Moncton Ctr 135.3
NAV	
VOR/DME	YHZ 115.1 Ch 98 N44 55 23 W63 24 07 (599')
DME	IHZ 109.1 Ch 28 N44 53 35 W63 30 48 (449')
ILS	IJG 109.9 (Rwy 23) RVR IHZ 109.1 (Rwy 14) RVR
LOC	IGX 109.9 (Rwy 05)
PRO	Pilots should refer to Canadian Airport Charts (CAC) to obtain details on established hot spots, prior to operating on maneuvering areas. CAC are available for free on the NAV CANADA website. DE-ICING OPERATIONS 1. Ctc de-icing provider 30 min prior to dep if de-icing is rqrd. Notify de-icing provider of parking location, planned runway for dep and any special treatments prior to pushback: ICEMAN 122.950 OR 902-410-7748. 2. De-icing provider will assign de-ice pad and advise when ready. 3. DO NOT PUSH prior to assigned de-ice pad being ready. 4. To mitigate congestion on the APN, QUEUING for de-icing is NOT ACCEPTABLE. 5. Monitor Halifax GND 121.9 for all APN movement. 6. Follow instructions to designated de-ice pad. 7. Advise ICEMAN immediately once brakes set, acft configured and engines at idle. 8. After de-icing, configure acft for taxi, however, DO NOT MOVE ACFT. 9. Once instructed, ctc Halifax GND 121.9 for taxi.
CAUTION	Extensive bird activity in vic of rwys Oct-Mar.

CANADA WATER AERODROME SUPPLEMENT


Effective 0901Z 19 March 2026 to 0901Z 18 February 2027

B54 AERODROME/FACILITY DIRECTORY

ELLIOT LAKE / QUIRKE LAKE ON

CQL2

REF	N46 27 08 W82 33 22 5.8NE 9°W (2026) UTC-5(4) Elev 1135' A5000 A5001
OPR	John Greer 705-626-3705 Reg PPR
FLT PLN	
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
A/D DATA	Open water mid May-end Oct.
COMM	
ATF	tfc 123.0 5NM 4200 ASL excluding Elliot Lake Muni CZ.
PRO	Tkof and ldg E/W close to N shore of bay. Remain clear of boat launch.




ELMHIRST'S RESORT ON — See KEENE / ELMHIRST'S RESORT

FALL RIVER NS

CFR3

REF	N44 47 04 W63 38 30 1.3S 18°W (2014) UTC-4(3) Elev 122' A5003 T2
OPR	David Comeau 902-861-3739 Reg PPR
PF	A-1 C-2,5 D-3,4,6
FLT PLN	
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
ACC	(IFR only) Moncton 506-867-7177 or 866-480-8200.
A/D DATA	Open water Apr-Nov.
COMM	
ATF	tfc 123.2 4NM excluding Halifax CZ 1700 ASL



FALSE BAY BC — See LASQUETI ISLAND / FALSE BAY


NOVA SCOTIA

AERODROME / FACILITY DIRECTORY

STANLEY NS

CCW4

REF	N45 06 02 W63 55 14 12NE 18°W (2014) UTC-4(3) Elev 95' A5003 LO8 T2
OPR	Stanley Sport Avn 902-632-2251 Reg
PF	D-2,3,4,5,6
FLT PLN	
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
ACC	(IFR only) Moncton 506-867-7177 or 866-480-8200.
RWY DATA	Rwy 02/20 1900x90 GRASS Rwy 09/27 2600x125 GRASS/ASPH Rwy 15/33 1800x100 GRASS
RCR	Opr No win maint.
COMM	
ATF	UNICOM ltd hrs O/T tfc 122.8 5NM 2900 ASL
CAUTION	50' high trees on apch to Rwy 09. Unlgt'd twr 250 AGL 4.2 NM SE of A/D.




NOVA SCOTIA

AERODROME / FACILITY DIRECTORY

SHUBENACADIE NS (Heli)




CSU4

REF	N45 05 36 W63 23 43 Adj ENE 17°W (2021) UTC-4(3) Elev 80' A5003
OPR	NS Dept of Natural Resources and Renewables 902-758-3438 Reg PPR PN for RCMP, DND, Cdn Coast Guard, MEDEVAC.
PF	B-1 C-2,4,7,8 D-3,5,6
FLT PLN	FIC London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
HELI DATA	
RCR	FATO 100' dia GRASS Parking Pad 1: 42'dia CONC Parking Pad 2: 42'dia CONC Parking Pad 3: 42'dia CONC Opr
LIGHTING	RF(FH)
COMM	ATF tfc 123.2 5NM 3100 ASL
PRO	
CAUTION	Lgtd twr 423 ASL (315 AGL) 0.13NM NE



HALIFAX (QE II HEALTH SCIENCES CENTRE) NS (Heli)

CHQE



REF	N44 38 45 W63 35 12 Adj 18°W (2013) UTC-4(3) Elev 260' A5003 CAP
OPR	Queen Elizabeth II Health Sciences Centre 902-473-1661 Cert NVIS OPS AUTH PPR
FLT PLN	
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)
ACC	(IFR only) Moncton 506-867-7177 or 866-480-8200.
HELI DATA	FATO 87' dia non-supporting TLOF 58' dia rooftop/metal 16,000 lbs Safety Area 116' dia Max heli overall length 58' (CAR 602.96).
LIGHTING	RY(LO) RF(FL)

NOVA SCOTIA

AERODROME / FACILITY DIRECTORY

HALIFAX (QE II HEALTH SCIENCES CENTRE) NS (Heli) (Cont'd)

CHQE

COMM	ATIS MF/ATF	Shearwater 129.175 ltd hrs Shearwater Advsy ltd hrs O/T tfc 126.2 5NM centered on Shearwater Mil A/D 4NM E 3500 ASL
PRO		Arr/dep btwn 331° to 138° fr heli (H1). Remain over circular TLOF marking when manoeuvring over helipad to ensure obstacle clnc (CAR 602.96).
CAUTION		344' lighted smokestack close proximity of ldg pad. Non-uniform spacing of TLOF lgts. Foam nozzles 5 inches abv pad, lctd in safety netting.