

# FLIGHT PLAN & SITE SURVEY

CENTRAL LAKE ONTARIO CONSERVATION AUTHORITY

October 01, 2026



## IMPORTANT NOTICE

Please ensure you have received all required authorizations prior to flight. This Site Survey was created using RPAS Wilco. The user accepts all responsibility for the accuracy of the information.

Terms & Conditions: [rpaswilco.com/#tnc](https://rpaswilco.com/#tnc)

# Mission Information

CENTRAL LAKE ONTARIO CONSERVATION AUTHORITY

## FLIGHT DETAILS

|                    |                           |
|--------------------|---------------------------|
| Reference No:      | MAAC-4-3833               |
| Project Name:      | WHITBY AEROMODELLERS      |
| Pilot Name:        | MAAC                      |
| Pilot Certificate: |                           |
| Mission Type:      | VLOS                      |
| Flight Start:      | October 01, 2026 02:24 AM |
| Flight End:        | October 01, 2026 03:24 AM |

## LOCATION DETAILS

|                    |                                             |
|--------------------|---------------------------------------------|
| Flight Address:    | CENTRAL LAKE ONTARIO CONSERVATION AUTHORITY |
| Latitude:          | 43° 56' 25.35" N ( 43.94 )                  |
| Longitude:         | 78° 58' 56.64" W ( -78.982 )                |
| Field Elevation:   | 505 ft MSL                                  |
| Altitude / Radius: | 400.0 ft / 926.0 m ( 0.5 nm )               |
| Classification:    | CONTROLLED                                  |
| FIR / Contact:     | CZYZ / 905-676-4509                         |

### NOTES

Your flight is in controlled airspace.  
If your RPAS is > 250g, please obtain RPAS Flight Authorization using the NavDrone app or by contacting NavCanada. (CARs 901.71)


## REPORT CONTENTS

Site Survey • Obstacles (if available) • Nearby Aerodromes • Canadian Aviation Regulations • GFA • Aerodrome Supplements • METAR & TAF • NOTAMs • CFS

# Flight Map & MODEL Details

MISSION LOCATION SURVEY

## FLIGHT AREA MAP




## MISSION LOCATION DETAILS

| ROLE                                                                                          | LATITUDE                  | LONGITUDE                   |
|-----------------------------------------------------------------------------------------------|---------------------------|-----------------------------|
|  MODEL        | 43° 56' 25.35" N<br>43.94 | 78° 58' 56.64" W<br>-78.982 |
|  Pilot        |                           |                             |
|  Payload Op. |                           |                             |
|  Observer   |                           |                             |

# Airspace Classification

MISSION LOCATION SURVEY

## AIRSPACE MAP



## OVERLYING AIRSPACES

| Class | Name                                             | Floor   | Ceiling  |
|-------|--------------------------------------------------|---------|----------|
| D     | Oshawa, ON [CZ]                                  | SFC     | 3000MSL  |
| E     | Windsor, ON [TA]                                 | 700AGL  | 18000MSL |
| E     | Southern Ontario Low Level Control Area a) [CAE] | 2500MSL | 6500MSL  |
| E     | Southern Ontario Low Level Control Area c) [CAE] | 6500MSL | 18000MSL |
| E     | Toronto, ON [TSP RQ]                             | 6500MSL | 12500MSL |

## NEAREST AERODROMES & DISTANCE FROM OPERATION


|                                                                                                                                               |             |               |          |         |    |
|-----------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------------|----------|---------|----|
| AJAX (PR AJAX) (CAJ5 - AERODROME/HELIPORT - Reg)                                                                                              | Lat: 43.907 | Long: -79.047 | 5.459KM  | 2.948NM | SW |
| <b>Operator:</b> 1000363870 ONTARIO INC: PHONE: 416-605-3391, POST: UNKNOWN <b>FIR Contact:</b> 905-676-4509                                  |             |               |          |         |    |
| OSHAWA EXECUTIVE AIRPORT (CYOO - AERODROME - Cert)                                                                                            | Lat: 43.923 | Long: -78.896 | 6.256KM  | 3.378NM | E  |
| <b>Operator:</b> CORPORATION OF THE CITY OF OSHAWA: PHONE: 905-576-8146 , POST: UNKNOWN <b>FIR Contact:</b> 905-676-4509                      |             |               |          |         |    |
| AJAX (PICKERING GEN HOSPITAL) (CPE2 - HELIPORT - Cert)                                                                                        | Lat: 43.836 | Long: -79.017 | 11.029KM | 5.955NM | S  |
| <b>Operator:</b> LAKERIDGE HEALTH: PHONE: 905-683-2320, POST: UNKNOWN <b>FIR Contact:</b> 905-676-4509                                        |             |               |          |         |    |
| UTICA FIELD (CUT2 - AERODROME - Reg)                                                                                                          | Lat: 44.066 | Long: -79.021 | 13.359KM | 7.213NM | N  |
| <b>Operator:</b> ARNOLD KERRY: FAX: 905-985-9704, PHONE: 905-985-7792, POST: Box 717, Port Perry, ON L9L 1A6 <b>FIR Contact:</b> 905-676-4509 |             |               |          |         |    |
| HOSKIN (CPP3 - AERODROME - Reg)                                                                                                               | Lat: 44.062 | Long: -78.885 | 14.638KM | 7.904NM | NE |
| <b>Operator:</b> NORM HOSKIN: PHONE: 905-242-8920, POST: UNKNOWN <b>FIR Contact:</b> 905-676-4509                                             |             |               |          |         |    |

ONTARIO

AERODROME / FACILITY DIRECTORY

AJAX (PR AJAX) ON

CAJ5


|           |                                                                                                        |                                                                                   |
|-----------|--------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| REF       | N43 54 24 W79 02 50 Adj N<br>10°W (2024) UTC-5(4) Elev 460'<br>A1900 A5000                             |  |
| OPR       | 1000363870 Ontario Inc. 416-605-3391<br>Reg PPR                                                        |                                                                                   |
| FLT PLN   | FIC London 866-WXBRIEF (Toll free within<br>Canada) or 866-541-4104 (Toll free<br>within Canada & USA) |                                                                                   |
| RWY DATA  | Rwy 04(040°)/22(220°) 2700x75<br>GRASS<br>Rwy 12(124°)/30(304°) 2300x75<br>GRASS                       |                                                                                   |
| RCR       | Opr                                                                                                    |                                                                                   |
| HELI DATA | FATO/TLOF 56' x 40' CONC<br>Safety Area 76' x 50'<br>Max heli overall length 39'                       |                                                                                   |
| COMM      | ATF tfc 123.2 5NM 3500 ASL excluding Oshawa CZ                                                         |                                                                                   |
| PRO       | Heli arr/dep via runways, taxi to/fr helipad.                                                          |                                                                                   |
| CAUTION   | Unmarked p-lines aprx 100 AGL 200' NW Thld 12.                                                         |                                                                                   |

ONTARIO

AERODROME / FACILITY DIRECTORY

TORONTO / OSHAWA EXECUTIVE AIRPORT ON

CYOO

|          |                                                                                                                                                                                                                                                                                           |                                                                                   |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| REF      | N43 55 22 W78 53 47 Adj N<br>11°W (2015) UTC-5(4) Elev 460'<br>VTA A5000 LO6 T2 CAP                                                                                                                                                                                                       |  |
| OPR      | Corporation of the City of Oshawa<br>905-576-8146 11-04Z± O/T P N Cert                                                                                                                                                                                                                    |                                                                                   |
| PF       | A-2,7 B-6 C-1,3,4,5                                                                                                                                                                                                                                                                       |                                                                                   |
| CUST     | AOE/50 1330-2130Z± Mon-Fri<br>888-226-7277; AOE/15 Gen Avn<br>12-05Z±                                                                                                                                                                                                                     |                                                                                   |
| FLT PLN  | Pilots to open/close VFR flt pln with<br>London rdo 123.15 or by phone.                                                                                                                                                                                                                   |                                                                                   |
| FIC      | London 866-WXBRIEF (Toll free within<br>Canada) or 866-541-4104 (Toll free<br>within Canada & USA)                                                                                                                                                                                        |                                                                                   |
| WX       | METAR AUTO H24 (see COMM)<br>TAF H24, issue times: 02, 08, 14 and 20Z<br>WxCam                                                                                                                                                                                                            |                                                                                   |
| SERVICES |                                                                                                                                                                                                                                                                                           |                                                                                   |
| FUEL     | 100LL (cardlock on Apron I), JA-1                                                                                                                                                                                                                                                         |                                                                                   |
| OIL      | All                                                                                                                                                                                                                                                                                       |                                                                                   |
| S        | 1,2,3,4,5,6                                                                                                                                                                                                                                                                               |                                                                                   |
| PVT ADV  | Enterprise Air Inc 131.05 905-721-0054                                                                                                                                                                                                                                                    |                                                                                   |
| RWY DATA | Rwy 12(122°)/30(302°) 5057x100 ASPH Thld 12 displ 254' Thld 30 displ 554'<br>Rwy 05(046°)/23(226°) 2654x100 ASPH Rwy 23 down 0.6%                                                                                                                                                         |                                                                                   |
| RWY CERT | Rwy 12 RVR 1200(1/4sm)/Rwy 30 RVR 1200(1/4sm) AGN IIIA<br>Rwy 05/23 AGN II                                                                                                                                                                                                                |                                                                                   |
| TWY CERT | Twy A AGN I<br>Twy C: AGN I fr Apron V to Twy B & AGN IIIA fr Twy B to Rwy 12/30 & AGN I fr<br>Rwy 12/30 to Rwy 05/23                                                                                                                                                                     |                                                                                   |
| TWY      | Normal Rwy 30 deps are from Twy B. Acft requiring full length must notify gnd ctl on<br>initial contact.<br>Twy C (north of B): Uncontrolled.<br>Twy E: Rstd for use by piston-engine acft with wingspan of 43' or greater, and all<br>turbojet and turbofan acft regardless of wingspan. |                                                                                   |
| RCR      | Twr 905-576-2398 RSC/CRFI avbl 1130-0330Z± OPR 905-243-9376<br>RSC/CRFI avbl 0330-1130Z± PCN                                                                                                                                                                                              |                                                                                   |
| LIGHTING | 05-AS(TE ME) P1, 23-(TE ME) P1, 12-AS(TE HI) P2, 30-AS(TE HI) P2<br>ARCAL-120.1 type K                                                                                                                                                                                                    |                                                                                   |
| COMM     |                                                                                                                                                                                                                                                                                           |                                                                                   |
| RCO      | London rdo 123.15 (FISE)                                                                                                                                                                                                                                                                  |                                                                                   |
| ATIS     | 125.675 1130-0330Z±                                                                                                                                                                                                                                                                       |                                                                                   |
| GND      | 118.4 1130-0330Z±                                                                                                                                                                                                                                                                         |                                                                                   |
| TWR      | 120.1 (V) 1130-0330Z± (emerg only 905-576-2398)                                                                                                                                                                                                                                           |                                                                                   |
| MF       | tfc 120.1 0330-1130Z± 5NM 3000 ASL (CAR 602.98)                                                                                                                                                                                                                                           |                                                                                   |
| ARR      | Toronto tml 133.4                                                                                                                                                                                                                                                                         |                                                                                   |
| DEP      | Toronto tml 133.4                                                                                                                                                                                                                                                                         |                                                                                   |
| AWOS     | 125.675 0330-1130Z±                                                                                                                                                                                                                                                                       |                                                                                   |

ONTARIO

AERODROME / FACILITY DIRECTORY

TORONTO / OSHAWA EXECUTIVE AIRPORT ON (Cont'd)


CYOO

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PRO     | <p>Rgt hand circuits Rwy 23 &amp; 30 (CAR 602.96).<br/>On dep no turns below 1000 ASL. Arr turns to final apch will be made at or above 1000 ASL. <b>Filts proh btwn 2230 &amp; 0630 lcl unless appr by APM. Ctc opr for details.</b> Pilots are requested to maintain 2000 ASL or above over Metropolitan Toronto Zoo (N43 49 05 W79 11 15). Tng flt prohibited at all times unless approved by APM. Ctc OPR for details.</p> |
| CAUTION | <p>Winch launched hang gliders, cable up to 2000 AGL fr N43 55 W79 08 aprx 11NM W of A/D. Wildlife frequently on rwys.</p>                                                                                                                                                                                                                                                                                                     |

ONTARIO

AERODROME / FACILITY DIRECTORY

TORONTO / OSHAWA EXECUTIVE AIRPORT VFR TERMINAL PROCEDURES CHART





| NAME                            | IDENT | LAT/LONG                  |
|---------------------------------|-------|---------------------------|
| BLACKSTOCK                      | VCBLS | N44° 06' 34" W78° 49' 18" |
| BROUGHAM                        | VCBRH | N43° 55' 07" W79° 06' 23" |
| CLAREMONT                       | VCCLM | N43° 58' 19" W79° 07' 49" |
| HAMPTON                         | VCHMP | N43° 57' 57" W78° 44' 13" |
| PICKERING NUCLEAR POWER STATION | VCPKR | N43° 49' 00" W79° 03' 00" |
| PORT PERRY                      | VCPRY | N44° 06' 00" W78° 56' 42" |
| ST. MARY'S CEMENT               | VCSMC | N43° 53' 00" W78° 42' 00" |

ONTARIO

AERODROME / FACILITY DIRECTORY

AJAX (PICKERING GEN HOSP) ON (Heli)

CPE2



|           |                                                                                                                                                       |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| REF       | N43 50 09 W79 01 03 Adj 11°W (2013) UTC-5(4) Elev 301' VTA A5000                                                                                      |
| OPR       | Lakeridge Health 905-683-2320 Cert NVIS OPS AUTH PPR                                                                                                  |
| FLT PLN   |                                                                                                                                                       |
| FIC       | London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)                                                          |
| HELI DATA | FATO/TLOF 86' dia CONC/ASPH Safety Area 115' dia<br>Max heli overall length 57.4' (CAR 602.96)                                                        |
| LIGHTING  | RY(LO) green RF(FL)                                                                                                                                   |
| COMM      |                                                                                                                                                       |
| A/G       | Ambulance dispatch 129.275                                                                                                                            |
| PRO       | Arr/dep 053° to 083° fr heli, (H1) (CAR 602.96). Arr/dep 266° to 316° fr heli, (H1) (CAR 602.96). NVIS rqrd for night use, all flt path (CAR 602.96). |
| CAUTION   | Unmarked P-lines 357 ASL (57 AGL) aprx 120' S of heli. Trees adj W of heli. P-lines adj S of heli.                                                    |


## AERODROME/FACILITY DIRECTORY

## CUT2

|                 |                                                                                                    |
|-----------------|----------------------------------------------------------------------------------------------------|
| <b>REF</b>      | N44 03 58 W79 01 15 4.1WSW<br>11°W (2016) UTC-5(4) Elev 920'<br>VTA A5000                          |
| <b>OPR</b>      | Arnold Kerry 905-985-7792 Reg PPR                                                                  |
| <b>PF</b>       | C-1,2,4 D-3,5,6,7,8                                                                                |
| <b>FLT PLN</b>  |                                                                                                    |
| <b>FIC</b>      | London 866-WXBRIEF (Toll free within<br>Canada) or 866-541-4104 (Toll free<br>within Canada & USA) |
| <b>RWY DATA</b> | Rwy 08(075°)/26(255°) 1968x75<br>GRASS Rwy 08 down 1.68%                                           |
| <b>RCR</b>      | Opr No maint                                                                                       |
| <b>COMM</b>     |                                                                                                    |
| <b>ATF</b>      | tfc 123.2 2NM 4000 ASL excluding Greenbank (CNP8) ATF area                                         |

PORT PERRY / HOSKIN ON

CPP3

|          |                                                                                                                                            |                                                                                   |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| REF      | N44 03 42 W78 53 07 2.5SE<br>11°W (2013) UTC-5(4) Elev 900'<br>VTA A5000                                                                   |  |
| OPR      | Norm Hoskin 905-242-8920 Reg PPR                                                                                                           |                                                                                   |
| PF       | C-1,2,3,4,5,6                                                                                                                              |                                                                                   |
| FLT PLN  |                                                                                                                                            |                                                                                   |
| FIC      | London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)                                               |                                                                                   |
| SERVICES |                                                                                                                                            |                                                                                   |
| S        | 1,4,5                                                                                                                                      |                                                                                   |
| RWY DATA | Rwy 18(177°)/36(357°) 2200x60<br>GRASS                                                                                                     |                                                                                   |
| RCR      | Opr No win maint Rwy soft when wet.                                                                                                        |                                                                                   |
| COMM     |                                                                                                                                            |                                                                                   |
| ATF      | tfc 123.2 2NM 3900 ASL                                                                                                                     |                                                                                   |
| CAUTION  | Treeline parallels W side of rwy edge by 40'. Ditch running parallel to both sides of rwy at midfield. Numerous tall trees on apch Rwy 36. |                                                                                   |