

FLIGHT PLAN & SITE SURVEY

7.5 KMS E OF HWY 2 ON TOWNSHIP ROAD 374

October 01, 2026



IMPORTANT NOTICE

Please ensure you have received all required authorizations prior to flight. This Site Survey was created using RPAS Wilco. The user accepts all responsibility for the accuracy of the information.

Terms & Conditions: rpaswilco.com/#tnc

Mission Information

7.5 KMS E OF HWY 2 ON TOWNSHIP ROAD 374

FLIGHT DETAILS

Reference No:	MAAC-37-3905
Project Name:	CENTRAL ALBERTA RADIO FUN FLYERS (RED DEER)
Pilot Name:	MAAC
Pilot Certificate:	
Mission Type:	VLOS
Flight Start:	October 01, 2026 12:25 AM
Flight End:	October 01, 2026 01:25 AM

LOCATION DETAILS

Flight Address:	7.5 KMS E OF HWY 2 ON TOWNSHIP ROAD 374
Latitude:	52° 12' 8.30" N (52.202)
Longitude:	113° 42' 18.60" W (-113.705)
Field Elevation:	2936 ft MSL
Altitude / Radius:	400.0 ft / 926.0 m (0.5 nm)
Classification:	UNCONTROLLED
FIR / Contact:	CZEG / 780-890-8397

REPORT CONTENTS

Site Survey • Obstacles (if available) • Nearby Aerodromes • Canadian Aviation Regulations • GFA • Aerodrome Supplements • METAR & TAF • NOTAMs • CFS

MISSION LOCATION SURVEY

The map displays the McKenzie Industrial Park area. A red 'X' marks the proposed location of a new airport, situated within a blue circle representing the existing airport's boundary. The map is overlaid with a grid of townships and ranges. Key features include:

- Township and Range Grid:** Townships 360, 380, and 374; Ranges 272, 271, 270, 269, 268, 267, 266, 265, 264, 263, 262, 261, 260, 259, 258, 257, 256, 255, 254, 253, 252, 251, 250, 249, 248, 247, 246, 245, 244, 243, 242, 241, 240, 239, 238, 237, 236, 235, 234, 233, 232, 231, 230, 229, 228, 227, 226, 225, 224, 223, 222, 221, 220, 219, 218, 217, 216, 215, 214, 213, 212, 211, 210, 209, 208, 207, 206, 205, 204, 203, 202, 201, 200, 199, 198, 197, 196, 195, 194, 193, 192, 191, 190, 189, 188, 187, 186, 185, 184, 183, 182, 181, 180, 179, 178, 177, 176, 175, 174, 173, 172, 171, 170, 169, 168, 167, 166, 165, 164, 163, 162, 161, 160, 159, 158, 157, 156, 155, 154, 153, 152, 151, 150, 149, 148, 147, 146, 145, 144, 143, 142, 141, 140, 139, 138, 137, 136, 135, 134, 133, 132, 131, 130, 129, 128, 127, 126, 125, 124, 123, 122, 121, 120, 119, 118, 117, 116, 115, 114, 113, 112, 111, 110, 109, 108, 107, 106, 105, 104, 103, 102, 101, 100, 99, 98, 97, 96, 95, 94, 93, 92, 91, 90, 89, 88, 87, 86, 85, 84, 83, 82, 81, 80, 79, 78, 77, 76, 75, 74, 73, 72, 71, 70, 69, 68, 67, 66, 65, 64, 63, 62, 61, 60, 59, 58, 57, 56, 55, 54, 53, 52, 51, 50, 49, 48, 47, 46, 45, 44, 43, 42, 41, 40, 39, 38, 37, 36, 35, 34, 33, 32, 31, 30, 29, 28, 27, 26, 25, 24, 23, 22, 21, 20, 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2, 1, 0, -1, -2, -3, -4, -5, -6, -7, -8, -9, -10, -11, -12, -13, -14, -15, -16, -17, -18, -19, -20, -21, -22, -23, -24, -25, -26, -27, -28, -29, -30, -31, -32, -33, -34, -35, -36, -37, -38, -39, -40, -41, -42, -43, -44, -45, -46, -47, -48, -49, -50, -51, -52, -53, -54, -55, -56, -57, -58, -59, -60, -61, -62, -63, -64, -65, -66, -67, -68, -69, -70, -71, -72, -73, -74, -75, -76, -77, -78, -79, -80, -81, -82, -83, -84, -85, -86, -87, -88, -89, -90, -91, -92, -93, -94, -95, -96, -97, -98, -99, -100.
- Roads:** 195th St, 196th St, 197th St, 198th St, 199th St, 200th St, 201st St, 202nd St, 203rd St, 204th St, 205th St, 206th St, 207th St, 208th St, 209th St, 210th St, 211th St, 212th St, 213th St, 214th St, 215th St, 216th St, 217th St, 218th St, 219th St, 220th St, 221st St, 222nd St, 223rd St, 224th St, 225th St, 226th St, 227th St, 228th St, 229th St, 230th St, 231st St, 232nd St, 233rd St, 234th St, 235th St, 236th St, 237th St, 238th St, 239th St, 240th St, 241st St, 242nd St, 243rd St, 244th St, 245th St, 246th St, 247th St, 248th St, 249th St, 250th St, 251st St, 252nd St, 253rd St, 254th St, 255th St, 256th St, 257th St, 258th St, 259th St, 260th St, 261st St, 262nd St, 263rd St, 264th St, 265th St, 266th St, 267th St, 268th St, 269th St, 270th St, 271st St, 272nd St, 273rd St, 274th St, 275th St, 276th St, 277th St, 278th St, 279th St, 280th St, 281st St, 282nd St, 283rd St, 284th St, 285th St, 286th St, 287th St, 288th St, 289th St, 290th St, 291st St, 292nd St, 293rd St, 294th St, 295th St, 296th St, 297th St, 298th St, 299th St, 300th St, 301st St, 302nd St, 303rd St, 304th St, 305th St, 306th St, 307th St, 308th St, 309th St, 310th St, 311th St, 312th St, 313th St, 314th St, 315th St, 316th St, 317th St, 318th St, 319th St, 320th St, 321st St, 322nd St, 323rd St, 324th St, 325th St, 326th St, 327th St, 328th St, 329th St, 330th St, 331st St, 332nd St, 333rd St, 334th St, 335th St, 336th St, 337th St, 338th St, 339th St, 340th St, 341st St, 342nd St, 343rd St, 344th St, 345th St, 346th St, 347th St, 348th St, 349th St, 350th St, 351st St, 352nd St, 353rd St, 354th St, 355th St, 356th St, 357th St, 358th St, 359th St, 360th St, 361st St, 362nd St, 363rd St, 364th St, 365th St, 366th St, 367th St, 368th St, 369th St, 370th St, 371st St, 372nd St, 373rd St, 374th St, 375th St, 376th St, 377th St, 378th St, 379th St, 380th St, 381st St, 382nd St, 383rd St, 384th St, 385th St, 386th St, 387th St, 388th St, 389th St, 390th St, 391st St, 392nd St, 393rd St, 394th St, 395th St, 396th St, 397th St, 398th St, 399th St, 400th St, 401st St, 402nd St, 403rd St, 404th St, 405th St, 406th St, 407th St, 408th St, 409th St, 410th St, 411th St, 412th St, 413th St, 414th St, 415th St, 416th St, 417th St, 418th St, 419th St, 420th St, 421st St, 422nd St, 423rd St, 424th St, 425th St, 426th St, 427th St, 428th St, 429th St, 430th St, 431st St, 432nd St, 433rd St, 434th St, 435th St, 436th St, 437th St, 438th St, 439th St, 440th St, 441st St, 442nd St, 443rd St, 444th St, 445th St, 446th St, 447th St, 448th St, 449th St, 450th St, 451st St, 452nd St, 453rd St, 454th St, 455th St, 456th St, 457th St, 458th St, 459th St, 460th St, 461st St, 462nd St, 463rd St, 464th St, 465th St, 466th St, 467th St, 468th St, 469th St, 470th St, 471st St, 472nd St, 473rd St, 474th St, 475th St, 476th St, 477th St, 478th St, 479th St, 480th St, 481st St, 482nd St, 483rd St, 484th St, 485th St, 486th St, 487th St, 488th St, 489th St, 490th St, 491st St, 492nd St, 493rd St, 494th St, 495th St, 496th St, 497th St, 498th St, 499th St, 500th St, 501st St, 502nd St, 503rd St, 504th St, 505th St, 506th St, 507th St, 508th St, 509th St, 510th St, 511th St, 512th St, 513th St, 514th St, 515th St, 516th St, 517th St, 518th St, 519th St, 520th St, 52

ROLE	LATITUDE	LONGITUDE
MODEL	52° 12' 8.30" N 52.202	113° 42' 18.60" W -113.705
Pilot		
Payload Op.		
Observer		

Airspace Classification

MISSION LOCATION SURVEY

AIRSPACE MAP



OVERLYING AIRSPACES

Class	Name	Floor	Ceiling
E	T759 Fixed RNAV Route	2200AGL	12500MSL
E	T753 Fixed RNAV Route	2200AGL	12500MSL
E	Red Deer, AB [TA]	4000MSL	18000MSL

NEAREST AERODROMES & DISTANCE FROM OPERATION

LEBLANC (CLB5 - HELIPORT - Reg)	Lat: 52.214	Long: -113.7	0.469KM	0.253NM	N
Operator: MARCEL LEBLANC: PHONE: 403-350-6868, POST: UNKNOWN FIR Contact: 780-890-8397					
ALLAN DALE RESIDENCE (CAD2 - HELIPORT - Reg)	Lat: 52.269	Long: -113.699	6.55KM	3.537NM	N
Operator: ALLAN DALE: PHONE: 403-350-8051, POST: 124-38254 Range Road 265 Red Deer T4E0A2 FIR Contact: 780-890-8397					
RED DEER REGIONAL HOSPITAL CENTRE (CRD3 - HELIPORT - Cert)	Lat: 52.262	Long: -113.816	9.113KM	4.921NM	NW
Operator: ALBERTA HEALTH SERVICES: PHONE: 888-999-3770, POST: UNKNOWN FIR Contact: 780-890-8397					
RED DEER REGIONAL (CYQF - AERODROME - Cert)	Lat: 52.185	Long: -113.894	12.123KM	6.546NM	W
Operator: RED DEER REGIONAL AIRPORT AUTHORITY: PHONE: 403-886-4388, POST: UNKNOWN FIR Contact: 780-890-8397					
ALLAN DALE TRAILERS AND RV (CAD3 - HELIPORT - Reg)	Lat: 52.309	Long: -113.863	15.05KM	8.126NM	NW
Operator: ALLAN DALE: PHONE: 403-346-3148, POST: 3 Queens Drive Red Deer, T4P0K1 FIR Contact: 780-890-8397					

RED DEER / LEBLANC AB (Heli)

CLB5



REF	N52 12 52 W113 42 00 5.2ESE 14°E (2025) UTC-7(6) Elev 3028' A5005 A5015	
OPR	Marcel LeBlanc 403-350-6868 Reg PPR	
FLT PLN		
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)	
HELI DATA	FATO 64' dia GRASS/CONC TLOF 40' x 40' CONC Safety Area 75' x 75' Max heli overall length 43' Opr Ltd win maint	
RCR		
COMM		
ATF	tfc 118.5 2NM 6100 ASL	
PRO	Arr/dep 182° to 337° fr heli. Red Deer Common Frequency Area 122.875 outside of A/D ATF. See SECTION C PLANNING.	
CAUTION	Trees N and S of heli. Lgtd twr 3763 ASL (450 AGL) 2.3NM NE of heli.	

ALBERTA

AERODROME/FACILITY DIRECTORY

RED DEER / ALLAN DALE RESIDENCE AB (Heli)

CAD2





REF	N52 16 11 W113 41 59 4.1E 15°E (2015) UTC-7(6) Elev 3123' A5005 A5015
OPR	Allan Dale 403-350-8051 Reg PPR
PF	C-1,2,3,4,5,6
FLT PLN	
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
HELI DATA	FATO 58' dia GRASS TLOF 20' x 20' CONC Safety Area 77' dia Max heli overall length 38.4'
COMM	
ATF	tfc 118.5 2NM 6200 ASL
PRO	Arr/dep curved 272° to 295° fr heli, slope 8% (H3), day use only. Arr/dep curved 240° to 205° fr heli, slope 8% (H3), day use only. Red Deer Common Frequency Area 122.875 outside of A/D ATF. See SECTION C PLANNING.
CAUTION	Trees on short final on all apch

ALBERTA

AERODROME / FACILITY DIRECTORY


RED DEER REGIONAL HOSP CENTRE AB (Heli)

CRD3




REF	N52 15 43 W113 48 57 15°E (2013) UTC-7(6) Elev 2876' A5005 A5015
OPR	Alberta Health Services 888-999-3770 Cert NVIS OPS AUTH PPR
PF	A-1,2,3 C-4,5,6
FLT PLN	
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
ACC	Edmonton IFR 888-358-7526
HELI DATA	FATO 86' dia non-supporting TLOF 57' dia CONC elevated Safety Area 115' dia 16,000 lbs Max heli overall length 57.4' (CAR 602.96)
LIGHTING	RY(ME) green
COMM	
RCO	Edmonton rdo 123.475 (FISE) 126.7 (bcst)
ATIS	124.0
TWR	Red Deer 118.5 (V) 13-05Z± (emerg only 403-886-4547)
ATF	tfc 118.5 2NM 5900 ASL excluding airspace within Red Deer CZ
PAL	Edmonton Centre 132.85
PRO	Arr/dep 074° to 110° fr heli, (H1) (CAR 602.96). Arr/dep 298° to 010° fr heli, (H1) (CAR 602.96). Red Deer Common Frequency Area 122.875 outside of A/D ATF. See SECTION C PLANNING.
CAUTION	Marked P-lines and poles 165' SE, 20' AAE. Bldg 307' NE, 57' AAE, marked with obst lghts. Hosp 113' W, 87' AAE marked with lghtd WI.

RED DEER VFR TERMINAL PROCEDURES CHART



RED DEER VFR TERMINAL PROCEDURES CHART (Cont'd)



RED DEER VFR TERMINAL PROCEDURES CHART (Cont'd)

NAME	IDENT	LAT/LONG
BLACKFALDS	VCBFD	N52° 22' 29" W113° 49' 18"
BRIDGE	VCBDG	N52° 08' 39" W113° 58' 05"
CANYON SKI HILL	VCCSH	N52° 18' 14" W113° 41' 00"
COLONY	VCCLY	N52° 08' 40" W114° 05' 49"
COULEE	VCCOU	N51° 57' 44" W113° 51' 32"
DICKSON DAM	VCDSO	N52° 03' 16" W114° 12' 47"
JOFFRE	VCJFF	N52° 19' 59" W113° 31' 54"
PINE LAKE	VCPKE	N52° 07' 08" W113° 28' 50"
SYLVAN JUNCTION	VCSJT	N52° 16' 58" W114° 04' 24"
THE BEND	VCBND	N52° 08' 05" W113° 43' 04"
TRUCK STOP	VCTRS	N52° 08' 41" W113° 49' 22"
TWIN PONDS	VCTWP	N52° 13' 14" W113° 57' 19"
WESTERNER	VCWES	N52° 13' 27" W113° 48' 29"

COMMON FREQUENCY AREA:

Within 25NM of CYQF, and outside of the CZ/MF, pilots should familiarize themselves with the use of the Alberta - Red Deer Common Frequency Area (see CFS Planning Section) and use the common frequency 122.875.

ARRIVAL PROCEDURES

Obtain the ATIS message on 124.0 prior to establishing contact on 118.5.

If able, pilots are required to turn on navigation, anti-collision, and landing lights while operating within the CZ/MF.


During Class D operations (13-05Z+), pilots are expected to follow the instructions assigned by CYQF Tower.

ALBERTA

AERODROME / FACILITY DIRECTORY

RED DEER REGIONAL AB

CYQF



REF	N52 11 06 W113 53 40 6SSW 14°E (2016) UTC-7(6) Elev 2968' A5005 A5015 LO2 HI3 CAP
OPR	Red Deer Regional Aprt Authority 403-886-4388 Cert Ldg fees
PF	A-1,2,3,7 C-2,3,4,5,6
FLT PLN	
FIC	Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
ACC	Edmonton IFR 888-358-7526
WX	METAR AUTO H24 (see COMM) WxCam TAF H24, issue times: 00, 06, 12, 18Z.
SERVICES	Call out chg may be levied for one or more svcs
FUEL	100LL, JA, JA-1 (FSII avbl) Hillman Air (100LL only, self serve); Sky Wings Avn (Executive Flt Centre) 15-04Z±; Tucana Avn
OIL	All
S	1,2,3,5 Tucana Avn
SUP FL	D & A-ice 2 hr PN Tucana Avn, LPOX
JASU	10/15
PVT ADV	Hillman Air 403-886-4187; Sky Wings Avn (Executive Flt Centre) 123.4 403-886-5191 15-04Z±; Tucana Avn 403-596-6320.
MIL CON	Flight Fuels Limited Partnership 403-596-6320
RWY DATA	Rwy 17(165°)/35(345°) 7500x150 ASPH Rwy 12(115°)/30(295°) 3454x100 ASPH Thld 12 displ 200' Rwy 30 up 0.52% RESA: 17/35 492'
RWY CERT	Rwy 17/35 AGN IIIB Rwy 12/30 AGN II
TWY CERT	Twy D AGN II
RCR	Opr CRFI & Win maint 1330-2200Z± Mon-Fri exc hols, O/T 2 hrs PN ctc 403-318-7842. Call out charge may be levied.

ALBERTA


AERODROME / FACILITY DIRECTORY

RED DEER REGIONAL AB (Cont'd)

CYQF

LIGHTING	12-(TE ME), 30-(TE ME), 17-AS(TE HI) P2, 35-AS(TE HI) P2 ARCAL-118.5 type K when TWR clsd
COMM	
RCO	Edmonton rdo 123.475 (FISE) 126.7 (bcst)
ATIS	124.0 13-05Z±
GND	121.9 13-05Z±
TWR	118.5 (V) 13-05Z± (emerg only 403-886-4547)
MF	tfc 118.5 05-13Z± 5NM 6000 ASL (CAR 602.98)
PAL	Edmonton Ctr 132.85
AWOS	124.0 05-13Z±
NAV	
NDB	RED DEER YQF 320 (L) N52 07 42 W113 53 58
DME	RED DEER 6G 113.8 Ch 85 N52 10 52 W113 52 58 (2974') Pvt RED DEER YRH 114.8 Ch 95 N52 10 45 W113 54 13 (3045')
PRO	Rgt hand circuits Rwys 12 & 17 (CAR 602.96). Red Deer Common Frequency Area 122.875 outside of CZ. See SECTION C PLANNING.
HELI	Use Heli Training Area "NORTH" sfc to 500 AGL.
CAUTION	Wildlife in vic of rwys. Acft at opposite ends of Rwy 17/35 may not be vis to each other. Twy D sfc ruf. Practice IFR approaches in vic Rwy 17/35 extended ctr lines beyond CZ. Extv flt tng within 20NM of A/D, all quadrants to 6500 ASL. Parajumps activity in vic Innisfail/Big Bend A/D 8NM SSW check for NOTAM. Intsv gliding activity to 6400 ASL in vic Olds (Netook) A/D 21NM S by NOTAM. Winch cable may extend from sfc to 5800 ASL (2500 AGL).


RED DEER VFR TERMINAL PROCEDURES CHART



ALBERTA

AERODROME / FACILITY DIRECTORY

RED DEER VFR TERMINAL PROCEDURES CHART (Cont'd)



TRAINING AREAS
1, 2, 3, 6, 7, 8:
SFC TO BELOW 8000 ASL

E4000 ASL MODE C

SYLVAN JUNCTION

TWIN PONDS

BRIDGE

COLONY

TRUANT SOUTH

RED DEER REGIONAL CENTRE

RED DEER REGIONAL

THE BEND

TRUCK STOP

SEE CFS PLANNING SECTION FOR INFORMATION ON RED DEER COMMON FREQUENCY AREA (CFA)

SEE CFS PLANNING SECTION FOR INFORMATION ON RED DEER COMMON FREQUENCY AREA (CFA)

10 NM

0 5 10 NM

3527

3763

3597

3889

3291

3366

3120

3088

595

592

42

2

2A

11

781

076°

262°

176°

ALLAN DALE RESIDENCE

LEBLANC

WESTERNER

North Hill Training Area

Springbrook

Penhold

YQF

RED DEER VFR TERMINAL PROCEDURES CHART (Cont'd)

NAME	IDENT	LAT/LONG
BLACKFALDS	VCBFD	N52° 22' 29" W113° 49' 18"
BRIDGE	VCBDG	N52° 08' 39" W113° 58' 05"
CANYON SKI HILL	VCCSH	N52° 18' 14" W113° 41' 00"
COLONY	VCCLY	N52° 08' 40" W114° 05' 49"
COULEE	VCCOU	N51° 57' 44" W113° 51' 32"
DICKSON DAM	VCDSO	N52° 03' 16" W114° 12' 47"
JOFFRE	VCJFF	N52° 19' 59" W113° 31' 54"
PINE LAKE	VCPKE	N52° 07' 08" W113° 28' 50"
SYLVAN JUNCTION	VCSJT	N52° 16' 58" W114° 04' 24"
THE BEND	VCBND	N52° 08' 05" W113° 43' 04"
TRUCK STOP	VCTRS	N52° 08' 41" W113° 49' 22"
TWIN PONDS	VCTWP	N52° 13' 14" W113° 57' 19"
WESTERNER	VCWES	N52° 13' 27" W113° 48' 29"

COMMON FREQUENCY AREA:

Within 25NM of CYQF, and outside of the CZ/MF, pilots should familiarize themselves with the use of the Alberta - Red Deer Common Frequency Area (see CFS Planning Section) and use the common frequency 122.875.

ARRIVAL PROCEDURES



Obtain the ATIS message on 124.0 prior to establishing contact on 118.5.

If able, pilots are required to turn on navigation, anti-collision, and landing lights while operating within the CZ/MF.

During Class D operations (13-05Z+), pilots are expected to follow the instructions assigned by CYQF Tower.

RED DEER / ALLAN DALE TRAILERS & RV AB (Heli)

CAD3



REF	N52 18 32 W113 51 48 3.1NW 15°E (2015) UTC-7(6) Elev 2936' A5005 A5015
OPR	Allan Dale 403-346-3148 Reg PPR
PF	C-1,2,3,4,5,6
FLT PLN	FIC Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)
HELI DATA	FATO/TLOF 58' dia GRVL Safety Area 77' dia Max heli overall length 42.7'
COMM	ATF tfc 118.5 2NM 6000 ASL
PRO	Arr/dep 220° to 262° fr heli, slope 8% (H3), day use only. Red Deer Common Frequency Area 122.875 outside of A/D ATF. See SECTION C PLANNING.
CAUTION	Lgt poles S of heli. Large traffic W of heli.