

FLIGHT PLAN & SITE SURVEY

COPPA'S COMMUNITY ROOM

October 01, 2026



IMPORTANT NOTICE

Please ensure you have received all required authorizations prior to flight. This Site Survey was created using RPAS Wilco. The user accepts all responsibility for the accuracy of the information.

Terms & Conditions: rpaswilco.com/#tnc

Mission Information

COPPA'S COMMUNITY ROOM

FLIGHT DETAILS

Reference No:	MAAC-119-5412
Project Name:	ELECTRIC MODEL FLYERS OF SOUTHERN ONTARIO
Pilot Name:	MAAC
Pilot Certificate:	
Mission Type:	VLOS
Flight Start:	October 01, 2026 02:42 AM
Flight End:	October 01, 2026 03:42 AM

LOCATION DETAILS

Flight Address:	COPPA'S COMMUNITY ROOM
Latitude:	43° 56' 1.14" N (43.934)
Longitude:	79° 30' 28.26" W (-79.508)
Field Elevation:	988 ft MSL
Altitude / Radius:	400.0 ft / 926.0 m (0.5 nm)
Classification:	UNCONTROLLED
FIR / Contact:	CZYZ / 905-676-4509


REPORT CONTENTS

Site Survey • Obstacles (if available) • Nearby Aerodromes • Canadian Aviation Regulations • GFA • Aerodrome Supplements • METAR & TAF • NOTAMs • CFS

Flight Map & MODEL Details

MISSION LOCATION SURVEY

FLIGHT AREA MAP




MISSION LOCATION DETAILS

ROLE	LATITUDE	LONGITUDE
 MODEL	43° 56' 1.14" N 43.934	79° 30' 28.26" W -79.508
 Pilot		
 Payload Op.		
 Observer		

Airspace Classification

MISSION LOCATION SURVEY

AIRSPACE MAP



OVERLYING AIRSPACES


Class	Name	Floor	Ceiling
E	Windsor, ON [TA]	700AGL	18000MSL
C	Toronto, ON c) [TCA]	2500MSL	3500MSL
E	Southern Ontario Low Level Control Area a) [CAE]	2500MSL	6500MSL
C	Toronto, ON d) [TCA]	3500MSL	4500MSL
C	Toronto, ON e) [TCA]	4500MSL	12500MSL
E	Southern Ontario Low Level Control Area c) [CAE]	6500MSL	18000MSL
E	Toronto, ON [TSP RQ]	6500MSL	12500MSL

NEAREST AERODROMES & DISTANCE FROM OPERATION

KINGBRIDGE (CKC3 - HELIPORT - Reg)	Lat: 43.917	Long: -79.556	3.362KM	1.815NM	SW
Operator: THE KINGBRIDGE CENTRE: PHONE: 437-996-0396, POST: UNKNOWN FIR Contact: 905-676-4509					
AMAROO (CNA6 - HELIPORT - Reg)	Lat: 43.955	Long: -79.619	8.268KM	4.464NM	W
Operator: D. VALELA: PHONE: 416-275-9972, POST: UNKNOWN FIR Contact: 905-676-4509					
KLEINBURG (TAVARES FIELD) (CTV4 - AERODROME/HELIPORT - Reg)	Lat: 43.861	Long: -79.599	9.934KM	5.364NM	SW
Operator: DANIEL TAVARES: PHONE: 416-801-5567, POST: UNKNOWN FIR Contact: 905-676-4509					
HOLLAND LANDING AIRPARK (CLA4 - AERODROME - Reg)	Lat: 44.089	Long: -79.495	16.428KM	8.87NM	N
Operator: HOLLAND LANDING AIRPARK: PHONE: 905-853-0524, POST: UNKNOWN FIR Contact: 905-676-4509					
BOLTON (CNB2 - HELIPORT - Cert)	Lat: 43.852	Long: -79.695	16.589KM	8.957NM	SW
Operator: NATIONAL HELICOPTER INCORPORATED: FAX: 905-893-2700 , PHONE: 905-893-2727, POST: 11339 Albion Vaughan Road Kleinburg L0J1C0 FIR Contact: 905-676-4509					


KING CITY / KINGBRIDGE ON (Heli)

CKC3

REF	N43 55 01 W79 33 22 1.4WSW 10°W (2024) UTC-5(4) Elev 932' A1900 A5000	
OPR	The Kingbridge Centre 437-996-0396 Reg PPR Ldg fees	
PF	A-1,2,3,5,7 C-4,6,8	
FLT PLN		
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
HELI DATA	FATO 65' x 65' ASPH TLOF 30' dia ASPH Max heli overall length 43.3'	
RCR	Opr	
COMM		
ATF	tfc 123.2 5NM 2500 ASL excluding that portion which penetrates Toronto class C Airspace	
PRO	Arr/dep S of heli, or vertical dep over trees to W. Ctc opr to ensure helipad is clear prior to ldg. Avoid overflight of bldgs and structures.	
CAUTION	Ocsl events and outdoor gatherings on grounds. Confirm with opr prior to arrival.	


SCHOMBERG / AMAROO ON (Heli)

CNA6

REF	N43 57 17 W79 37 08 4.2SSE 10°W (2025) UTC-5(4) Elev 1125' VTA A5000	
OPR	D. Valela 416-275-9972 Reg PPR	
FLT PLN		
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
HELI DATA	FATO 83' x 83' GRASS TLOF 30' x 30' CONC Safety Area 111' x 111' 20,000 lbs Max heli overall length 55'	
RCR	Opr Win maint PN	
LIGHTING	RW(ME) green LED	
COMM		
ATF	tfc 123.2 5NM 2500 ASL excluding that portion which penetrates Toronto class C airspace	
PRO	Arr/dep 115° to 135° fr heli, slope 10% (H3). Arr/dep 260° to 275° fr heli, slope 10% (H3).	
CAUTION	Horses ocsl at large and children ocsl at play in vic of heli.	

KLEINBURG (TAVARES FIELD) ON

CTV4

REF	N43 51 40 W79 35 55 1.7NE 10°W (2023) UTC-5(4) Elev 745' A1900 A5000	
OPR	Daniel Tavares 416-801-5567 Reg PPR	
FLT PLN	FIC London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
RWY DATA	Rwy 16/34 1000x40 GRASS	
	RCR Opr No win maint	
HELI DATA	FATO/TLOF 60' dia GRASS Safety Area 79' dia Max heli overall length 39'	
COMM	ATF tfc 123.2 4NM 1700 ASL	
PRO	Arr/dep btwn 322°-030° and btwn 170°-191° fr heli. Ctc Toronto Tml before entering Class C airspace 1700 ASL and above, overlying A/D.	
CAUTION	Lgtd twr 896 ASL (197 AGL) 0.2NM WSW of A/D. Heli 400' W of rwy.	


HOLLAND LANDING AIRPARK ON

CLA4

REF	N44 05 22 W79 29 42 Adj S 11°W UTC-5(4) Elev 855' VTA A5000	
OPR	Holland Landing Airpark 905-853-0524 Reg PPR	
PF	C-2,3,4,5,6	
FLT PLN	FIC London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
SERVICES	S 1, 6	
RWY DATA	Rwy 08(081°)/26(261°) 1960x60 ASPH Rwy 08 down 1%.	
COMM	ATF UNICOM 123.2 3NM 2900 ASL	
PRO	After tkof fr rwy 26 turn left 5° as soon as practicable.	
CAUTION	Wildlife frequently in vic of aprt. Obstacles on apch to rwy 08. Vertical drop at end of both rwys. Extv heli activity in area. Vertical drops N of rwy. Twr 132 AGL adj helipad.	

BOLTON ON (Heli)

CNB2

REF	N43 51 08 W79 41 41 2SE 10°W UTC-5(4) Elev 700' VTA A5000	
OPR	National Helicopter Inc 905-893-2727 Cert PPR	
PF	B-1 C-2,3,4,5 D-6	
FLT PLN		
FIC	London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within Canada & USA)	
ACC	Toronto 905-676-4590	
SERVICES		
FUEL	JA, 100LL	
HELI DATA	FATO 100' x 100' GRASS Safety Area 100' x 100' Max heli overall length 44.1' Parking Pad 1: 60' dia ASPH Max heli overall length 60' Parking Pad 2: 38' dia ASPH Max heli overall length 38' Parking Pad 3: 38' dia ASPH Max heli overall length 38' Parking Pad 4: 38' dia ASPH Max heli overall length 38'	
RCR	Opr	
LIGHTING	RF(FH) RW(ME) green	
COMM		
ATF	tfc 123.2 5NM 3700 ASL	
PRO	Arr/dep btwn 005° to 010° & 185° to 205° fr N43 51 08 W79 41 41, slope 8% (H3).	