

# FLIGHT PLAN & SITE SURVEY

AMIDAIR-G

October 01, 2026



## IMPORTANT NOTICE

Please ensure you have received all required authorizations prior to flight. This Site Survey was created using RPAS Wilco. The user accepts all responsibility for the accuracy of the information.

Terms & Conditions: [rpaswilco.com/#tnc](https://rpaswilco.com/#tnc)

# Mission Information

AMIDAIR-G

## FLIGHT DETAILS

|                    |                           |
|--------------------|---------------------------|
| Reference No:      | MAAC-472-5667             |
| Project Name:      | CLUB AMIDAIR INC.         |
| Pilot Name:        | MAAC                      |
| Pilot Certificate: |                           |
| Mission Type:      | VLOS                      |
| Flight Start:      | October 01, 2026 02:51 AM |
| Flight End:        | October 01, 2026 03:51 AM |

## LOCATION DETAILS

|                    |                               |
|--------------------|-------------------------------|
| Flight Address:    | AMIDAIR-G                     |
| Latitude:          | 45° 45' 12.56" N ( 45.753 )   |
| Longitude:         | 73° 45' 14.00" W ( -73.754 )  |
| Field Elevation:   | 200 ft MSL                    |
| Altitude / Radius: | 400.0 ft / 926.0 m ( 0.5 nm ) |
| Classification:    | UNCONTROLLED                  |
| FIR / Contact:     | CZUL / 514-633-3365           |

## REPORT CONTENTS

Site Survey • Obstacles (if available) • Nearby Aerodromes • Canadian Aviation Regulations • GFA • Aerodrome Supplements • METAR & TAF • NOTAMs • CFS


## MISSION LOCATION SURVEY

| ROLE                                                                                         | LATITUDE                   | LONGITUDE                   |
|----------------------------------------------------------------------------------------------|----------------------------|-----------------------------|
|  MODEL       | 45° 45' 12.56" N<br>45.753 | 73° 45' 14.00" W<br>-73.754 |
|  Pilot       |                            |                             |
|  Payload Op. |                            |                             |
|  Observer    |                            |                             |

# Airspace Classification

MISSION LOCATION SURVEY

## AIRSPACE MAP



## OVERLYING AIRSPACES

| Class | Name                           | Floor   | Ceiling  |
|-------|--------------------------------|---------|----------|
| E     | Montréal (Mirabel), QC b) [TA] | 1300MSL | 1500MSL  |
| C     | Montréal, QC c) [TCA]          | 1500MSL | 2000MSL  |
| E     | 3.5.2-4 [CAE]                  | 2000AGL | 18000MSL |
| C     | Montréal, QC d) [TCA]          | 2000MSL | 3000MSL  |
| C     | Montréal, QC e) [TCA]          | 3000AGL | 5000MSL  |
| C     | Montréal, QC f) [TCA]          | 5000MSL | 12500MSL |
| E     | 3.5.2-5 [CAE]                  | 6000AGL | 18000MSL |

## NEAREST AERODROMES & DISTANCE FROM OPERATION

|                                                                                                                                                                                        |             |               |          |         |    |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------------|----------|---------|----|
| LAC AGILE (MASCOCHE) (CSA2 - AERODROME - Reg)                                                                                                                                          | Lat: 45.791 | Long: -73.638 | 8.984KM  | 4.851NM | NE |
| <b>Operator:</b> GESTION WILBURDEA INC.: PHONE: 450-675-0350, PHONE: 514-249-4040, PHONE: 514-688-4020, POST: 1 - 1050 Melançon, Saint-Jérôme J7Z 6Y9 <b>FIR Contact:</b> 514-633-3365 |             |               |          |         |    |
| PASSPORT HELICO (CPP8 - HELIPORT - Reg)                                                                                                                                                | Lat: 45.723 | Long: -73.595 | 11.857KM | 6.402NM | E  |
| <b>Operator:</b> PASSPORT HELICO: FAX: 450-474-6323, PHONE: 450-474-4888, POST: UNKNOWN <b>FIR Contact:</b> 514-633-3365                                                               |             |               |          |         |    |
| HELI-FIX (CHF6 - HELIPORT - Reg)                                                                                                                                                       | Lat: 45.715 | Long: -73.935 | 13.747KM | 7.423NM | W  |
| <b>Operator:</b> HELI-FIX MAINTENANCE INC.: PHONE: 450-712-3955, POST: UNKNOWN <b>FIR Contact:</b> 514-633-3365                                                                        |             |               |          |         |    |
| MONTREAL (BELL) (CSW5 - HELIPORT - Reg)                                                                                                                                                | Lat: 45.685 | Long: -73.931 | 14.8KM   | 7.991NM | SW |
| <b>Operator:</b> BELL HELICOPTER TEXTRON: PHONE: 450-437-8039, POST: UNKNOWN <b>FIR Contact:</b> 514-633-3365                                                                          |             |               |          |         |    |
| MIRABEL HELICO (CMH4 - HELIPORT - Reg)                                                                                                                                                 | Lat: 45.695 | Long: -73.953 | 15.795KM | 8.529NM | SW |
| <b>Operator:</b> MIRABEL HELICO: FAX: 450-963-1960, PHONE: 514-703-5507, POST: UNKNOWN <b>FIR Contact:</b> 514-633-3365                                                                |             |               |          |         |    |


LAC AGILE (MASCOCHE) QC

CSA2

|          |                                                                                                                               |  |
|----------|-------------------------------------------------------------------------------------------------------------------------------|--|
| REF      | N45 47 28 W73 38 17 3.5NNW<br>15°W (2015) UTC-5(4) Elev 174'<br>A5002 VTA                                                     |  |
| OPR      | Gestion Wilburdea Inc 514-249-4040 or<br>450-675-0350 Reg PPR                                                                 |  |
| PF       | B-1 C-2,3,4,5,6                                                                                                               |  |
| FLT PLN  | (bil)<br>Québec 866-GOMÉTÉO or<br>866-WXBRIEF (Toll free within Canada)<br>or 866-541-4105 (Toll free within<br>Canada & USA) |  |
| SERVICES | S 1,4                                                                                                                         |  |
| RWY DATA | Rwy 03/21 2100x50 GRASS Thld 03<br>displ 300'                                                                                 |  |
| RCR      | Opr No win maint                                                                                                              |  |
| COMM     | ATF tfc 123.2 2NM 2000 ASL                                                                                                    |  |
| PRO      | Rgt hand circuits Rwy 21 (CAR 602.96). Touch and go not auth.                                                                 |  |
| CAUTION  | Possibility of wildlife on the rwy.                                                                                           |  |

MONTREAL / PASSPORT HELICO QC (Heli)


CPP8



|           |                                                                                                                                                                                                              |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| REF       | N45 43 21 W73 35 43 1SE 15°W (2016) UTC-5(4) Elev 75' aprx VTA A5002                                                                                                                                         |
| OPR       | Passport Hélico 450-474-4888 Fax 450-474-6323 Reg PPR                                                                                                                                                        |
| PF        | A-1,3,6,7,8 C-2,5                                                                                                                                                                                            |
| FLT PLN   | (bil)                                                                                                                                                                                                        |
| FIC       | Québec 866-GOMÉTÉO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA)                                                                                                  |
| ACC       | Montréal 514-633-3211 or 800-633-1353, all Flt Plns, IFR tng PPR. Flt Plns by Fax at 514-633-2877 & include phone numbers where pilot can be reached prior to dep. IFR clearance or activation 514-633-3014. |
| SERVICES  | Call out chg may be levied for one or more svcs                                                                                                                                                              |
| FUEL      | 100LL, JA-1                                                                                                                                                                                                  |
| OIL       | 15W50, Mobil 254                                                                                                                                                                                             |
| S         | 1,2,3,4,6                                                                                                                                                                                                    |
| HELI DATA | FATO 64' x 64' GRVL Safety Area 85' x 85'<br>Max heli overall length 43'<br>Parking Pad 1, 2 & 3: 38' dia ASPH<br>Parking Pad 4: 40' dia ASPH<br>Parking Pad P: 20' x 20' ASPH                               |
| RCR       | Opr                                                                                                                                                                                                          |
| LIGHTING  | RF(FH)                                                                                                                                                                                                       |
| COMM      |                                                                                                                                                                                                              |
| MF        | tfc 122.35 (without ground station) 3NM excluding the portion S of the N shore of Rivière des Milles-Îles & 2NM around Lac Agile (Mascouche) A/D 2000 ASL (CAR 602.98)                                       |
| PRO       | Arr/dep 095° fr heli, day use only. Arr/dep curved 345°to 040° fr heli, day use only.                                                                                                                        |
| CAUTION   | Parking positions dimensions are less than the overall length of most types of heli.                                                                                                                         |

MONTREAL / HELI-FIX QC (Heli)

CHF6


|           |                                                                                                                                                                                                                             |                                                                                   |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| REF       | N45 42 54 W73 56 05 Adj<br>14°W (2026) UTC-5(4) Elev 230'<br>A1903 A5002                                                                                                                                                    |  |
| OPR       | Héli-Fix Maintenance Inc.<br>450-712-3955 Reg PPR                                                                                                                                                                           |                                                                                   |
| FLT PLN   |                                                                                                                                                                                                                             |                                                                                   |
| FIC       | Québec 866-GOMÉTÉO or<br>866-WXBRIEF (Toll free within Canada)<br>or 866-541-4105 (Toll free within<br>Canada & USA)                                                                                                        |                                                                                   |
| ACC       | Montréal 514-633-3211 or<br>800-633-1353, all Flt Plns, IFR tng PPR.<br>Flt Plns by Fax at 514-633-2877 &<br>include phone numbers where pilot can<br>be reached prior to dep. IFR clearance<br>or activation 514-633-3014. |                                                                                   |
| HELI DATA | FATO/TLOF 86' x 86' GRASS<br>Safety Area 100' x 100'<br>Max heli overall length 43'<br>Parking Pad 1, 2: 18' x 18' ASPH                                                                                                     |                                                                                   |
| COMM      | (bil)                                                                                                                                                                                                                       |                                                                                   |
| RADIO     | Mirabel 119.1 (E) 03-11Z‡                                                                                                                                                                                                   |                                                                                   |
| TWR       | Mirabel 119.1 (E) 11-03Z‡                                                                                                                                                                                                   |                                                                                   |
| PRO       | Arr/dep 070° fr heli. Authorization required to enter CYR 601, CYR 624 and CYR 631.<br>See MONTREAL (MIRABEL) VTPC.                                                                                                         |                                                                                   |
| CAUTION   | Snow dump NE of heli. Unmarked p-line S of heli.                                                                                                                                                                            |                                                                                   |

QUEBEC

AERODROME / FACILITY DIRECTORY

MONTRÉAL (BELL) QC (Heli)

CSW5


|           |                                                                                                                                                                                                                                |                                                                                   |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| REF       | N45 41 06 W73 55 52 15°W (2013)<br>UTC-5(4) Elev 221' VTA A5002                                                                                                                                                                |  |
| OPR       | Bell Helicopter Textron 450-437-8039<br>Reg PPR                                                                                                                                                                                |                                                                                   |
| PF        | A-1 C-2,3,4                                                                                                                                                                                                                    |                                                                                   |
| FLT PLN   | (bil)                                                                                                                                                                                                                          |                                                                                   |
| FIC       | Québec 866-GOMÉTÉO or<br>866-WXBRIEF (Toll free within Canada)<br>or 866-541-4105 (Toll free within<br>Canada & USA)<br>ACC 514-633-3211                                                                                       |                                                                                   |
| SERVICES  |                                                                                                                                                                                                                                |                                                                                   |
| ARFF      | CAT 3                                                                                                                                                                                                                          |                                                                                   |
| HELI DATA | FATO/TLOF 06L(061°)/24R(241°)<br>1000' x 100' ASPH Day use only<br>FATO/TLOF 06R(061°)/24L(241°) 800' x 100' ASPH Day use only<br>FATO/TLOF 92' x 92' ASPH Safety area 100' x 100' Day use only<br>Max heli overall length 61' |                                                                                   |
| LIGHTING  | FH (apron)                                                                                                                                                                                                                     |                                                                                   |
| COMM      | (bil)                                                                                                                                                                                                                          |                                                                                   |
| RADIO     | Mirabel 119.1 (E) 03-11Z‡                                                                                                                                                                                                      |                                                                                   |
| TWR       | Mirabel 119.1 (E) 11-03Z‡                                                                                                                                                                                                      |                                                                                   |
| A/G       | Tour de Bell 130.25 382.6 1200-2230Z‡                                                                                                                                                                                          |                                                                                   |
| PRO       | Cinc rqrd to penetrate in CYR601, CYR624 and CYR631. See Montreal (Mirabel) VTPC.                                                                                                                                              |                                                                                   |
| CAUTION   | Double set high voltage P-lines aprx 1550' S and SE of heli aprx 410 ASL (190 AGL). Southern P-line marked. Two lgtd roof-top antennas on main bldg aprx 346 ASL (125 AGL).                                                    |                                                                                   |

QUEBEC

AERODROME / FACILITY DIRECTORY

MONTRÉAL / MIRABEL HÉLICO QC (Heli)

CMH4



|           |                                                                                                             |
|-----------|-------------------------------------------------------------------------------------------------------------|
| REF       | N45 41 44 W73 57 09 Adj 14°W (2015) UTC-5(4) Elev 230' VTA A5002                                            |
| OPR       | Mirabel Hélico 514-703-5507 Fax 450-963-1960 Reg PPR                                                        |
| PF        | B-1 C-2,3,6                                                                                                 |
| FLT PLN   |                                                                                                             |
| FIC       | Québec 866-GOMETEO or 866-WXBRIEF (Toll free within Canada) or 866-541-4105 (Toll free within Canada & USA) |
| SERVICES  | Call out chg may be levied for one or more svcs.                                                            |
| FUEL      | 100LL, JA                                                                                                   |
| OIL       | All                                                                                                         |
| S         | 1,2,3,4 12-21Z† Mon-Fri                                                                                     |
| HELI DATA | FATO 64' x 64' ASPH Safety Area 85' x 85' Max heli overall length 43' Parking Pads 1-7: 51' dia ASPH        |
| COMM      | (bil)                                                                                                       |
| RADIO     | Mirabel 119.1 (E) 03-11Z†                                                                                   |
| ATIS      | (English) 125.7; (French) 126.1                                                                             |
| TWR       | Mirabel 119.1 (E) 11-03Z†                                                                                   |
| A/G       | Tour de Bell 130.25 382.6 5560.4 4242 1200-2230Z†                                                           |
| PRO       | Arr/dep 240° & 360° fr heli, slope 8%, day use only.                                                        |
| CAUTION   | Prkg pads loc less than 15' of fuel tank.                                                                   |