

---

# FLIGHT PLAN & SITE SURVEY

---

E 496-4921 HESPELER MODEL AVIATORS INC- 2400  
HESPELER RD, CAMBRIDGE

May 22, 2026



**IMPORTANT NOTICE**

Please ensure you have received all required authorizations prior to flight. This Site Survey was created using RPAS Wilco. The user accepts all responsibility for the accuracy of the information.

Terms & Conditions: [rpswilco.com/#tnc](https://rpswilco.com/#tnc)

# Mission Information

E 496-4921 HESPELER MODEL AVIATORS INC- 2400 HESPELER RD, CAMBRIDGE

## FLIGHT DETAILS

|                    |                                    |
|--------------------|------------------------------------|
| Reference No:      | <b>MAAC-496-4921</b>               |
| Project Name:      | <b>HESPELER MODEL AVIATORS INC</b> |
| Pilot Name:        | <b>MAAC</b>                        |
| Pilot Certificate: |                                    |
| Mission Type:      | <b>VLOS</b>                        |
| Flight Start:      | <b>May 22, 2026 10:40 PM</b>       |
| Flight End:        | <b>May 22, 2026 11:40 PM</b>       |

## LOCATION DETAILS

|                    |                                     |
|--------------------|-------------------------------------|
| Flight Address:    | <b>2400 HESPELER RD, CAMBRIDGE</b>  |
| Latitude:          | <b>43° 27' 45.10" N ( 43.463 )</b>  |
| Longitude:         | <b>80° 18' 38.00" W ( -80.311 )</b> |
| Field Elevation:   | <b>1024 ft MSL</b>                  |
| Altitude / Radius: | <b>400 ft / 926 m ( 0.5 nm )</b>    |
| Classification:    | <b>UNCONTROLLED</b>                 |
| FIR / Contact:     | <b>CZYZ / 905-676-4509</b>          |

## REPORT CONTENTS

Site Survey • Obstacles (if available) • Nearby Aerodromes • Canadian Aviation Regulations • GFA • Aerodrome Supplements • METAR & TAF • NOTAMs • CFS



# Airspace Classification

MISSION LOCATION SURVEY

## AIRSPACE MAP



## OVERLYING AIRSPACES

| Class | Name   | Floor   | Ceiling  |
|-------|--|---------|----------|
| E     | Southern Ontario Low Level Control Area c) [CAE] | 6500MSL | 18000MSL |
| E     | Toronto, ON [TSP]                                | 6500MSL | 12500MSL |
| E     | 3.4.1-43 [TA]                                    | 700AGL  | 18000MSL |
| E     | Southern Ontario Low Level Control Area a) [CAE] | 2500MSL | 6500MSL  |
| C     | Toronto, ON e) [TCA]                             | 4500MSL | 12500MSL |
| C     | Kitchener/Waterloo, ON [CZ]                      | SFC     | 4000MSL  |
| F     | CYR533 KITCHENER, ON                             | SFC     | 1500MSL  |
| E     | T614 Fixed RNAV Route                            | 2200AGL | 18000MSL |

## NEAREST AERODROMES & DISTANCE FROM OPERATION


|   |             |               |         |         |    |
|---|-------------|---------------|---------|---------|----|
| WATERLOO (CYKF - AERODROME - Reg)                   | Lat: 43.461 | Long: -80.379 | 5.497KM | 2.968NM | W  |
| CAMBRIDGE (PUSLINCH LAKE) (CMB3 - WATERDROME - Reg) | Lat: 43.421 | Long: -80.257 | 6.365KM | 3.437NM | SE |
| REIDS FIELD (CPE4 - AERODROME - Reg)                | Lat: 43.443 | Long: -80.232 | 6.694KM | 3.614NM | E  |

## ONTARIO

## AERODROME / FACILITY DIRECTORY

## KITCHENER / WATERLOO ON

CYKF



|                 |   |
|-----------------|---|
| <b>REF</b>      | N43 27 39 W80 22 43 1E 10°W UTC-5(4) Elev 1054' VTA A5000 LO6 HI5<br>CAP OC   |
| <b>OPR</b>      | Regional Muni of Waterloo 519-648-2256<br>H24 Cert Ldg fees are applied to all acft above 2500 Kg max tkof wt   |
| <b>PF</b>       | A-1,3,6,7,8 B-2 avbl 13-20Z† Mon-Sat C-4,5  |
| <b>CUST</b>     | AOE/15 888-226-7277 Gen Avn only<br>AOE/180 12-04Z† 519-648-3858 2hrs PN  |
| <b>FLT PLN</b>  |   |
| <b>FIC</b>      | London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll free within<br>Canada & USA)   |
| <b>WX</b>       | METAR AUTO H24 (see COMM)<br>WxCam<br>TAF H24, issue times: 0140, 0740, 1340, 1940Z.  |
| <b>SERVICES</b> |   |
| <b>FUEL</b>     | 100LL, JA (FSII avbl), JA-1 (FSII avbl)   |
| <b>OIL</b>      | 80, 100   |
| <b>S</b>        | 1,2,3,4,5,6   |
| <b>ARFF</b>     | DESIGNATED CAT 7 for sked pax fit. CAT 7 for non-sked 45 min PN 519-648-3370.<br>PPR for acft 20 seats and abv, exc for diversions or as an altn.   |
| <b>JASU</b>     | Air Start   |
| <b>PVT ADV</b>  | Chartright 129.475 905-671-4674 ext 125 1100-0130Z† O/T call out chg. Flite Line<br>svc 130.5 519-514-0530 11-01Z† O/T call out chg.<br>Summit Fuel Services 123.5 519-497-8091 12-02Z† O/T call out chg. |
| <b>MIL CON</b>  | Chartright FBO 800-595-9395   |

## ONTARIO

## AERODROME / FACILITY DIRECTORY

## KITCHENER / WATERLOO ON (Cont'd)

CYKF

|                 |   |
|-----------------|---|
| <b>RWY DATA</b> | Rwy 14(138°)/32(318°) 4103x148 ASPH<br>Rwy 08(075°)/26(255°) 7003x148 ASPH Rwy 26 down 0.44%<br>RESA: 08 197'; 26 295'  |
| <b>RWY CERT</b> | Rwy 14/32 AGN IIIA<br>Rwy 08 RVR 1200(1/4sm)/Rwy 26 RVR 1200(1/4sm) AGN IIIB  |
| <b>TWY CERT</b> | Twy B AGN IIIA  |
| <b>APRON</b>    | Apron I max wingspan 50'.<br>Apron II max wingspan 55'. Turbine acft PPR.<br>Apron IIIA tml apron for air carriers only. Max wingspan 118', larger acft PPR.<br>Apron IIIB GA freight max wingspan 118', larger acft PPR.<br>Apron IV max wingspan 118'.<br>Apron V max wingspan 79'.<br>Apron VII max wingspan 170'.   |
| <b>RCR</b>      | Aprt Ops 519-648-3370 CRFI/RSC avbl H24. PCN  |
| <b>LIGHTING</b> | 08-AO(TE HI) P2, 14-(TE HI) P1, 26-AN(TE HI) P2, 32-(TE HI) P1<br>ARCAL-126.0 type K when twr clsd. PAPI Rwy 14, 32 and 26 not avbl on ARCAL, on continuously: low ints at SS minus 30 min to SR minus 30 min, high ints at SR minus 30 min to SS minus 30 min.   |
| <b>COMM</b>     | <p><b>ATIS</b> 125.1 12-04Z‡</p> <p><b>GND</b> Waterloo 121.8 12-04Z‡</p> <p><b>TWR</b> Waterloo 126.0 118.55 (V) 12-04Z‡ (emerg only 519-648-3055)</p> <p><b>MF</b> 126.0 04-12Z‡ 5NM 4000 ASL (CAR 602.98)</p> <p><b>ARR</b> Toronto Tml 128.275</p> <p><b>DEP</b> Toronto Tml 128.275</p> <p><b>PAL</b> Toronto Ctr 128.275</p> <p><b>AWOS</b> 125.1 04-12Z‡</p>   |
| <b>NAV</b>      | <p><b>DME</b> WATERLOO YWT 115.0 Ch 97 N43 27 31 W80 22 46 (1047')</p> <p><b>ILS</b> IKF 110.7 (Rwy 26)</p>   |
| <b>PRO</b>      | <p>Pursuant to CAR 602.105, the following procedures are in effect. Noise Abatement pro in effect for all acft. See CAP or VTPC. Pilots flying an inst apch pro to Rwy 26 take note: The pro turn overflies Guelph Aprt (circuit hgt 2100 ASL). Pilots flying an inst apch pro to Rwy 26 can anticipate delays and/or restrictions when Rwy 05 &amp; 06R are in use at Toronto/Lester B. Pearson. IFR tng flts are to ctc National Traffic Management Unit (FLOW CTL) 800-268-4831 2 hrs prior to ETD or possible delays. VFR tfc outside CZ watch for apch acft oprg in vic of extended Rwy 26 centreline. VFR dep avoid noise sensitive areas at an operationally safe alt.</p> <p>Pursuant to CAR 602.105, the following procedures are in effect. Rgt hand circuits Rwy 32 (CAR 602.96).</p> <p>No VFR or IFR tng on Rwy 08 btwn 02-12Z‡</p> <p><b>REDUCED VISIBILITY OPERATING PROCEDURES (RVOP):</b><br/>One acft permitted on manoeuvring area at a time dur RVOP. RVOP avbl 12-04Z‡ only.<br/>For VFR ARR/DEP rtes see Kitchener/Waterloo VTPC.</p> |
| <b>CAUTION</b>  | Winch-launched hang gliders, cable to 2000 AGL N43 33 18 W080 31 31 near St. Jacobs aprx 8.5NM NW of A/D.   |

# CANADA WATER AERODROME SUPPLEMENT

Effective 0901Z 19 March 2026 to 0901Z 18 February 2027

## B24 AERODROME/FACILITY DIRECTORY

### CAMBRIDGE BAY NU

CJD7


|                 |   |  |
|-----------------|---|--|
| <b>REF</b>      | N69 07 20 W105 01 15 7°E (2014)<br>GV119°E 3SW UTC-7(6) Elev 00'<br>A5042 LO5   |  |
| <b>OPR</b>      | Adlair Aviation 867-983-2569/2247<br>Reg  |  |
| <b>PF</b>       | C-1,2,3,4,5   |  |
| <b>FLT PLN</b>  | <b>FIG</b> Edmonton 866-WXBRIEF (Toll free within Canada) or 866-541-4102 (Toll free within Canada & USA)<br><b>CARS</b> 867-983-2501 lcl wx only; other wx O/R   |  |
| <b>SERVICES</b> | Call out chgs may be levied.<br><b>FUEL</b> 100(D) Ctc CARS for assistance O/T<br>Kitnuna Petroleum Ltd<br>867-983-5109/7500<br><b>OIL</b> All<br><b>S</b> 5  |  |
| <b>A/D DATA</b> | Open water mid Jul-mid Sep exc drift ice possible in bay til Aug. Tidal range 2', current 1-5 kt, small island in harbour. Exposed shoal NE of dock dur low water levels.   |  |
| <b>COMM</b>     | <b>RCO</b> Edmonton rdo 123.25 (FISE) 126.7 (bcst)<br><b>MF</b> aprt rdo 122.1 5NM centred on Cambridge Bay A/D 2.3NM WSW 3100 ASL (CAR 602.98)<br><b>PAL</b> Edmonton Ctr 134.675<br><b>APRT RDO</b> 122.1 at land A/D 2.3NM WSW |  |
| <b>NAV</b>      | <b>NDB</b> CB 245 (H) N69 06 49 W105 00 54<br><b>VOR/DME</b> YCB 112.7 Ch 74 N69 07 04 W105 10 22 (131') VOR oriented on True North.  |  |
| <b>PRO</b>      | Do not land on lakes btwn aprt & settlement as water is used for drinking.  |  |
| <b>CAUTION</b>  | SW wind cause heavy seas. Cable span 0.5NM S of river mouth.  |  |

### CAMBRIDGE (PUSLINCH LAKE) ON

CMB3

|                 |   |  |
|-----------------|---|--|
| <b>REF</b>      | N43 25 14 W80 15 25 3.5NE 10°W<br>UTC-5(4) Elev 1000' VTA A5000   |  |
| <b>OPR</b>      | Ron & Yvonne Harper 519-496-2240<br>Reg PPR   |  |
| <b>PF</b>       | B-1 C-2,3,4,5,6   |  |
| <b>FLT PLN</b>  | <b>FIG</b> London 866-WXBRIEF (Toll free within Canada) or 866-541-4104 (Toll Free within Canada & USA)     |  |
| <b>SERVICES</b> | <b>S</b> 5, 7   |  |
| <b>A/D DATA</b> | Open water Apr-Oct, mud & sand bottom. Docks depth 4'   |  |
| <b>COMM</b>     | <b>ATF</b> tfc 123.2 5NM 4000 ASL   |  |
| <b>CAUTION</b>  | Lake is 5.8NM from CYKF. Pilots may ctc YKF twr 126.0 on apch to lake for tfc advsy. Hvy boat tfc on wknds. |  |

CAMPBELL RIVER VFR TERMINAL PROCEDURES CHART



ONTARIO

AERODROME / FACILITY DIRECTORY

**CAMBRIDGE / REID'S FIELD ON**

**CPE4**

|                 |  |
|-----------------|--|
| <b>REF</b>      | N43 26 34 W80 13 56 4NE 10°W<br>UTC-5(4) Elev 1050' VTA A5000<br>LO6   |
| <b>OPR</b>      | Reid's Heritage Homes Ltd<br>519-658-6656 Reg PPR  |
| <b>PF</b>       | B-1 C-2,3,4,5,6  |
| <b>FLT PLN</b>  | <b>FIC</b> London 866-WXBRIEF (Toll free within<br>Canada) or 866-541-4104 (Toll free<br>within Canada & USA)  |
| <b>RWYDATA</b>  | Rwy 17/35 3745x45 asphalt Thld 35<br>displ 565'. Thld 17 displ 700'.<br>Rwy 17 up 1%.  |
| <b>RCR</b>      | Opr Ltd win maint  |
| <b>LIGHTING</b> | 17-(TE ME), 35-(TE ME) ARCAL-123.2 type K  |
| <b>COMM</b>     | <b>ATF</b> tfc 123.2 5NM 4100 ASL  |
| <b>CAUTION</b>  | Anticipate windshear on apch Rwy 35 due trees E of thld Rwy 35. Bldg W of Rwy 17/35 within 150' of rwy centreline. Trees within 100' either side of Rwy 17/35, full length, 80 AGL 1130 ASL. Extv glider activity in area. 24" high aluminum rail along W side of rwy in touchdown zone of Rwy 17. |

